



# PRICE LIST.

1896

PARKEDAVIS & CO.  
MANUFACTURING CHEMISTS

DETROIT, MICH.,  
U.S.A.


NEW YORK,  
90 MAIDEN LANE.

KANSAS CITY, MO.  
1008 & 1010 BROADWAY.

CALEN

NATIONAL LIBRARY OF MEDICINE  
Bethesda, Maryland

*Gift of*  
William H. Helfand



CHARLES W. HARRIS  
AMERICAN CHEMIST

1896

COMPLETE CATALOGUE  
OF THE  
PRODUCTS OF THE LABORATORIES  
OF  
PARKE, DAVIS & CO.,

## MANUFACTURING CHEMISTS.

DETROIT, MICH., U. S. A.

**REVISED, FEBRUARY 25, 1896.**

**CANADIAN LABORATORY** } Cor. Walker Road and Sandwich Street. { **WALKERVILLE, ONTARIO.**

## **BRANCH HOUSES:**

NEW YORK.

## KANSAS CITY, MO.

## **90, 92 and 94 Maiden Lane,**

1008 and 1010 Broadway.

## 9 and 11 Cedar Street.

## NEW ORLEANS, LA.

BALTIMORE, MD.

**223 Tchoupitoulas Street.**

LONDON - ENGLAND -

**Officers—**

## **Warehouse and Laboratory—**


21 North Audley Street, (451 Oxford St.), Grosvenor Sq., W. 34 North Row, Oxford St., Grosvenor Square.

AUSTRALASIAN DEPOT,  
15 Bridge St., Sydney, N. S. W.

CABLE ADDRESS—"PARKEDAVE"

# CAUTION!

ADVANCE NO MONEY ON OUR ACCOUNT



Information has reached us from various parts of the country, of impostors who represent themselves as our agents, and upon such representations secure credit at hotels, boarding houses, etc., and frequently advances of money from our friends in the drug trade.

Our travelers are supplied with sufficient money for their immediate needs, and access to us by post or telegraph is so easy, that they can very readily secure more funds, should they require them. We will not, therefore, be responsible for any funds advanced to anyone, unless supplied on specific authorization by us.



PARKE, DAVIS & CO.

# Information

*Concerning Terms and Conditions upon which the Preparations Named in this List are Sold.*

Fair dealing with all our patrons requires that no exceptions be made to such rules of commercial policy as seem necessary to be established for the proper conduct of vast business relations with the drug trade of the country. Any favoritism which we might show to a single patron would justly lead even that patron to suspect that we were according still greater advantages to his competitors, and we can do our friends no better service than to adhere as closely as possible to our published terms.

Please correspond with us for information not covered below.

## NOMENCLATURE.

(See also pages 151 and 254.)

It will be observed that we have, in a general way, promptly adopted the nomenclature of the U. S. P., 1890, in listing and labeling our regular line of preparations. We have, however, deemed it appropriate to retain a few familiar titles which have been thoroughly established by usage, feeling certain that our patrons will, for the present, prefer, for instance, the familiar "Syrup Yerba Santa Aromatic," to the more correct "Syrup Eriodictyon Aromatic," and that pills which have become well known under the name "Calomel and Ipecac" would be less acceptable under the title "Mercurous Chloride Mild and Ipecac." For a similar reason we shall also continue to list "Fluid Extract Cascara Sagrada" instead of "Fluid Extract Rhamnus Purshiana."

In connection with our "B. P." preparations, we employ the nomenclature of the British Pharmacopœia. We therefore list "Henbane" in one place and "Hyoscyamus" in another, "Serpentaria" and "Serpentaria," "Asafœtida" and "Asafetida," "Ipecacuanha" and "Ipecac," etc.

## FLUID EXTRACTS IN 1-2 AND 1-4 PINT BOTTLES.

For the convenience of those who desire our fluid extracts in smaller containers than pint bottles, we put them up in half- and quarter-pint bottles with descriptive labels containing formulæ, etc. To cover the extra labor and the value of the bottles, an addition is made to list price as stated on page 9. There is therefore no reason why these smaller packages should not be supplied if wanted, and the wholesale trade will be pleased to furnish the same when clearly specified.

## HALF-GALLON VS. FIVE-PINT CONTAINERS.

We furnish our fluid extracts in *five-pint* containers, but not in *half-gallon* bottles, unless specially ordered. Our friends should remember this when filling customers' orders, as loss might arise from inadvertently invoicing five pints as a half-gallon.

## PREPARATIONS LIABLE TO FREEZE.

Preparations of a certain character, represented by Liquid Acid Phosphates, Distilled Ext. Witch Hazel and Dialyzed Iron, are liable to freeze in transit during extremely cold weather. (See Notes of Reference, No. 63.)

[CONCLUDED ON NEXT PAGE.]

## INFORMATION CONCERNING TERMS, ETC.

[CONTINUED FROM PRECEDING PAGE.]

### OMISSIONS, BREAKAGE, LEAKAGE OR SHORTAGE.

We cannot hold ourselves responsible for any losses which may occur in the transportation of merchandise shipped by us, whether shortage, leakage or breakage, except in cases where the result is directly traceable to causes existing in our laboratory. The transportation companies act as the agents of the purchaser, and we must refer our friends to them for reparation in case of loss. If we are advised of claims on receipt of goods, we shall be pleased to render every assistance in our power in collecting them from the transportation companies.

### REVISED PRICES.

Our products are sold subject to prices ruling on date of receipt of order. We cannot accept claims for an allowance in the event of a subsequent reduction, any more than we could make claim for the increased value of our preparations previously sold, because of a recent advance.

### REMITTANCES

Should be made by a Post Office Order, an Express Money Order or a bank draft. Checks on local banks are not acceptable to us for cash—not being funds current in Detroit or New York—a fee being charged by banks for the collection thereof. No allowance can be made by us for the expense of exchange, whether remittance be made by draft, postal order or express. Money, stamps or postal notes sent by mail will be at the risk of the sender and we cannot be held responsible for loss during transit.

### INSURANCE OF MAIL PACKAGES.

Packages forwarded by mail are at the risk of the consignee after delivery to the postal authorities. Even when registered, it is impossible to recover from the government in case of loss. We can *insure* the safe delivery of small packages at the cost of five cents for a value of not more than \$5.00, and ten cents for a value of not more than \$10.00, and we shall be pleased to do this when desired, charging the cost upon the invoice.

### DETERIORATION.

We hold ourselves responsible to purchasers for the deterioration of articles of our general line which have not been tampered with after leaving our laboratory, referring particularly to the removal of CAP, CORK OR LABELS from the containers. But we cannot hold ourselves responsible for the deterioration of products which have been so tampered with or which have been unduly exposed to sunlight, extreme heat, cold or moisture; or which are liable to deterioration under influences beyond our control, and which leave our laboratory in proper condition.

### GLASS-LABELED SHELF-WARE, ETC.

For reasons which we have not here space to give in detail, we never donate glass-labeled shelf-ware, cases, cabinets, etc., as an inducement for the purchase of our products. We shall be pleased to mail a printed circular affording the grounds of this policy *in extenso*.

### LOOSE LABELS FOR RE-DRESSING STOCK.

The application of a certain concern to a lithographer for quotations upon a quantity of labels bearing our card, as it usually appears upon our bottles, has caused us to adopt the policy of never supplying loose labels of this description to anyone. We have no doubt that almost every application we receive of this character is made in good faith, and yet any other policy than the one we have adopted would be unsafe. We have issued a printed circular giving further reasons for this rule, and we shall be very glad to send a copy to any dealer inclined to doubt that this policy is demanded by the highest interests of the pharmacist and physician at large, as well as by our own self-protection.

## TABLE OF EQUIVALENTS.

Recognizing the growing sentiment in favor of the adoption of the metric system of weights and measures, the Seventh Decennial Convention for the Revision of the U. S. P. resolved to employ it exclusively in the preparation of all formulæ. While we have not adopted it generally in the present issue of our price list, we recommend our patrons to make themselves familiar with the points of superiority that the metric system has over those at present in use, since every indication points to its early general adoption.

Appended is a table of all the denominations of weight and measure that represent the packages offered in our price list, opposite which are placed their approximate and exact metric equivalents. Also a table of the metric system with its corresponding equivalents in wine measure and avoirdupois weight. It will be observed that the correct rule which provides for the indication of "solids by weight and liquids by measure" has been followed.

LIQUIDS.	APPROXIMATE EQUIVALENT.	EXACT EQUIVALENT.
1 minim.....	0.06 Cubic centimetre.	0.061 Cc.
1 fl. drachm.....	4 C. c.	3.696 Cc.
1 fl. oz.....	30 C. c.	29.574 Cc.
4 fl. ozs. or $\frac{1}{4}$ pint.....	118 Cc. ( $\frac{1}{8}$ Liter).	118.295 Cc.
8 fl. ozs. or $\frac{1}{2}$ pint.....	236 Cc. ( $\frac{1}{4}$ Liter).	236.590 Cc.
16 fl. ozs. or 1 pint.....	473 Cc. ( $\frac{1}{2}$ Liter).	473.197 Cc.
2 pints.....	1 Liter (1000 Cc.)	.946 Liter.
4 pints or $\frac{1}{2}$ gallon.....	2 Liters.	1.892 Liters.
1 gallon.....	4 Liters.	3.785 Liters.
1 Cubic centimeter...	16 minims.	16.23 minims.
4 C. c.....	1 fluidrachm.	1.082 fl. drs.
15 C. c.....	$\frac{1}{2}$ fl. oz. (4 fl. drs.)	4.057 fl. drs.
25 C. c.....	$6\frac{1}{4}$ fl. drs.	6.762 fl. drs.
30 C. c.....	1 fl. oz.	1.014 fl. ozs.
60 C. c.....	2 fl. ozs.	2.029 fl. ozs.
100 C. c.....	$3\frac{1}{2}$ fl. ozs.	3.381 fl. ozs.
120 C. c.....	4 fl. ozs. ( $\frac{1}{4}$ pint).	4.057 fl. ozs.
125 C. c.....	$4\frac{1}{4}$ fl. ozs.	4.227 fl. ozs.
235 C. c.....	8 fl. ozs. ( $\frac{1}{2}$ pint).	7.945 fl. ozs.
250 C. c.....	$8\frac{1}{2}$ fl. ozs.	8.453 fl. ozs.
300 C. c.....	10 fl. ozs.	10.144 fl. ozs.
470 C. c.....	1 pint.	15.892 fl. ozs.
500 Cc.....	1 pint, 1 fl. oz.	1.056 pints.
950 Cc.....	2 pints.	2.007 pints.
1000 Cc. (1 Liter).....	2 1-10 pints.	2.113 pints.
4 Liters.....	1 gallon.	1.056 gals.

If it be desired to approximate the pint quantity or price to that of the half liter, add to it 5.66 per cent. of either; for example 473.197 Cc. + 26.7829 Cc. (5.66% of 473.197) = 500.

SOLIDS.	APPROXIMATE EQUIVALENT.	EXACT EQUIVALENT.
I-500 grain.....	0.00013 Gm.	0.000129 Gm.
I-150 gr.....	0.00043 Gm.	0.000432 Gm.
I-120 gr.....	0.00054 Gm.	0.000540 Gm.
I-100 gr.....	0.00065 Gm.	0.000648 Gm.
I-64 gr.....	0.001 Gm. (1 milligramme).	0.001013 Gm.
I-50 gr.....	0.0013 Gm.	0.001296 Gm.
I-40 gr.....	0.0016 Gm.	0.001620 Gm.
I-32 gr.....	0.002 Gm.	0.002025 Gm.
I-25 gr.....	0.0026 Gm.	0.002592 Gm.
I-10 gr.....	0.0065 Gm.	0.006479 Gm.
I-3 gr.....	0.021 Gm.	0.021599 Gm.
I gr.....	0.065 Gm.	0.064798 Gm.
5 grs.....	0.3 Gm. (3 decigrammes).	0.324 Gm.
15 grs.....	1 Gm.	0.972 Gm.
30 grs.....	2 Gm.	1.944 Gm.
60 grs.....	4 Gm.	3.888 Gm.
½ oz.....	3.5 Gm.	3.544 Gm.
⅓ oz.....	14.2 Gm.	14.175 Gm.
I oz.....	28 Gm.	28.350 Gm.
2 ozs.....	56 Gm.	56.699 Gm.
¼ lb.....	113 Gm.	113.398 Gm.
⅓ lb.....	225 Gm.	226.796 Gm.
I lb.....	450 Gm.	453.592 Gm.
2 lbs.....	900 Gm.	907.185 Gm.
I milligramme (0.001 Gm.)	I-65 grain.	0.015 grain.
10 milligrammes (0.01 Gm.) (= 1 centigramme).	I-6 gr.	0.154 gr.
100 milligrammes (0.1 Gm.) (= 1 decigramme).	1½ grs.	1.543 grs.
I Gramme .....	15½ grs.	15.4324 grs.
4 Gm.....	60 grs. (1 dr. Troy)	61.729 grs.
10 Gm. (1 dekagramme).....	½ oz.	154.324 grs.
25 Gm.....	⅔ oz.	385.81 grs.
28 Gm.....	I oz. (437.5 grs.)	432.107 grs.
56 Gm.....	2 ozs.	1 oz. 426.7 grs.
100 Gm. (1 hektogramme).....	3½ ozs.	3 ozs. 230.7 grs.
113 Gm.....	4 ozs. (⅔ lb.)	3 ozs. 431.3 grs.
200 Gm.....	7 ozs.	7 ozs. 24. grs.
225 Gm.....	8 ozs. (⅔ lb.).	7 ozs. 410. grs.
250 Gm.....	8 4-5 ozs.	8 ozs. 358. grs.
450 Gm.....	I lb. (7000 grs.).	15 ozs. 382. grs.
500 Gm.....	I I-10 lb.	I lb. 1 oz. 279. grs.
900 Gm.....	2 lbs.	I lb. 15 ozs. 327. grs
1000 Gm. (1 kilogram or Kilo).	2 I-5 lbs.	2 lbs. 3 ozs. 120. grs

To approximate the pound avoirdupois or its price, add to it 10.2 per cent. of either so as to place them upon an equal basis in comparison with the 500 grammes or half kilogramme.

# CONTENTS.

—o—  
Prices Subject to Usual Trade and Cash Discounts.  
—o—

## PART I.

PAGES.

INFORMATION CONCERNING TERMS, ETC.....	3 AND 4
TABLE OF EQUIVALENTS.....	5 AND 6
TABLE FOR MAKING SOLUTIONS.....	8
TABLE SHOWING RELATIONS BETWEEN IMPERIAL AND WINE MEASURE .....	8
FLUID EXTRACTS.....	9 TO 28
NORMAL LIQUIDS.....	29 AND 30
SOLID EXTRACTS.....	31 TO 35
POWDERED EXTRACTS.....	36 TO 38
CONCENTRATIONS.....	39 TO 41
SPECIAL PREPARATIONS.....	42
PILLS, SUGAR AND GELATIN COATED.....	43 TO 78
ENTERIC PILLS.....	79
PINK GRANULES.....	80 AND 81
DIURNULES.....	82 AND 83
HYPODERMATIC TABLETS.....	84 TO 89
OPHTHALMIC TABLETS.....	89
VETERINARY HYPODERMATIC TABLETS.....	90
IODOFORM BOUGIES, GELATIN COATED.....	90
MEDICINAL ELIXIRS, WINES AND SYRUPS.....	91 TO 102
CAPSULES, FILLED.....	103 TO 112
MEDICATED LOZENGES.....	113 AND 114
OLEATES.....	115 AND 116
GLYCEROLES.....	116
INHALANTS.....	117
GRANULAR EFFERVESCENT PREPARATIONS.....	118
ARTIFICIAL MINERAL WATER SALTS.....	118
HYDRASTIS PREPARATIONS.....	119
IMPROVED LOFOTEN COD LIVER OIL.....	120

## PART II.

SPECIALTIES.....	123 TO 139
PRESSED HERBS.....	140 TO 152
TABLET TRITURATES.....	153 TO 188
TABLETS OF HOMEOPATHIC MOTHER TINCTURES.....	187 TO 190
COMPRESSED TABLETS.....	191 TO 215
TABLET TRITURATE CASES.....	215 AND 216
DIURNAL TABLET TRITURATES.....	217 AND 218
NOTES ON DIGESTIVE FERMENTS.....	219 TO 222
NOTES ON FOOD PRODUCTS.....	222 AND 223
NOTES OF REFERENCE.....	224 TO 252
CAPSULES OF QUININE SULPHATE.....	253
SYNONYMS .....	254 TO 263
ABBREVIATIONS OF AUTHORS' NAMES.....	264

# A Convenient Table

*For the Extemporaneous Preparation of Solutions of Various Strengths.*

---

To prepare the following approximately correct solutions, dissolve the amount of medicament indicated in sufficient water to make one pint:

---

For 1-50% or 1 in 5000 solution, use	1½	grs. of the medicament.
For 1-20% or 1 in 2000	" "	3½ grs. " "
For 1-10% or 1 in 1000	" "	7½ grs. " "
For 1-4% or 1 in 400	" "	18¼ grs. " "
For 1-2% or 1 in 200	" "	36½ grs. " "
For 1% or 1 in 100	" "	73 grs. " "
For 2% or 1 in 50	" "	146 grs. " "
For 4% or 1 in 25	" "	292 grs. " "
For 5% or 1 in 20	" "	365 grs. " "
For 10% or 1 in 10	" "	730 grs. " "

---

NOTE.—To make smaller quantities of any solution use less water and reduce the medicament in proportion to the amount of water employed, thus—one-half pint of a two per cent. solution will require 73 grains of medicament.

---

## *Table Showing Relations between Imperial and Wine Measure.*

---

IMPERIAL MEASURE.	WINE MEASURE.
1 minim . . . . .	.96 minim.
1 fl. oz. or 480 minims . . . . .	.96 fl. oz. or 460.8 minims.
25 fl. ozs. . . . .	24 fl. ozs.
1 pint or 20 fl. ozs. . . . .	1 1-5 pints or 19 1-5 fl. ozs.
5 pints . . . . .	6 pints.
1 gallon or 8 pints . . . . , .	1 1-5 gallons or 9 3-5 pts.
5 gallons. . . . .	6 gallons.

---

IMPERIAL MEASURE.	WINE MEASURE.
1 fl. oz. . . . . weighs 437.5 grs.	1 fl. oz. . . . . weighs 455.7 grs.
20 fl. ozs. or 1 pint weighs 8750 grs.	16 fl. ozs. or 1 pt. weighs 7291.2 grs.
1 pint or 20 fl. ozs. weighs 8750 grs.	1 1-5 pints or 19 1-5 fl. ozs. weighs 8750 grains.

# Standard Fluid Extracts

IN PINT, HALF-PINT, QUARTER-PINT AND FIVE-PINT BOTTLES.

---

We observe the spirit of the United States Pharmacopœia, which requires that a Fluid Extract shall represent therapeutically, in the proportion of cubic-centimeter for gramme, the drug from which it is prepared. We regard it of the utmost importance that the drug employed shall be of the best quality. All drugs which contain definite active principles are subjected, before using, to a careful assay, by which we ascertain their value.

Our friends may ensure the identity of the preparations they order by specifying particularly "*Parke, Davis & Co.'s,*" and carefully examining the labels and caps on each bottle.

Fluid Extracts printed in *italics* are New Remedies, descriptions of which will be found under "Notes of Reference."

This list of fluid extracts also comprises some concentrated tinctures and fluids which are appropriately listed here for the sake of convenience. These we have indicated by a star (\*) in front. See also note 78.

To all compound fluids and fluid extracts is attached the formula, specifying the quantity of each drug represented in one pint or other given volume.

Authors' names, as usually abbreviated, are attached to the botanical names. A complete index, giving the unabbreviated names of these authorities, will be found on page 264.

The list price per pint will be reduced 10 cents when five-pint bottles are ordered. An addition of 10 cents to list price per pint will be made on orders for half-pint bottles, and an addition of 20 cents per pint for quarter-pint bottles. *Pint bottles will be supplied on orders in the absence of specifications to the contrary.*

If quarter-pint or half-pint bottles are ordered, insist upon receiving original packages with firm and descriptive labels attached. We do not hold ourselves responsible for the genuineness or quality of the product, unless it is supplied in original containers with cap and cork intact and properly labeled.

The manufacture of the following numbers has been discontinued: 11, 16, 26, 39, 43, 97, 112, 141, 167, 175, 183, 207, 220, 222, 229, 230, 234, 235, 241, 253, 269, 280, 316, 359, 377, 383, 398, 405, 414, 437, 470, 489.

*Specify P. D. & Co.'s*

PER  
PINT.

1	Abscess-root.....	Polemonium reptans, <i>Lin.</i> .....	\$1 50
	Absinthium.....(515)	See Wormwood.....	90
2	Aconite leaves.....	Aconitum Napellus, <i>Lin.</i> .....	I 10
3	Aconite root.....	Aconitum Napellus, <i>Lin.</i> .....	I 20
	See also "Normal Liquids."		
4	<i>Adhatoda vasica</i> , Nees.....		3 00
5	<i>Adonis vernalis</i> , Linn. (See note 5).....		3 00
6	Adrue.....	Cyperus articulatus, <i>Lin.</i> .....	3 50
7	Agaric (White Agaric) ..	Polyporus officinalis, <i>Fr.</i> .....	3 00
8	Agrimony.....	Agrimonia Eupatoria, <i>Lin.</i> .....	I 05
9	Ailanthus glandulosa, <i>Desf.</i> (Tree of Heaven).....		I 90
10	Ajowan seed.....	Carum copticum ( <i>Lin.</i> ) Benth....	4 00
	Allspice.....(358)	See <i>Pimenta</i> .....	I 20
*Aloes Comp. for B. P. decoction (see note 78).....(532)		I 75	
	Fifty fluidounces, imperial, represents:		
	Ext. Aloes Soc., 2 ozs.	Ext. Liquorice, 8 ozs.	
	Myrrh, 1 oz.	Liquid Cardamom' Comp.,	
	Saffron, 1 oz.	equivalent to 60 fl.ozs.	
	Potassium carbonate, 1 oz.	Tincture.	
*Aloes for B. P. tincture (see note 78).....(539)		I 65	
	One imperial pint represents:		
	Socotrine Aloes, 2½ ozs.;	Ext. Liquorice, 7½ ozs.	
12* Aloes.....	(for U. S. P. Tincture).....		I 65
	100 Cc represents:	1 pint represents about:	
	30 Gm.....Purified Aloes.....	5 OZS.	
	60 Gm.....Glycyrrhiza.....	10 OZS.	
13* Aloes and Myrrh.....(for U. S. P. tincture).....		I 75	
	100 Cc. represents:	1 pint represents about:	
	30 Gm.....Purified Aloes .....	5 OZS.	
	30 Gm.....Myrrh.....	5 OZS.	
	30 Gm.....Glycyrrhiza .....	5 OZS.	
	See note 78.		
14	Alstonia constricta, <i>F. Muell.</i> .....		3 00
15	Alternative Compound....(Bamboo-brier Comp).....		I 25
	Bamboo-brier root, 4 ozs.	Stillingia, 4 ozs.	
	Lappa, 4 ozs.	Phytolacca root, 4 ozs.	
	Xanthoxylum, 1 oz.	See note 6.	
	Althaea.....(314)	See Marsh-mallow root.....	I 00
17	American Centaury.....	Sabbatia angularis, <i>Ph.</i> .....	90
18	American Columbo.....	Frasera carolinensis, <i>Walt.</i> .....	I 25
19	American Hellebore.....	See Veratrum Viride.....	I 50
20	American Ivy (Ampelopsis) ..	Vitis quinquefolia, <i>Lam.</i> .....	I 20
21	American Saffron.....	See Safflower.....	2 40
22	American Sarsaparilla...	Aralia nudicaulis, <i>Lin.</i> .....	I 05
23	Angelica root.....	Angelica Archangelica, <i>Lin.</i> .....	I 20
24	Angelica seed.....	Angelica atropurpurea, <i>Lin.</i> .....	I 50
25	Angustura.....	Galipea Cusparia, <i>St. Hil.</i> .....	I 50
27	Anise.....	Pimpinella Anisum, <i>Lin.</i> .....	I 50
	Anthemis.....(129)	See Chamomile Roman.....	I 20
	Apocynum.....(104)	Apocynum cannabinum, <i>Lin.</i> .....	I 20
	See note 97.		
28	Apple-tree bark.....	Pyrus Malus, <i>Lin.</i> .....	I 20
29	Arbor vitæ.....	Thuya occidentalis, <i>Lin.</i> .....	I 20

PART  
ONE.*Fluid Extracts.*PER  
PINT.

30	Arbor vitæ, aqueous.....	\$ 20
31	Areca nut..... Areca Catechu, <i>Lin.</i> .....	2 25
32	Arnica flowers..... Arnica montana, <i>Lin.</i> .....	1 20
33	Arnica root (see note 15). Arnica montana, <i>Lin.</i> .....	1 20
34	Aromatic.....	2 50
	100 Cc. represents:	1 pint represents about:
	35 Gm..... Ceylon Cinnamon.....	5 3-4 ozs.
	35 Gm..... Ginger.....	5 3-4 ozs.
	15 Gm..... Cardamom .....	2 1-2 ozs.
	15 Gm..... Nutmeg.....	2 1-2 ozs.
35*	Asafetida (see note 78)... Ferula foetida ( <i>B.</i> ) Regel.....	1 50
	Asclepias ..... (366) Asclepias tuberosa, <i>Lin.</i> .....	1 20
36	Asparagus..... Asparagus officinalis, <i>Lin.</i> .....	1 50
	Aspidium ..... (308) See Male-fern.....	1 25
	Aspidosperma.... (379) Aspidosperma Quebracho-blanco, <i>Schlecht.</i> .....	2 50
	For description of properties, etc., see note 139.	
37	Bael fruit..... <i>Ægle Marmelos, Corr.</i> .....	2 25
	Balm..... (287) See Lemon Balm.....	1 20
38	Balmony..... Chelone glabra, <i>Lin.</i> .....	90
40	Balsam Fir bark..... Abies balsamea ( <i>Lin.</i> ) Mill.....	1 20
41	Balsam Poplar buds..... Populus balsamifera, <i>Lin.</i> , var. candidans ( <i>Ait.</i> ) <i>Gr.</i> .....	1 50
42	Bamboo-brier root..... Smilax Pseudo-China, <i>Lin.</i> .....	1 50
	For description of properties, etc., see note 16.	
44	Barberry bark..... Berberis vulgaris, <i>Lin.</i> .....	1 20
45	Bayberry..... Myrica cerifera, <i>Lin.</i> .....	90
46*	Bay Laurel (concent.)... Myrcia acris ( <i>Swz.</i> ) <i>DC.</i> .....	3 00
	For formula for Bay Rum, etc., see notes 17 and 78.	
47	Bearsfoot..... Polymnia Uvedalia, <i>Lin.</i> .....	1 75
48	Beech-drop..... Epiphegus virginiana, <i>Bart.</i> .....	1 50
49	Belladonna leaves..... Atropa Belladonna, <i>Lin.</i> .....	1 25
	See also "Normal Liquids."	
50	Belladonna root..... Atropa Belladonna, <i>Lin.</i> .....	1 50
	See also "Normal Liquids."	
51	Benne leaves..... Sesamum indicum, <i>Lin.</i> .....	1 50
52*	Benzoin.. (see note 78) ..(for U.S.P. tincture).....	2 00
53*	Benzoin Compound.... (for U.S.P. tincture).....	2 00
	100 Cc. represents:	1 pint represents about:
	36 Gm..... Benzoin .....	6 ozs.
	6 Gm..... Purified Aloes.....	1 oz.
	24 Gm..... Storax .....	4 ozs.
	12 Gm..... Balsam Tolu.....	2 ozs.
*Benzoin Compound for B.P. tincture (see note 78) . (528) ..	2 00	
	Each imperial pint represents:	
	Benzoin, 6 ozs.	Balsam Tolu, 1½ ozs.
	Prepared Storax, 4½ ozs.	Socotrine Aloes, 480 grs.
54	Berberis Aquifolium, Pursh.....	3 00
	For description of properties, etc., see note 19.	
55	Beth-root..... Trillium erectum, <i>Lin.</i> .....	1 05
56	Bistort..... Polygonum Bistorta, <i>Lin.</i> .....	1 50
57	Bitter Bugle-weed..... Lycopus europæus, <i>Lin.</i> .....	2 00

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

Bitter Orange Peel..(339)..	<i>Citrus vulgaris, Riss.</i>	\$1 05
58 Bitter-root.....	<i>Apocynum androsaemifolium, L.</i>	I 20
59 Bitter-sweet.....	<i>See Dulcamara.</i>	I 20
60 Black Alder.....	<i>Ilex verticillata (Lin.) Gray.</i>	90
61 Black Ash bark.....	<i>Fraxinus sambucifolia, Lam.</i>	I 20
62 Blackberry Aromatic.....	<i>Rubus, 15 ozs. Cloves, 1-5 oz. Cassia Cinnamon, 1 oz.</i>	I 20
63 Blackberry root bark.....	<i>See Rubus.</i>	I 00
64 Black Cohosh.....	<i>See Cimicifuga.</i>	I 20
65 Black Cohosh Compound.....	<i>Cimicifuga, 8 ozs. Glycyrrhiza, 3 ozs. Wild Cherry, 2 ozs. Senega, 2 ozs. Ipecac, 1 oz.</i>	I 20
66 Black Haw.....	<i>See Viburnum Prunifolium.</i>	I 20
67 Black Hellebore.....	<i>Helleborus niger, Lin.</i>	I 20
68 Black Pepper.....	<i>Piper nigrum, Lin.</i>	2 00
69 Black Walnut leaves....	<i>Juglans nigra, Lin.</i>	2 00
70 Black Willow bark.....	<i>Salix nigra, Marsh.</i>	I 50
	For description of properties, etc., see note 21.	
71 Black Willow buds.....	<i>Salix nigra, Marsh.</i>	I 50
	For description of properties, etc., see note 21.	
72 Bladder-wrack.....	<i>Fucus vesiculosus, Lin.</i>	I 35
73 Blessed Thistle.....	<i>Carbenia benedicta (Lin.) Adans</i>	I 20
74 Blood-flower.....	<i>Asclepias curassavica, Lin.</i>	2 50
	For description of properties, etc., see note 22.	
75 Blood-root.....	<i>See Sanguinaria.</i>	I 05
76 Blue Cohosh.....	<i>Caulophyllum thalictroides (L.) Mx.</i>	90
77 Blue Cohosh Compound.....	<i>Caulophyllum, 7 1-9 ozs. Ergot, 3 5-9 ozs. Water Pepper, 3 5-9 ozs. Savine, 1 7-9 ozs.</i>	I 20
78 Blue Flag.....	<i>See Iris.</i>	I 05
Blue Vervain....(485) ..	<i>Verbena hastata, Lin.</i>	I 00
79 Boldo.....	<i>Peumus Boldus, Mol.</i>	3 00
	For description of properties, etc., see note 23.	
80 Boneset.....	<i>See Eupatorium.</i>	90
81 Borage.....	<i>Borago officinalis, Lin.</i>	I 00
82 Broom.....	<i>See Scoparius.</i>	I 05
83 Broom-corn seed.....	<i>Sorghum saccharatum (L.) Pers.</i>	I 20
	For description of properties, etc., see note 25.	
Bryonia.....(497) ..	<i>Bryonia alba, Lin.</i>	I 50
84 Buchu.....	<i>Barosma betulina (Thunb.) B. &amp; W.</i>	I 50
85 Buchu Compound.....	<i>Buchu, 8 ozs. Cubeb, 2 ozs. Juniper berries, 2 ozs. Uva Ursi, 2 ozs. Spirit of Nitrous Ether, 2 fl.ozs.</i>	I 50
Buchu for B. P. tincture ..(541) ..	(See note 78)	I 50
86 Buchu and Juniper with Potassium acetate.....	<i>Buchu, 12 ozs. Juniper berries, 3 ozs. Potassium acetate, 495 grs.</i>	I 50

PART  
ONE.

## Fluid Extracts.

PER  
PINT.

87	Buchu and Pareira Compound.....	\$1 50
	Buchu, 8 ozs.	Pareira, 2 ozs.
	Stone-root, 2 ozs.	Juniper berries, 4 ozs.
88	Buckbean.....	Menyanthes trifoliata, <i>Lin.</i> ..... 1 20
89	Buckeye bark.....	Æsculus glabra, <i>Willd.</i> ..... 1 20
90	Buckhorn brake.....	Osmunda regalis, <i>Lin.</i> ..... 1 20
91	Buckthorn bark.....	See <i>Frangula</i> ..... 1 00
92	Buckthorn berries.....	Rhamnus cathartica, <i>Lin.</i> ..... 1 05
93	Bugle-weed.....	Lycopus virginicus, <i>Lin.</i> ..... 90
94	Burdock root.....	See <i>Lappa</i> ..... 90
95	Burdock seed.....	Arctium Lappa, <i>Lin.</i> (see n. 26) 1 20
96	Butternut.....	Juglans cinerea, <i>Lin.</i> ..... 1 00
98	Button Snake-root.....	Liatris spicata, <i>Willd.</i> ..... 90
99	Calabar bean.....	Physostigma venenosum, <i>Balf.</i> ... 3 60
	See also "Normal Liquids."	
	Calamus.....(459)	Acorus Calamus, <i>Lin.</i> ..... 1 20
100	Calendula.....	Calendula officinalis, <i>Lin.</i> ..... 2 20
101	California Fever-bush.....	Garrya Fremontii, <i>Torr.</i> ..... 3 50
102	California Laurel.....	Umbellularia californica, <i>Nutt.</i> .. 4 00
	For description of properties, etc., see note 28.	
	Calumba.....(159)	Jateorhiza palmata ( <i>Lam.</i> ) Miers. I 25
*Camphor Comp. for B. P. tincture (see note 78)....(529)...	I 50	
	Each imperial pint represents:	
	Powd. Opium, 320 grs.	Camphor, 240 grs.
	Benzoic acid, 320 grs.	Oil Anise, 4 fluidrachms.
103	Canada Snake-root.....	Asarum canadense, <i>Lin.</i> ..... 1 05
104	Canadian Hemp.....	See <i>Apocynum</i> (see note 97).... 1 20
105	Canella.....	Canella alba, <i>Murr.</i> ..... 1 00
106	Cannabis Indica.....	See <i>Indian Cannabis</i> ..... 1 50
	See note 97, also "Normal Liquids."	
107	Cantharides.....	Cantharis vesicatoria, <i>DeGeer</i> ... 5 50
108	Capsicum.....	Capsicum fastigiatum, <i>Bl.</i> ..... 1 50
*Capsicum and Myrrh (for N.F.tincture) (see note 78) (331).	2 00	
	Myrrh, 8 ozs. troy.	Capsicum, 2 ozs. troy.
109	Caraway.....	Carum Carvi, <i>Lin.</i> ..... 1 35
110*	Cardamom Compound... (for U. S. P. tincture).....	2 00
100	Cc. represents:	I pint represents about:
	16 Gm.....	Cardamom.....2 2-3 ozs.
	16 Gm.....	Cassia Cinnamon.....2 2-3 ozs.
	8 Gm.....	Caraway.....1 1-3 ozs.
	4 Gm.....	Cochineal .....2-3 oz.
	See notes 33 and 78.	
*Cardamom Compound for B. P. tincture.....(525)...	2 00	
	Each imperial pint represents:	
	Cardamom seeds, 1 oz.	Cochineal, 220 grs.
	Caraway fruit, 1 oz.	Raisins (deprived of seeds), 8 ozs.
	Cinnamon bark, 2 ozs.	See note 78.
111	Cardamom.....	Elettaria repens ( <i>Sonn.</i> ) <i>Bail.</i> ... 3 00
113	Caroba leaves.....	Jacaranda procera, <i>Spreng.</i> ..... 3 50
	For description of properties, etc., see note 34.	
114	Carpenter's-square.....	See <i>Figwort</i> ..... 1 80
115	Cascara Amarga.....	Picramnia (spec. not determined) 3 00
	For description of properties, etc., see note 35.	

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

116	Cascara Sagrada.....	Rhamnus Purshiana, DC.....	\$3 00
	For description of properties, etc., see note 37.		
117	Cascara Sagrada (formula of 1887) (see note 37).....		3 00
	*Cascara Sagrada Aromatic (see note 78).....	(536) ..	1 50
	*Cascara Sagrada Compound (see note 37).....	(552) ..	2 00
	Each fluidrachm represents:		
	Cascara Sagrada, 40 grs.		
	Senna, deprived of griping principle, 25 grs.		
	Aloin, 1-12 gr.		
118	Cascarilla.....	Croton Eluteria (L.) J. J. Bennett	90
119	Cassia Cinnamon.....	Cinnamomum Cassia, Bl.....	1 80
	Castanea.....	Castanea dentata (Marsh.) Sud.	90
120	Castor bean.....	Ricinus communis, Lin.....	1 80
121	Castor leaves.....	Ricinus communis, Lin.....	1 80
122	*Catechu.....	Acacia Catechu (Lin. f.) Willd.	1 20
	*Catechu for B. P. Tincture (544) In Canadian List.		
123	Catnep.....	Nepeta Cataria, Lin.....	90
	Caulophyllum.....	(76) .. See Blue Cohosh.....	90
124	Cedron seed.....	Simaba Cedron, Planch.....	5 00
	For description of properties, etc., see note 39.		
125	Celery seed.....	Apium graveolens, Lin.....	1 80
126	Cereus grandiflorus, Mill....	Night-blooming Cereus.....	4 00
	For description of properties, etc., see note 41.		
127	Cevadilla seed .....	Asagréa officinalis (Cham. & Schlecht.) Lindl.....	1 80
	Ceylon Cinnamon (543) ..	Cinnamomum Zeylanicum, B..	1 80
128	Chamomile, German ....	Matricaria Chamomilla, Lin....	1 20
129	Chamomile, Roman....	Anthemis nobilis, Lin.....	1 20
	Chaparro Amargoso... (548) ..	Castela Nicholsoni, Hook....	2 50
	See note 42.		
130	Chekan.....	Eugenia Chequen, Mol.....	4 00
	For description of properties, etc., see note 44.		
	Chelidonium.....	(213) .. See Garden Celandine.....	1 00
	Chenopodium.....	(514) .. See Wormseed, American.....	90
131 to 135.	Cherry bark....	See Wild Cherry.	
136	Chestnut leaves.....	See Castanea.....	90
137	Chewstick.....	Gouania domingensis, Lin.....	2 00
	Chimaphila .....	(363) .. Chimaphila umbellata (L.) Nutt.	1 00
138	Chirata.....	Swertia Chirata, Ham.....	1 80
	Cimicifuga .....	(64) .. Cimicifuga racemosa (L.) Nutt..	1 20
139	Cinchona Aromatic.....		1 80
	Cinchona, pale, 12 ozs.	Fluid Cardamom Comp., 2 ozs.	
	Sweet Orange peel, 2 ozs.		
140	Cinchona.....	Cinchona Calisaya, Wedd.....	1 50
	See note 48; also "Normal Liquids."		
142	Cinchona, detannated...	(See note 47).....	1 70
143	Cinchona, pale.....	Cinchona officinalis, Lin.....	1 25
	See note 49.		
144	Cinchona, red.....	(best grade of bark).....	1 50
	See note 48; also "Normal Liquids."		



PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

177	Damiana.....	Turnera microphylla, DC.....	\$2 40
	For description of properties, etc., see note 62.		
178	Dandelion.....	See Taraxacum.....	1 25
179	Dandelion Compound.....	Taraxacum, 13 ozs. Conium leaves, 1 oz.	1 25
180	Dandelion and Senna.....	Taraxacum, 8 ozs. Senna, 8 ozs.	1 20
181	Deer-tongue.....	Trilisa odoratissima (Walt.) Cass.	1 20
182	Dewberry root.....	Rubus canadensis, Lin.....	1 20
	Digitalis..... (209)	Digitalis purpurea, Lin.....	1 25
	See also "Normal Liquids."		
184	Dogwood.....	Cornus florida, Lin.....	90
185	Duboisia leaves.....	Duboisia myoporoides, R. Br....	4 00
	For description of properties, etc., see note 65.		
	Dulcamara..... (59)	Solanum Dulcamara, Lin.....	1 20
186	Dwarf Elder.....	Aralia hispida, Vent.....	1 00
187	Echinacea.....	Echinacea angustifolia, DC.....	4 00
	For description of properties, etc., see note 66.		
188	Elder flowers.....	Sambucus canadensis, Lin.....	90
189	Elecampane.....	Inula Helenium, Lin.....	90
190	Elephant's-foot.....	Elephantopus tomentosus, Lin....	3 00
191	Embelia.....	Embelia Ribes, Burman.....	2 50
	For description of properties, etc., see note 67.		
192	Ephedra antisiphilitica, C. A. Meyer (Mountain Rush)...	3 50	
	For description of properties, etc., see note 69.		
193	Ergot (latest crop).....	Claviceps purpurea (Fries) 7 ...	2 00
	See also "Normal Liquids."		
194	Ergot, ethereal, (latest crop) ..	Claviceps purpurea (Fries) 7.	2 00
	See note 70.		
	Eriodictyon..... (523)	Eriodictyon glutinosum, Benth..	2 50
	(Yerba Santa.)		
	For description of properties, etc., see note 182.		
195	Eschscholtzia.....	Eschscholtzia californica, Cham.	3 00
	For description of properties, etc., see note 72.		
196	Eucalyptus.....	Eucalyptus globulus, Lab.....	1 15
	For description of properties, etc.. see note 75.		
	Euonymus..... (488)	See Wahoo.....	1 50
	Eupatorium..... (80)	Eupatorium perfoliatum, Lin...	90
197	Euphorbia pilulifera, Lin.....		4 00
	For description of properties, etc., see note 77.		
198	European Elder bark....	Sambucus nigra, Lin.....	1 80
199	Evening Primrose.....	(Enothera biennis, Lin.....	1 50
200	False Bittersweet.....	Celastrus scandens, Lin.....	1 05
201	False Unicorn.....	See Helonias.....	1 80
202	Fennel.....	Foeniculum capillaceum, Gil....	1 20
203	Feverfew.....	Chrysanthemum Parthenium(L.) Pers.	1 00
	Figwort..... (114)	Scrophularia nodosa, Lin.....	1 80
204	Fireweed.....	Erechthites hieracifolia(L.) Raf.	90
205	Five-flowered Gentian...	Gentiana quinquefolia, Lin.....	2 50
206	Fleabane.....	Erigeron canadense, Lin.....	1 20

PART  
ONE.*Fluid Extracts.*PER  
PINT.

208	Flowering Spurge.....	<i>Euphorbia corollata, Lin.</i> .....	\$1	80
209	Foxglove.....	<i>See Digitalis.....</i>	1	25
	Frangula.....	(91) .. <i>Rhamnus Frangula, Lin.</i> .....	1	00
210	Fringe-tree .....	<i>Chionanthus virginica, Lin.</i> .....	1	50
211	Frostwort .....	<i>Helianthemum canadense, Mx.</i> ..	1	00
	Galangal.....	(549) .. <i>Alpinia officinarum, Hance.</i> ..	1	80
212	Galla ( <i>Nutgall</i> ).....	<i>Quercus lusitanica, Lam.</i> .....	1	50
213	Garden Celandine .....	<i>Chelidonium majus, Lin.</i> .....	1	00
214	Garlic.....	<i>Allium sativum, Lin.</i> .....	1	20
215	Gelsemium.....	<i>Gelsemium sempervirens (L.) Pers.</i> I 25 See also "Normal Liquids."	I 25	
216	Gelsemium, fresh root..	<i>Gelsemium sempervirens (L.) Pers.</i> I 25 See note 80.	I 25	
217	Gentian.....	<i>Gentiana lutea, Lin.</i> .....	1	00
218*	Gentian Compound.....	(for U. S. P. tincture) .....	I 15	
	100 Cc. represents:	I pint represents about:		
	60 Gm.....	Gentian .....	10	OZS.
	24 Gm.....	Bitter Orange peel.....	4	OZS.
	6 Gm.....	Cardamom.....	1	OZ.
	Gentian Compound for B. P. tincture.....	(527) ..	I 15	
	Each imperial pint represents:			
	Gentian root, 12 ozs.	Cardamom seeds, 2 ozs.		
	Bitter Orange peel, 6 ozs.			
*	Gentian Compound for B. P. infusion.....	(534) ..	I 15	
	Each imperial pint represents:			
	Gentian root, 4 ozs., 10 grs.	Fresh Lemon peel, 8 ozs.		
	Bitter Orange peel, 4 ozs., 10 grs.	See note 78.		
	Geranium.....	(172) .. <i>Geranium maculatum, Lin.</i> .....	I 05	
219	Ginger.....	<i>Zingiber officinale, Rosc.</i> .....	I 25	
221*	Ginger, soluble, for syrup (see note 78).....	(see note 78) .....	I 00	
	Glycyrrhiza.....	(290) .. <i>Glycyrrhiza glabra, Lin.</i> .....	90	
223	Golden-rod.....	<i>Solidago odora, Ait.</i> .....	90	
224	*Golden-seal, colorless....	<i>Hydrastis canadensis, Lin.</i> .....	I 25	
	See note 78.			
225	Golden-seal.....	<i>See Hydrastis</i> .....	2 00	
	See also "Normal Liquids."			
226	Golden-seal, without alcohol..	<i>Hydrastis canadensis, Lin.</i> ..	I 40	
227	Gold-thread.....	<i>Coptis trifolia, Salisb.</i> .....	2 25	
228	Gravel-plant .....	<i>Epigaea repens, Lin.</i> .....	90	
231	Green Osier bark.....	<i>Cornus circinata, L'Her.</i> .....	I 05	
232	Grindelia.....	<i>Grindelia robusta, Nutt.</i> .....	I 90	
	For description of properties, etc., see note 85.			
233	Grindelia Compound.....		2 00	
	Grindelia robusta, 10 2-3 ozs.	Senna, 2 2-3 ozs.		
	Rhubarb, 2 2-3 ozs.			
	Grindelia, U. S. P. (see note 85).....	(554) ..	I 90	
	Supplied only when "U. S. P." is specified.			
236	Guaco root (see note 86)	<i>Mikania (spec. undet.)</i> .....	2 40	
237	Guaiacum wood.....	<i>Guaiacum officinale, Lin.</i> .....	90	
*Guaiac (Guaiaci resina)....	(540) .. (for U. S. P. and B. P. See note 78. tincture) .....	I 50		

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

238	Guarana.....	Paullinia Cupana, Kunth.....	\$ 5 00
	For description of properties, etc., see note 87.		
	See also "Normal Liquids."		
239	Hair-cap moss.....	Polytrichum juniperinum, Hedw. I	20
	Hamamelis.....(512)	. Hamamelis virginiana, Lin.....	90
240	Hardhack.....	Spiraea tomentosa, Lin.....	90
	Hedeoma .....	(353) See Pennyroyal.....	90
	Helonias (False Unicorn). (201)	Chamælirium luteum, (Lin.) Gr.....	I 80
242	Helonias Compound..(see note 88).....		I 50
	Squaw-vine, 9 1-7 ozs.	Helonias (False Unicorn) 2 2-7 ozs.	
	Viburnum Opulus, 2 2-7 ozs.	Caulophyllum, 2 2-7 ozs.	
243	Hemlock Spruce bark... Tsuga canadensis (Lin.) Carr. ...		75
244	Henbane.....	See Hyoscyamus.....	I 25
245*	Hoang-nan (concent. tinct.) ..	Strychnos malaccensis, Benth. 6 00	
	For description of properties, etc., see note 90.		
246	Hops .....	Humulus Lupulus, Lin.....	I 70
247	Horehound.....	Marrubium vulgare, Lin.....	90
248*	Horehound Compound..(See note 78).....		I 25
	Red root, 2 2-3 ozs.	Wild Cherry, 2 2-3 ozs.	
	Inula, 2 2-3 ozs.	Marrubium, 2 2-3 ozs.	
	Spikenard, 2 2-3 ozs.	Sanguinaria, I 1-3 ozs.	
	Comfrey, 2 2-3 ozs.		
249	Horse-chestnut bark....	Aesculus Hippocastanum, Lin..	I 20
250	Horse-chestnuts.....	Aesculus Hippocastanum, Lin..	I 50
251	Horse-nettle.....	Solanum carolinense, Lin.....	2 00
	For description of properties, etc., see note 91.		
252	Horse radish.....	Cochlearia Armoracia, Lin.....	I 20
	Hydrastis.....(225)	. Hydrastis canadensis, Lin.....	2 00
	Hyoscyamus.....(244)	. Hyoscyamus niger, Lin.....	I 25
	See also "Normal Liquids."		
254	Hysterionica .....	Haplopappus Baylahuen, Remy. 2 00	
	For description of properties, etc., see note 96.		
255	Hydrangea .....	Hydrangea arborescens, Lin...	I 05
256	Hyssop.....	Hyssopus officinalis, Lin.....	I 00
257	Ignatia .....	Strychnos Ignatii, Berg.....	2 10
258	Indian Black-root.....	Pterocaulon pycnostachyum, Ell. I 80	
	Indian Cannabis. (106)	. Cannabis sativa, Lin. (see n. 97) I 50	
	Indian Hemp, see Indian Cannabis, Canadian Hemp, and White Indian Hemp.		
259	Indian Physic.....	Gillenia trifoliata, Manch.....	I 00
260	Indian Turnip .....	Arisæma triphyllum (Lin.) Torr..	I 20
	Inula.....(189)	. See Elecampane.....	90
261	Ipecac.....	Cephaelis Ipecacuanha (Brot.) A. Rich. 5 00	
	See also "Normal Liquids."		
262	Ipecac and Senega.....		3 00
	Ipecac, 8 ozs.	Senega, 8 ozs.	
	Iris.....(78)	. Iris versicolor, Lin.....	I 05
263	Ironwood.....	Ostrya virginica, Willd.....	I 50

PART  
ONE.

## Fluid Extracts.

PER  
PINT.

264 Jaborandi.....	<i>See Pilocarpus.....</i>	\$2 50
265 Jalap.....	<i>Ipomoea Jalapa, Nutt.....</i>	2 00
266 Jamaica Dogwood.....	<i>Piscidia Piscipula (Lin.) Sarg....</i>	3 00
	For description of properties, etc., see note 102.	
267 Jambu Assu.....	<i>Piper Jaborandi, Vell.....</i>	4 00
268 Jambul seed.....	<i>Eugenia Jambolana, Lam.....</i>	5 00
	For description of properties, etc., see note 103.	
270 Jersey Tea ( <i>New-Jersey tea</i> ) .....	<i>Ceanothus americanus, Lin..</i>	1 20
271 Johnswort ( <i>St. Johnswort</i> ) .....	<i>Hypericum perforatum, Lin..</i>	1 00
272 Judas-tree.....	<i>Cercis canadensis, Lin.....</i>	3 00
Juglans.....	<i>(96) See Butternut .....</i>	1 00
273 Juniper berries.....	<i>Juniperus communis, Lin.....</i>	90
274 Jurubeba.....	<i>(See note 104).....</i>	3 00
275 Kamala.....	<i>Mallotus philippinensis (Lam.) Muell. Arg.</i>	3 00
	For description of properties, etc., see note 105.	
276 Kavakava.....	<i>Piper methysticum, Forst.....</i>	2 00
	For description of properties, etc., see note 106.	
277*Kino (see note 78).....	<i>Pterocarpus Marsupium, Roxb...</i>	3 00
278 Kola nut.....	<i>Cola acuminata (Beauv.) Schott and Endl.....</i>	2 00
	See note 107; also "Normal Liquids."	
Kola, fresh nut..(551).....		2 00
279 Kousso (Cusso).....	<i>Hagenia abyssinica (Bruce) G..</i>	2 40
	For description of properties, etc., see note 108.	
Krameria.....	<i>(386) Krameria triandra, R &amp; P.....</i>	1 10
281 Lactucarium.....	<i>Lactuca virosa, Lin.....</i>	5 00
282 Ladies'-bedstraw.....	<i>Galium verum, Lin.....</i>	1 50
283 Ladies'-slipper.....	<i>See Cypripedium.....</i>	2 00
284 Lamium album, Linn. ( <i>Tincture</i> ).....		2 50
Lappa.....	<i>(94) Arctium Lappa, Lin.....</i>	90
285 Larkspur seed.....	<i>Delphinium Consolida, Lin.....</i>	3 50
286.*Lavender Compound...( <i>for U. S. P. tincture</i> ).....		1 60
1,000 Cc. represents:		1 pint represents about:
32 Cc.....	<i>Oil Lavender flowers.....</i>	2 15 fl. oz.
8 Cc.....	<i>Oil Rosemary .....</i>	6 1 fl. oz.
80 Gm.....	<i>Cassia Cinnamon.....</i>	1 1-3 ozs.
20 Gm.....	<i>Cloves .....</i>	1-3 oz.
40 Gm.....	<i>Nutmeg .....</i>	2-3 oz.
40 Gm.....	<i>Red Saunders.....</i>	2-3 oz.
	See note 78.	
*Lavender Compound for B. P. tincture.....		(530) 1 60
	Each imperial pint represents:	
Oil Lavender, 3 fl. drs.	<i>Oil Rosemary, 20 fl. oz.</i>	
Cinnamon bark, 300 grs.	<i>Red Sandal-wood, 600 grs.</i>	
Nutmeg, 300 grs.		
See note 78.		
287 Lemon Balm.....	<i>Melissa officinalis, Lin.....</i>	1 20
	See note 166.	
288 Lemon peel.....	<i>Citrus Limonum, Riss.....</i>	1 20
Leptandra.....	<i>(176) Veronica virginica, Lin.....</i>	1 25
Lettuce, Wild....(508).....	<i>See Wild Lettuce.....</i>	1 20

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

290 Liquorice.....	<i>See Glycyrrhiza.....</i>	\$ 90
291 Liquorice.....	<i>(for Quinine mixtures).....</i>	1 20
292 Life-everlasting .....	<i>Gnaphalium polycephalum, Michx.</i>	90
293 Life-root.....	<i>Senecio aureus, Lin.....</i>	90
294 Lily-of-the-valley flowers..	<i>Convallaria majalis, Lin.....</i>	2 00
295 Lily-of-the-valley herb...	<i>Convallaria majalis, Lin.....</i>	1 25
296 Lily-of-the-valley root... <i>See Convallaria.....</i>		1 25
	For description of properties, etc., see note 109.	
297* <i>Lippia Mexicana</i> ..... <i>(concentrated tincture)</i>		3 20
	For description of properties, etc., see note 110.	
298 Liverwort.....	<i>Anemone Hepatica, Lin.....</i>	1 50
299 Lobelia.....	<i>Lobelia inflata, Lin.....</i>	1 05
300 Lobelia Compound.....		1 05
	Lobelia, 8 ozs. Skunk Cabbage, 4 ozs. Sanguinaria, 4 ozs.	
301 Lobelia seed.....	<i>Lobelia inflata, Linn.....</i>	2 50
302 Logwood.....	<i>Hematoxylon campechianum, L.</i>	75
303 Lovage.....	<i>Levisticum officinale, Koch.....</i>	1 50
304 Lungwort.....	<i>Pulmonaria officinalis, Lin.....</i>	1 00
305 Lupulin.....	<i>Humulus Lupulus, Lin.....</i>	2 50
306 Lupulin Compound.....		1 80
	Scutellaria, 5 1-3 ozs. Wild Lettuce, 5 1-3 ozs.	
	Lupulin, 5 1-3 ozs.	
307 Mace.....	<i>Myristica fragrans, Hout.....</i>	2 50
308 Male-fern (Aspidium) ...	<i>Dryopteris Filix-mas (L.) Schott.</i>	1 25
309 Manaca.....	<i>Brunfelsia Hopeana, Benth.....</i>	3 50
	For description of properties, etc., see note 116.	
310 Mandrake.....	<i>See Podophyllum.....</i>	1 05
	See also "Normal Liquids."	
311 Mandrake Compound.....		1 05
	Podophyllum, 6 ozs. Leptandra, 4 ozs.	
	Senna, 4 ozs. Jalap, 2 ozs.	
312 Mangosteen fruit.....	<i>Garcinia Mangostana, Lin.....</i>	3 00
313 Manzanita leaves.....	<i>Arctostaphylos glauca, Lindl.....</i>	2 40
Marrubium.....(247) .....	<i>See Horehound.....</i>	90
314 Marshmallow root.....	<i>Althaea officinalis, Lin.....</i>	1 00
315 Marsh-rosemary.....	<i>Statice Limonium, Lin., var. caroliniana, Gr.....</i>	1 00
317 Matico.....	<i>Piper angustifolium, R. &amp; P....</i>	1 80
Matricaria.....(128) .....	<i>See Chamomile, German.....</i>	1 20
Melissa .....	<i>(287) .. See Lemon Balm.....</i>	1 20
Menispermum.....(519) .....	<i>Menispermum canadense, Lin..</i>	1 20
318 Mercury-weed.....	<i>Mercurialis annua, Lin.....</i>	3 50
319 Mezereum .....	<i>Daphne Mezereum, Lin.....</i>	1 50
320 Mistletoe .....	<i>Phoradendron flavescens, Nutt..</i>	1 20
321 Motherwort .....	<i>Leonurus Cardiaca, Lin.....</i>	1 05
322 Mountain Laurel.....	<i>Kalmia latifolia, Lin.....</i>	1 20
323 Mountain Mint.....	<i>Pyrenanthemum montanum, Michx.</i>	90
	Mountain Rush...(192) .. See Ephedra antisyphilitica.....	3 50

PART  
ONE.

## Fluid Extracts.

PER  
PINT.

<i>Mountain Sage</i> (Sierra Salvia).....	<i>Artemisia frigida, Willd.</i> .....	\$2 50
For description of properties, etc., see note 124.		
324 Mugwort .....	<i>Artemisia vulgaris, Lin.</i> .....	90
325 <i>Muirapuama</i> .....	(botanical name not known) ....	4 00
For description of properties, etc.. see note 124.		
326 Mullein leaves .....	<i>Verbascum Thapsus, Lin.</i> .....	75
327 Mullein root.....	<i>Verbascum Thapsus, Lin.</i> .....	1 20
328 Musk-root (Sumbul)....	<i>Ferula Sumbul (Kauf.) Hook. fil.</i> 3 25	
329 <i>Mutisia</i> (see note 125) ...	<i>Mutisia viciæfolia, Cavan.</i> .....	3 00
330 Myrrh.....	<i>Commiphora Myrrha (Nees) Engl.</i> 2 10	
331*Myrrh and Capsicum....	See <i>Capsicum</i> and <i>Myrrh</i> .....	2 00
332 Nettle root.....	<i>Urtica dioica, Lin.</i> .....	1 20
333 <i>Newbouldia</i> (see n. 127)....	<i>Newbouldia levis, Seem.</i> .....	3 00
Night-blooming Cereus..	See <i>Cereus grandiflorus</i> ..(126) ..	4 00
334 Nutmeg.....	<i>Myristica fragrans, Hout.</i> .....	3 00
335 Nux Vomica.....	<i>Strychnos Nux-vomica, Lin.</i> ....	1 25
See also "Normal Liquids."		
336*Opium, Conc'd, assayed... (for U. S. P. and B.P. tinctures)	4 50	
See notes 78 and 131.		
337*Opium, aq. and deod.....(Tr. Deodorized Opium, U. S. P.,		
See notes 78 and 131. 1890).....		1 50
338*Opium, camphorated.....(for U. S. P. tincture)	.....	1 50
See notes 78 and 131.		
Opium Comp., Tinct., See Opium preparations, Part II.		
See note 132.		
Opium, Tinct., as'y'd., See Opium preparations, Part II.		
See note 132.		
Opium,Vinegar,as'y'd, See Opium preparations, Part II.		
See note 132.		
339 Orange Peel, Bitter.....	See Bitter Orange Peel.....	1 05
340 Orange Peel, Sweet. ....	<i>Citrus Aurantium, Lin.</i> .....	1 50
341 Orange Compound.....		1 80
Orange peel, sweet, 12 ozs.	Mace, 3-8 oz.	
Cloves, 3-8 oz.	Cassia Cinnamon, 3-8 oz.	
Caraway, 3-8 oz.	Anise, 3-8 oz.	
Orris root, 1 1-2 ozs.	Tonka bean, 3-4 oz.	
342 Orris root (for flavoring)...	<i>Iris florentina, Lin.</i> .....	1 25
343 Orthosiphon.....	<i>Orthosiphon stamineus, Benth.</i> 3 50	
See note 133.		
344 Ox-eye Daisy root.....	<i>Chrysanthemum Leucanthemum, L.</i> 2 50	
For description of properties, etc., see note 134.		
345 Pansy.....	<i>Viola tricolor, Lin.</i> .....	1 20
346 Papaw seed.....	<i>Asimina triloba, Dun.</i> .....	1 50
347 Paraguay Tea (Maté)...	<i>Ilex paraguaiensis, St. Hil.</i> .....	1 80
348 Pareira .....	<i>Chondodendron tomentosum, R. &amp; P.</i> 1 50	
349 Parsley root.....	<i>Carum Petroselinum(L.)B.&amp;H.</i> 1 20	
350 Parsley fruit.....	<i>Carum Petroselinum(L.)B.&amp;H.</i> 1 35	
Passion-flower ... (537) ..	<i>Passiflora incarnata, Lin.</i> .....	2 00
351 Peach leaves.....	<i>Prunus persica, S. &amp; Z.</i> .....	1 25

PART  
ONE.

## Specify P. D. &amp; Co's

PER  
PINT.

352	Pellitory .....	Anacyclus Pyrethrum ( <i>L.</i> ) DC..	\$1	20
353	Pennyroyal.....	Hedeoma pulegioides ( <i>L.</i> ) Pers.	90	
	Pepper.....(68)	See Black Pepper.....	2	00
354	Peppermint.....	Mentha piperita, <i>Lin</i> .....	1	50
355	Persimmon bark.....	Diospyros virginiana, <i>Lin</i> .....	1	20
356	Persimmon fruit, green....	Diospyros virginiana, <i>Lin</i> .....	2	00
	Physostigma.....(99)	See Calabar Bean.....	3	60
	Phytolacca fruit..(368)	See Poke Berries.....	1	50
	Phytolacca root...(369)	Phytolacca decandra, <i>Lin</i> .....	1	00
357	Pichi (see note 136).....	Fabiana imbricata, <i>R. &amp; P.</i> .....	4	00
	Pilocarpus.....(264)	Pilocarpus Selloanus, <i>Engl</i> .....	2	50
358	Pimenta.....	Pimenta officinalis, <i>Lindl</i> .....	1	20
360	Pink-root.....	See Spigelia.....	1	50
361	Pink-root Compound.....		1	50
	Spigelia, 7 ozs.	Senna, 7 ozs.		
	Savine, 1 oz.	Manna, 1 oz.		
362	Pink-root and Senna.....		1	50
	Spigelia, 10 ozs.	Senna, 6 ozs.		
	Oil Anise, 20 ℥.	Oil Caraway, 20 ℥.		
*Pinus Canadensis Compound, (colorless) (550) .....			1	00
For local use only: Each fluidounce contains volatile constituents from one ounce Pinus canadensis; Zinc sulphate, 5 grs.; Alum, 5 grs.; Thymol, $\frac{3}{8}$ gr.; Eucalyptol, $\frac{3}{8}$ min.				
*Pinus Compound....(538).....			2	00
White Pine b'k, 4 ozs., 170 grs.	Sanguinaria, 224 grs.			
Wild Cherry, 4 ozs., 170 grs.	Sassafras, 128 grs.			
Balsam Poplar buds, 250 grs.	Morphine acetate, 12 grs.			
Spikenard, 256 grs.				
363	Pipsissewa.....	See Chimaphila.....	1	00
364	Pitcher-plant root.....	Sarracenia purpurea, <i>Lin</i> .....	1	50
365	Plantain leaves.....	Plantago major, <i>Lin</i> .....	90	
366	Pleurisy-root.....	See Asclepias.....	1	20
	Podophyllum.....(310)	Podophyllum peltatum, <i>Lin</i> .....	1	05
367	Poison Oak.....	Rhus radicans, <i>Lin</i> .....	1	80
368	Poke berries.....	Phytolacca decandra, <i>Lin</i> .....	1	50
369	Poke root.....	See Phytolacca root.....	1	00
370	Pomegranate, bark of root..	Punica Granatum, <i>Lin</i> .....	1	25
371	Poppy heads.....	Papaver somniferum, <i>Lin</i> .....	1	05
372	Prickly Ash bark.....	See Xanthoxylum.....	1	05
373	Prickly Ash berries.....	Xanthoxylum americanum, <i>Mill</i> .	2	50
374	Pride of China.....	Melia Azedarach, <i>Lin</i> .....	2	00
375	Pulsatilla.....	Anemone Pulsatilla, <i>Lin</i> .....	1	50
376	Pumpkin seed.....	Cucurbita Pepo, <i>Lin</i> .....	1	80
	Pyrethrum .....	See Pellitory.....	1	20
378	Quassia.....	Picraena excelsa ( <i>Sw.</i> ) Lindl.....	1	00
379	Quebracho .....	See Aspidosperma .....	2	50
380	Queen-of-the-meadow .....	Eupatorium purpureum, <i>Lin</i> ....	90	
	Quillaja .....	See Soap-tree bark.....	1	20

PART  
ONE.

## Fluid Extracts.

PER  
PINT.

381	Quinine-flower .....	Sabbatia Elliottii, Steud.....	\$2 25
382	Raspberry leaves.....	Rubus strigosus, Michx.....	1 00
	Red Clover blossoms.(148) ..	Trifolium pratense, Lin.....	1 20
	*Red Gum .....(542) ..	Eucalyptus rostrata, Schiecht....	2 50
384	Red Osier bark.....	Cornus sericea, Lin.....	1 05
	Red Rose.....(547) ..	See Rose.....	2 50
	Rhamnus Purshiana...(116) ..	See Cascara Sagrada.....	3 00
385	Rhamnus Wightii, W. & A. ....		3 00
386	Rhatany.....	See Krameria.....	1 10
	Rheum, see Rhubarb.		
387	Rhubarb.....	Rheum officinale, Baillon.....	2 25
		See also "Normal Liquids."	
	*Rhubarb for B. P. tincture (see note 78).....	(535) ..	3 00
	Each imperial pint represents:		
	Cardamom seeds, 2 ozs.	Saffron, 2 ozs.	
	Rhubarb root, 16 ozs.	Coriander fruit, 2 ozs.	
388*	Rhubarb Aromatic.....(for U. S. P. tincture).....		2 00
100	Cc. represents:	I pint represents about:	
	60 Gm.....	Rhubarb.....10 ozs.	
	12 Gm.....	Cassia Cinnamon.....2 ozs.	
	12 Gm.....	Cloves .....	2 ozs.
	6 Gm.....	Nutmeg.....	1 oz.
	See notes 144 and 78.		
389	Rhubarb Comp. with Potassium.....		1 80
	Rhubarb, 8 ozs.	Hydrastis, 4 ozs.	
	Cassia Cinnamon, 4 ozs.	Oil Peppermint, 30 ml.	
	Potassium carbonate, 1 oz.		
390	Rhubarb and Senna.....		1 80
	Rhubarb, 8 ozs.	Senna, 8 ozs.	
391*	Rhubarb, sweet .....	(for U. S. P. tincture).....	1 80
100	Cc. represents:	I pint represents about:	
	40 Gm.....	Rhubarb.....6 2-3 ozs.	
	16 Gm.....	Glycyrrhiza .....	2 2-3 ozs.
	16 Gm.....	Anise.....	2 2-3 ozs.
	4 Gm.....	Cardamom .....	2-3 oz.
	See note 78.		
392	Rhus aromatica, Ait.....(See note 147).....		3 00
	Rhus glabra.....(453) ..	Rhus glabra, Lin.....	75
	Rhus Toxicodendron.(367) ..	See Poison Oak.....	1 80
	Rose.....(547) ..	Rosa gallica, Lin.....	2 50
393	Rosin-weed .....	Silphium laciniatum, Lin.....	1 80
	Rubus.....(63) ..	Rubus villosus, Ait.....	1 00
394	Rue .....	Ruta graveolens, Lin.....	1 00
	Rumex .....	Rumex crispus, Lin.....	1 10
395	Sabbatia campestris, Nutt.....		2 40
	Safflower .....	Carthamus tinctorius, Lin.....	2 40
396	Sage .....	Salvia officinalis, Lin.....	90
	Salvia .....	See Sage.....	90
	Sambucus.....(188) ..	See Elder flowers.....	90
397	Sandalwood.....	Santalum album, Lin.....	3 00
	For description of properties, etc., see note 150.		

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

Sanguinaria.....(75)	Sanguinaria canadensis, <i>Lin</i> .....	\$1 05
399 Sarsaparilla.....	Smilax, U. S. P. varieties.....	1 50
400 Sarsaparilla Compound.....		1 50
100 Cc. represents:	1 pint represents about:	
75 Gm.....Sarsaparilla.....	12 1-2 ozs.	
12 Gm.....Glycyrrhiza.....	2 ozs.	
10 Gm.....Sassafras.....	1 2-3 ozs.	
3 Gm.....Mezereum.....	1-2 oz.	
See notes 78 and 152.		
*Sarsaparilla Compound for B. P. decoction.....(533)	1 50	
Each imperial pint represents:		
Jamaica Sarsaparilla, 20 ozs.	Liquorice root, 2 ozs.	
Sassafras root, 2 ozs.	Mezereon bark, 1 oz.	
Guaiacum wood, 2 ozs.		
401* Sarsaparilla Compound, for Syrup.....	1 50	
1000 Cc. represents:	1 pint represents about:	
800 Gm.....Sarsaparilla.....	13 1-3 ozs.	
60 Gm.....Glycyrrhiza.....	1 oz.	
60 Gm.....Senna.....	1 oz.	
0.4 Cc.....Oil Sassafras.....	3 fl.	
0.4 Cc.....Oil Anise.....	3 fl.	
0.4 Cc.....Oil Gaultheria.....	3 fl.	
See notes 78 and 152.		
402 Sarsaparilla and Dandelion.....	1 50	
Sarsaparilla, 8 ozs.	Taraxacum, 8 ozs.	
403 Sarsaparilla, Para(true).Smilax (species undetermined)...	1 80	
See note 151.		
404 Sassafras.....	Sassafras variifolium ( <i>Salisb.</i> ) O.K.	90
406 Savine.....	Juniperus Sabina, <i>Lin</i> .....	1 00
407 Saw Palmetto berries....	Serenoa serrulata, <i>Benth. &amp; Hook.</i>	2 00
For description of properties, etc., see note 153.		
*Saw Palmetto Compound.....	(546)	1 50
Each fluidounce represents:		
Saw Palmetto berries, fresh, 80 grs.	Kola nut, 24 grs.	
Parsley seed, 12 grs.	Coca, 12 grs.	
Combined with aromatics.	See notes 78 and 154.	
408 Saxifrage .....	Pimpinella Saxifraga, <i>Lin</i> .....	1 50
409 Scarlet Pimpernel.....	Anagallis arvensis, <i>Lin</i> .....	2 50
Scoparius.....(82)	Cytisus Scoparius ( <i>L.</i> ) <i>Link</i> ....	1 05
410 Scopolia.....	Scopolia Carniolica, <i>Jacq</i> .....	1 50
411 Scouring Rush.....	Equisetum hyemale, <i>Lin</i> .....	1 80
412 Scullcap.....	See <i>Scutellaria</i> .....	1 50
413 Scullcap Compound.....		1 25
<i>Scutellaria</i> , 5 1-2 ozs.	Cypripedium, 5 1-2 ozs.	
Hops, 2 1-2 ozs.	Wild Lettuce, 2 1-2 ozs.	
<i>Scutellaria</i> .....(412)	<i>Scutellaria lateriflora</i> , <i>Lin</i> .....	1 50
415 Senega.....	Polygala Senega, <i>Lin</i> .....	2 40
416 Senna.....	U. S. P. Senna .....	1 50
417 Senna, aqueous.....	U. S. P. Senna .....	1 75
418 Senna Compound.....		1 50
Senna, 7 ozs.	Jalap, 7 ozs.	
Senna, 8 ozs.	Coriander, 2 ozs.	
419 Senna and Jalap.....	Jalap, 8 ozs.	1 50
420 Senna pods.....	Cassia angustifolia, <i>Vahl</i> .....	1 75
For description of properties, etc., see note 157.		

PART  
ONE.*Fluid Extracts.*PER  
PINT.

421	Serpentaria.....	Aristolochia Serpentaria, <i>Lin.</i> . . . . .	\$1 75
422	Sheep Sorrel.....	Rumex Acetosella, <i>Lin.</i> . . . . .	1 20
423	Shepherd's-purse.....	Capsella Bursa-pastoris, <i>Mœnch.</i> . . . . .	1 20
424	Sierra Salvia.....	See Mountain Sage . . . . .	2 50
425	Silkweed.....	Asclepias syriaca, <i>Lin.</i> . . . . .	1 20
426	Simaruba bark.....	Simaruba amara, <i>Aubl.</i> . . . . .	1 80
427	Skunk Cabbage.....	Symplocarpus foetidus, <i>Salisb.</i> . . . . .	1 00
428	Soap-tree bark.....	Quillaja Saponaria, <i>Mol.</i> . . . . .	1 20
429	Soapwort.....	Saponaria officinalis, <i>Lin.</i> . . . . .	1 00
430	Solidago.....	Solidago Virgaurea, <i>Lin.</i> . . . . .	1 00
	For description of properties, etc., see note 158.		
431	Solomon's-seal.....	Polygonatum officinale, <i>All.</i> . . . . .	90
432	Sourwood leaves.....	Oxydendron arboreum, <i>DC.</i> . . . . .	2 50
433	Southernwood.....	Artemisia Abrotanum, <i>Lin.</i> . . . . .	1 20
434	Spanish Needles.....	Bidens bipinnata, <i>Lin.</i> . . . . .	1 20
435	Spearmint.....	Mentha viridis, <i>Lin.</i> . . . . .	90
436	Spice-bush bark.....	Lindera Benzoin, <i>Meissn.</i> . . . . .	1 20
	Spigelia.....(360)	Spigelia marilandica, <i>Lin.</i> . . . . .	1 50
438	Spikenard.....	Aralia racemosa, <i>Lin.</i> . . . . .	90
439	Spiny Clotbur.....	Xanthium spinosum, <i>Lin.</i> . . . . .	1 50
440	Squaw-vine.....	Mitchella repens, <i>Lin.</i> . . . . .	1 20
441	Squaw-vine Compound.....		1 50
	Squaw-vine, 9 1-7 ozs.	Helonias (False Unicorn), 2 2-7 ozs.	
	Viburnum Opulus, 2 2-7 ozs.	Caulophyllum, 2 2-7 ozs.	
	See note 88.		
442	Squill.....	Urginea maritima ( <i>L.</i> ) Baker... . . . .	1 00
443	Squill Compound.....		1 75
	100 Cc. represents:	I pint represents about:	
	50 Gm.....	Squill.....	8 1-3 ozs.
	50 Gm.....	Senega.....	8 1-3 ozs.
	See note 161.		
	Staphisagria.....(444)	See Stavesacre seed . . . . .	2 50
	Star-grass (Unicorn root) ..(479)	Aletris farinosa, <i>Lin.</i> . . . . .	1 80
444	Stavesacre seed.....	Delphinium Staphisagria, <i>Lin.</i> . . . . .	2 50
445	Stillingia.....	Stillingia sylvatica, <i>Lin.</i> . . . . .	1 50
446	Stillingia Compound.....		1 50
	Stillingia, 4 ozs.	Turkey-corn, 4 ozs.	
	Chimaphila, 2 ozs.	Iris, 2 ozs.	
	Sambucus, 2 ozs.	Prickly Ash berries, 1 oz.	
	Coriander, 1 oz.		
447	Stone-root.....	Collinsonia canadensis, <i>Lin.</i> . . . . .	1 05
448	Stramonium leaves.....	Datura Stramonium, <i>Lin.</i> . . . . .	1 05
	See also "Normal Liquids."		
449	Stramonium seed.....	Datura Stramonium, <i>Lin.</i> . . . . .	1 05
	See also "Normal Liquids."		
450*	Strophanthus ( <i>Tincture</i> ) . . .	Strophanthus Kombe, <i>Oliver.</i> . . . . .	1 50
	See note 162.		
451	Stylosanthes (Pencil-flower) . . .	Stylosanthes elatior, <i>Swz.</i> . . . . .	4 00
	See note 163.		
452	Sumach bark.....	Rhus glabra, <i>Lin.</i> . . . . .	75

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

453	Sumach berries.....	<i>See Rhus glabra</i> .....	\$ 75
	Sumbul.....(328)	<i>See Musk-root</i> .....	3 25
454	Summer-savory.....	<i>Satureia hortensis, Lin.</i> .....	90
455	Sundew.....	<i>Drosera rotundifolia, Lin.</i> .....	2 50
456	Sunflower seed.....	<i>Helianthus annuus, Lin.</i> .....	1 20
457	Sweet Cicely.....	<i>Osmorrhiza longistylis, DC.</i> .....	1 25
458	Sweet Fern.....	<i>Myrica asplenifolia, Endl.</i> .....	1 00
459	Sweet Flag.....	<i>See Calamus</i> .....	1 20
460	Sweet-gum bark.....	<i>Liquidambar styraciflua, Lin.</i> ....	2 50
461	Tag Alder.....	<i>Alnus serrulata, Willd.</i> .....	75
462	Tamarac bark.....	<i>Larix americana, Michx.</i> .....	1 20
463	Tansy.....	<i>Tanacetum vulgare, Lin.</i> .....	75
		<i>Taraxacum</i> .....(178) <i>.. Taraxacum officinale, Web.</i> .....	1 25
464	Tea.....	<i>Thea sinensis, Lin.</i> .....	1 55
465	Thapsia(Bou-Nefa of the Arabs). <i> Thapsia garganica, Lin.</i> ..	3 50	
466	Thimble-weed.....	<i>Rudbeckia laciniata, Lin.</i> .....	1 20
467	Thyme.....	<i>Thymus vulgaris, Lin.</i> .....	1 00
468	Tobacco.....	<i>Nicotiana Tabacum, Lin.</i> .....	1 20
469*	Tolu, soluble, (for syrup). <i> Toluifera Balsamum, Lin.</i> .....	I co	
	See note 78.		
	*Tolu for tincture.....	(545) ..	2 00
	See note 78.		
471	Tonka bean.....	<i>Dipteryx odorata, Willd.</i> .....	5 00
472*	Tonga.....	<i>Rhaphidophora vitiensis, Schott;</i> <i>and Premna taitensis, Schauer.</i> 5 50	
	For description of properties, etc., see note 170.		
473	Tormentilla root.....	<i>Potentilla Tormentilla, Scop.</i> ....	1 20
	Triticum.....(170)	<i>Agropyrum repens (L.) Beauv.</i> ... 1 05	
474	Trumpet plant.....	<i>Sarracenia flava, Lin.</i> .....	2 50
475	Tulip-tree bark.....	<i>Liriodendron tulipifera, Lin.</i> ....	75
476	Turkey-corn.....	<i>Dicentra canadensis, DC.</i> .....	1 80
477	Turmeric.....	<i>Curcuma longa, Lin.</i> .....	1 20
478	Twin-leaf.....	<i>Jeffersonia diphylla(Lin.) Pers.</i> ... 1 35	
479	Unicorn root.....	<i>See Star-grass</i> .....	1 80
480	Urechites.....	<i>Urechites suberecta, J. Muell.</i> ... 2 50	
481	<i>Ustilago Maydis, Corda.</i> Corn Ergot.....	I 75	
	For description of properties, etc., see note 175.		
482	Uva Ursi.....	<i>Arctostaphylos Uva-ursi (L.) Spreng.</i> 1 00	
483	Vaccinium crassifolium, <i>Andrz.</i> .....	I 25	
484	Valerian.....	<i>Valeriana officinalis, Lin.</i> .....	1 10
	Veratrum Viride... (19)	<i>Veratrum viride, Sol.</i> .....	1 50
	See also "Normal Liquids."		
485	Vervain .....	<i>See Blue Vervain</i> .....	1 00
	Viburnum Opulus(171)	<i>Viburnum Opulus, Lin.</i> .....	90
	Viburnum Prunifolium(66)	<i>Viburnum prunifolium, Lin.</i> ... 1 20	
	For description of properties, etc., see note 20.		
486	Virginia Stonecrop.....	<i>Penthorum sedoides, Lin.</i> .....	2 40

PART  
ONE.

## Fluid Extracts.

PER  
PINT.

487	Wafer Ash.....	Ptelea trifoliata, <i>Lin</i> .....	\$1 00
488	Wahoo .....	Euonymus atropurpureus, <i>Facq.</i> ..	1 50
490	Water Eryngo.....	Eryngium aquaticum, <i>Lin</i> .....	1 05
491	Water Fennel seed.....	CEnanthe Phellandrium, <i>Lam</i> ...	1 80
492	Water Germander.....	Teucrium Scordium, <i>Lin</i> .....	1 50
493	Water Hemlock.....	Cicuta maculata, <i>Lin</i> .....	1 50
494	Watermelon seed.....	Citrullus vulgaris, <i>Schrad</i> .....	1 80
495	Water Pepper.....	Polygonum punctatum, <i>Ell</i> .....	75
496	White Ash bark, American..	Fraxinus americana, <i>Lin</i> ....	1 20
497	White Bryony.....	See <i>Bryonia</i> .....	1 50
498	White Hellebore.....	Veratrum album, <i>Lin</i> .....	1 20
499	White Indian Hemp.....	Asclepias incarnata, <i>Lin</i> .....	1 05
	See note 97.		
500	White Oak bark .....	Quercus alba, <i>Lin</i> .....	75
501	White Pine bark .....	Pinus Strobus, <i>Lin</i> .....	90
502	White Pond-lily.....	Castalia odorata(Ait.) <i>Greene</i> ....	1 00
503	White Poplar.....	Populus tremuloides, <i>Michx</i> .....	90
504	White Vervain.....	Verbena urticæfolia, <i>Lin</i> .....	2 50
505	White Willow bark.....	Salix alba, <i>Lin</i> .....	90
506	Wild Bergamot.....	Monarda fistulosa, <i>Lin</i> .....	2 00
	Wild Cherry ..(135) ..	Prunus serotina, <i>Ehrh</i> .....	1 05
	See note 179.		
	Wild Cherry, <i>alcoholic</i> ...(131) ..	Prunus serotina, <i>Ehrh</i> ....	1 05
	See note 179.		
	Wild Cherry, <i>detannated</i> .(132) ..	Prunus serotina, <i>Ehrh</i> ....	1 40
	See note 179.		
*510	Wild Cherry, <i>for syrup</i> ..(133) ..	Prunus serotina, <i>Ehrh</i> ....	1 05
	See notes 179 & 78.		
	Wild Cherry Compound.(134) ..		1 05
	Wild Cherry, 8 ozs.	Wild Lettuce, 3 ozs.	
	Marrubium, 3 1-2 ozs.	Sanguinaria, 1 oz.	
	Veratrum viride, 1-2 oz.		
	Wild Ginger ..(103) ..	See <i>Canada Snake-root</i> .....	1 05
507	Wild Indigo .....	Baptisia tinctoria, <i>R. Br</i> .....	90
508	Wild Lettuce .....	Lactuca canadensis, <i>Lin</i> .....	1 20
509	Wild Yam.....	Dioscorea villosa, <i>Lin</i> .....	90
510	Willow-herb.....	Epilobium spicatum, <i>Lam</i> .....	1 20
511	Wintergreen .....	Gaultheria procumbens, <i>Lin</i> ....	90
512	Witch-hazel.....	See <i>Hamamelis</i> .....	90
513	Wood Betony .....	Stachys Betonica, <i>Benth</i> .....	2 50
514	Wormseed, American..	Chenopodium ambrosioides, <i>Lin</i> , var. <i>anthelminticum</i> ( <i>Lin.</i> ) <i>Gr.</i> ..	90
515	Wormwood .....	Artemisia Absinthium, <i>Lin</i> .....	90
	Xanthoxylum ..(372) ..	Xanthoxylum americanum, <i>Mill</i> . ..	1 05
516	Yarrow .....	Achillea Millefolium, <i>Lin</i> .....	75
517	Yellow Dock.....	See <i>Rumex</i> .....	1 10

PART  
ONE.

## Specify P. D. &amp; Co.'s

PER  
PINT.

518 Yellow Dock Compound.....	\$1 50
Rumex, 8 ozs.	False Bittersweet, 4 ozs.
American Ivy, 2 ozs.	Figwort, 2 ozs.
519 Yellow Parilla.....	See <i>Menispernum</i> ..... I 20
520 Yellow Pond-lily.....	<i>Nymphaea advena, Sol.</i> ..... 90
521 Yerba buena.....	<i>Micromeria Douglasii, Benth.</i> ..... 2 50
522 Yerba reuma.....	<i>Frankenia grandifolia, Cham. &amp; Schlecht.</i> ..... 2 50
523 Yerba santa.....	See <i>Eriodictyon</i> ..... 2 50 For description of properties, etc., see note 182.
524* Yerba santa aromatic.....(for syrup).....	I 75
Eriodictyon, 8 ozs. 340 grs.	Aromatics, q. s.
See notes 183 and 78.	
Zea.....(165) ..See <i>Corn-silk</i> .....	I 50

HERE ENDS THE ALPHABETICAL ARRANGEMENT, INCLUDING ALL  
FLUID EXTRACTS HEREAFTER NUMERICALLY MENTIONED.

525*Cardamom Compound for B. P. tincture.....	2 00
526*Cinchona Compound for B. P. tincture.....	I 50
527 Gentian Compound for B. P. tincture.....	I 15
528*Benzoin Compound for B. P. tincture.....	2 00
529*Camphor Compound for B. P. tincture.....	I 50
530*Lavender Compound for B. P. tincture.....	I 60
531 Not yet added.	
532*Aloes Compound for B. P. decoction.....	I 75
533*Sarsaparilla Compound for B. P. decoction.....	I 50
534*Gentian Compound for B. P. infusion.....	I 15
535*Rhubarb for B. P. tincture.....	3 00
536*Cascara Sagrada Aromatic.....	I 50
537 Passion-flower..... <i>Passiflora incarnata, Lin.</i> .....	2 00
538*Pinus Compound.....	2 00
539*Aloes for B. P. tincture.....	I 65
540*Guaiac (for U. S. P. and B. P. tincture).....	I 50
541 Buchu for B. P. tincture.....	I 50
542*Red Gum..... <i>Eucalyptus rostrata, Schlecht.</i> .....	2 50
543 Ceylon Cinnamon. <i>Cinnamomum Zeylanicum, Breyne.</i> .....	I 80
544*Catechu for B. P. Tincture. <i>In Canadian list only.</i>	
545*Tolu, for tincture.....	2 00
546*Saw Palmetto Compound .....	I 50
547 Rose..... <i>Rosa gallica, Lin.</i> .....	2 50
548 Chaparro Amargoso .. <i>Castela Nicholsoni, Hook.</i> .....	2 50
549 Galangal .....	<i>Alpinia officinarum, Hance.</i> ..... 1 80
550*Pinus Canadensis Compound (colorless).....	I 00
551 Kola, fresh nut.....	2 00
552*Cascara Sagrada Compound.....	2 00
553 <i>In Canadian and British lists only.</i>	
554 Grindelia, U. S. P.....	I 90

# Normal Liquids.

*A Class of Superior Assayed Fluid Preparations, Introduced by us, One Cubic Centimeter of Each Being Equivalent to One Gramme of Drug of Standard Strength.*

According to the U. S. Pharmacopœia, one cubic centimeter of any fluid extract represents one gramme of the drug employed in making it. It is apparent that such preparations, will not be of invariable strength, since, in the purchase of crude drugs, especially those containing definite active principles, the quality can not be judged by physical appearance, with any degree of certainty. An estimation of the active medicinal constituents is the only true criterion by which the quality of a drug can be measured. Fluid extracts made in the ordinary way must, of course, share the variability of the drug, while our NORMAL LIQUIDS are adjusted to a uniform strength by assay, irrespective of the quantity of crude drug required, thereby imparting to them a definite and uniform therapeutic value. A benefit so evident merits attention.

The high standard of our fluid extracts is in no way affected by the introduction of these NORMAL LIQUIDS.

NOTE.—The estimation of alkaloids *by titration with volumetric acid solution*, is based on their combining or quantivalent weights, each Cc. of acid solution used, representing a definite amount of alkaloid. For example, 1 Cc. of n-100 volumetric acid solution is equivalent to 0.00289 Gm. of mydriatic alkaloids ( $C_{17} H_{23} NO_3 = 289$ ). In the case of Normal Liquid Nux Vomica, one half of the combined molecular weight of strychnine (334) and brucine (394), or 364 is taken as the molecular equivalent, assuming that the two alkaloids are present in equal quantities.

It is obvious that tinctures prepared by diluting our NORMAL LIQUIDS with appropriate diluents must necessarily be more reliable than those made by the usual methods from commercial drugs of uncertain quality and identity, though the percentage of inert extractive matter may be smaller in a Tincture made from the Normal Liquid.

Packages.—NORMAL LIQUIDS are sold in bottles containing 1 pint,  $\frac{1}{2}$  pint,  $\frac{1}{4}$  pint and 5 pints. Prices given are in bottles of 1 pint each; an additional charge of 10 cents per pint will be made to the list price in  $\frac{1}{2}$  pint bottles, and 20 cents per pint in 1-4 pint bottles, and a reduction of 10 cents per pint in 5-pint bottles.

*Normal Liquids.*PER  
PINT.

Aconite root.....	\$ 1 35
Standard arbitrary, based on physiological test.	
American Hellebore..... <i>See Veratrum Viride</i> .....	1 65
Belladonna leaves.....	1 50
Standard 0.35% atropine, based on acid titration.	
Belladonna root.....	1 65
Standard 0.45% atropine, based on acid titration.	
Calabar Bean.....	3 75
Standard 0.2% ether soluble alkaloid (physostigmine).	
Cannabis Indica..... <i>See Indian Cannabis</i> .....	1 70
Cinchona..... (See note 48).....	1 65
Standard 5% total alkaloids, one half of which is quinine.	
Cinchona red.....	1 65
Standard 5% total alkaloids. See note 48.	
Coca.....	2 35
Standard 0.5% petroleum-benzin — soluble alkaloid (cocaine).	
Colchicum root.....	1 35
Standard 0.5% colchicine, by weight.	
Colchicum seed.....	1 65
Standard 0.5% colchicine, by weight.	
Conium fruit.....	1 65
Standard 0.5% coniine, based on acid titration.	
Digitalis.....	1 35
Standard arbitrary, 30% extractive.	
Ergot.....	2 25
Two Cc. of the NORMAL LIQUID diluted with water to 10 Cc. and added to 90 Cc. strong alcohol will throw down a precipitate which, after thorough washing with alcohol and drying at 100° C., will weigh 0.080 Gm.	
Foxglove..... <i>See Digitalis</i> .....	1 35
Gelsemium .....	1 40
Standard 0.5% total alkaloids by weight.	
Golden-seal..... <i>See Hydrastis</i> .....	2 15
Guarana... (Standard 4% caffeine, by weight).....	5 40
Hydrastis .....	2 15
Standard, 2.5% hydrastine, based on acid titration.	
Hyoscyamus .....	1 40
Standard 0.10% alkaloids, based on acid titration.	
Indian Cannabis.....	1 70
Standard arbitrary; 10% resinous extractive, soluble in alcohol.	
Ipecac.....	5 40
Standard 2% emetine, based on acid titration.	
Kola nut.....	2 15
Standard 1% pure alkaloids, by weight. See note 107.	
Mandrake..... <i>See Podophyllum</i> .....	1 20
Nux Vomica.....	1 40
Standard 1.5% total alkaloids, based on acid titration.	
Podophyllum .. (Standard 4.25% total resin) .....	1 20
Rhubarb.....	2 50
Standard arbitrary, 30 % extractive.	
Stramonium leaves.....	1 20
Standard 0.3% alkaloid, based on acid titration.	
Stramonium seed.....	1 20
Standard 0.3% alkaloid, based on acid titration.	
Veratrum Viride.....	1 65
Standard 1% total alkaloids, by weight.	

# Solid Extracts.

We invite exhaustive tests of our solid extracts, as we claim for them the first rank for medicinal value. Analysis has demonstrated the superiority in alkaloidal strength of our narcotic extracts as compared with those of other manufacturers.

Extracts from drugs of determinable strength are accurately regulated by assay and adjusted to a uniform standard. The practical pharmacist will readily appreciate the importance of the object attained by such methods.

THESE EXTRACTS MAY BE ORDERED BY NUMBER AND LETTER.	A Per 1 lb. Jar.	B Per ½ lb. Jar.	C Per ¼ lb. Jar.	E Per 1 oz. Jar.
Absinthium (128), <i>see Wormwood</i> .....				
1 Aconite leaves, assayed (see n. 159)....	\$4 25	\$2 20	\$1 15	\$ 35
2 Aconite root, assayed (see note 159)....	4 25	2 20	1 15	35
3 Aloes.....	2 70	1 45	75	25
4 Alterative Compound (see n. 6).....	3 00	1 60	85	27
One grain represents five minims F.				
E. Alterative Comp.				
5 American Hellebore, <i>see Veratrum Viride</i> .....	3 60	1 90	1 00	31
Anthemis (41), <i>see Chamomile, Ro- man</i> .....	6 00	3 10	1 60	46
Apocynum.....(34)	4 00	2 10	1 10	33
6 Arnica flowers.....	3 00	1 60	85	27
7 Arnica root.....	3 60	1 90	1 00	31
8 Bearsfoot .....	3 60	1 90	1 00	31
9 Belladonna leaves, assayed.....	3 60	1 90	1 00	31
See note 159.				
10 Belladonna leaves (strictly alc.), as- sayed (see note 159).....	5 40	2 80	1 45	42
11 Belladonna root, assayed.....	4 00	2 10	1 10	33
See note 159.				
12 Berberis Aquifolium.....	5 00	2 60	1 35	40
13 Bitter-root—Discontinued.				
14 Bitter-sweet, <i>see Dulcamara</i> .....	2 50	1 35	70	24
15 Black Ash bark—Discontinued.				
16 Blackberry root-bark., <i>see Rubus</i> .....	1 80	1 00	55	20
17 Black Cohosh, <i>see Cimicifuga</i> .....	3 00	1 60	85	27
18 Black Haw, <i>see Viburnum Pruni- folium</i> .....	3 60	1 90	1 00	31
19 Black Hellebore.....	3 00	1 60	85	27
20 Bladder-wrack .....	3 00	1 60	85	27
21 Blessed Thistle—Discontinued.				
22 Blood-root, <i>see Sanguinaria</i> .....	3 60	1 90	1 00	31
23 Blue Cohosh.....	2 10	1 15	60	21
24 Blue Flag, <i>see Iris</i> .....	3 00	1 60	85	27

PART  
ONE.

## Specify P. D &amp; Co.

THESE EXTRACTS MAY BE ORDERED BY NUMBER AND LETTER.	A Per 1 lb. Jar.	B Per ½ lb. Jar.	C Per ¼ lb. Jar.	E Per 1 oz. Jar.
25 Boneset, <i>see Eupatorium</i> .....	\$2 50	\$1 35	\$ .70	\$ .24
26 Boxwood, <i>see Dogwood</i> .....	2 75	1 45	.75	.25
27 Buchu.....	4 80	2 50	1 30	.38
28 Buckthorn bark, <i>see Frangula</i> .....	3 00	1 60	.85	.27
29 Bugle-weed .....	3 00	1 60	.85	.27
30 Burdock root, <i>see Lappa</i> .....	2 40	1 30	.70	.23
31 Butternut, <i>see Juglans</i> (see note 27) .....	2 50	1 35	.70	.24
32 Calabar bean, assayed, <i>see Physostigma</i> .....	.....	.....	.....	I .90
33 Calendula .....	5 40	2 80	1 45	.42
Calumba ..... (48)	3 50	1 85	.95	.30
34 Canadian Hemp, <i>see Apocynum</i> .....	4 00	2 10	1 10	.33
35 Cannabis Indica, <i>see Indian Cannabis</i> .	9 60	4 90	2 50	.68
36 Capsicum .....	3 00	1 60	.85	.27
37 Cascara Sagrada (see note 37).....	5 00	2 60	1 35	.40
38 Cascara Sagrada, 1887, (tasteless), (see note 37).....	5 00	2 60	1 35	.40
39 Cascarilla.....	4 50	2 35	1 20	.36
Catulophyllum (23), <i>see Blue Cohosh</i> ....	2 10	1 15	.60	.21
40 Celery seed.....	3 60	1 90	1 00	.31
41 Chamomile, Roman.....	6 00	3 10	1 60	.46
Chimaphila ..... (92)	2 40	1 30	.70	.23
Cimicifuga ..... (17)	3 00	1 60	.85	.27
42 Cinchona, pale, assayed.....	5 00	2 60	1 35	.40
See notes 49 and 159.				
43 Cinchona, red, assayed (see note 159)	9 00	4 60	2 35	.65
44 Cinchona, assayed (see note 159).....	9 00	4 60	2 35	.65
45 Clover blossoms, red, <i>see Red Clover Blossoms</i> .....	3 00	1 60	.85	.27
46 Coca, assayed (see note 159).....	9 00	4 60	2 35	.65
47 Colchicum root, assayed (see note 159). Colocynth. See Powd. Exts. See note 56.	3 60	1 90	1 00	.31
Colocynth Compound. See Powd. Exts. See note 56.				
Colocynth Compound, B. P. .... (132)	3 60	1 90	1 00	.31
48 Columbo, <i>see Calumba</i> .....	3 50	1 85	.95	.30
49 Conium leaves.....	2 50	1 35	.70	.24
50 Conium fruit, assayed (see note 159) .....	3 00	1 60	.85	.27
51 Cotton root bark.....	4 00	2 10	1 10	.33
52 Couch-grass, <i>see Triticum</i> .....	2 50	1 35	.70	.24
53 Cranesbill, <i>see Geranium</i> .....	3 00	1 60	.85	.27

*Solid Extracts.*PART  
ONE.THESE EXTRACTS MAY BE ORDERED BY  
NUMBER AND LETTER.

	A Per 1 lb. Jar.	B Per ½ lb. Jar.	C Per ¼ lb. Jar.	E Per 1 oz. Jar.
54 Cubeb.....	\$7 00	\$3 60	\$1 85	\$ .52
55 Culver's-root, <i>see Leptandra</i> .....	4 50	2 35	1 20	.36
Cypripedium.....(81)	7 00	3 60	1 85	.52
56 Damiana .....	5 40	2 80	1 45	.42
57 Dandelion, <i>see Taraxacum</i> .....	1 35	.75	.40	.17
Digitalis .....(63)	2 40	1 30	.70	.23
Dogwood.....(26)	2 75	1 45	.75	.25
58 Duboisia— <i>Discontinued</i> .				
Dulcamara .....	(14)	2 50	1 35	.70
59 Elder Flowers.....	2 25	1 20	.65	.23
60 Elder, European— <i>Discontinued</i> .				
61 Ergot (see note 71).....	9 00	4 60	2 35	.65
Eriodictyon (see note 182).....(130)	3 60	1 90	1 00	.31
62 Eucalyptus.....	3 60	1 90	1 00	.31
Euonymus.....(122)	3 60	1 90	1 00	.31
Eupatorium .....	(25)	2 50	1 35	.70
63 Foxglove, <i>see Digitalis</i> .....	2 40	1 30	.70	.23
64 Foxglove (alcoholic), <i>Discontinued</i> .				
65 Fringe-tree .....	3 00	1 60	.85	.27
Frangula .....	(28)	3 00	1 60	.85
66 Gelsemium, ass'y'd (see notes 80 & 159)	3 60	1 90	1 00	.31
67 Gentian .....	1 20	.70	.40	.16
Geranium .....	(53)	3 00	1 60	.85
68 Golden-seal, assayed, <i>see Hydrastis</i> ....	7 30	3 75	1 90	.55
See note 159.				
69 Grindelia.....	3 60	1 90	1 00	.31
70 Guarana— <i>Discontinued</i> .				
Hamamelis.....(127)	2 40	1 30	.70	.23
71 Henbane, <i>see Hyoscyamus</i> .....	3 60	1 90	1 00	.31
72 Hops .....	4 80	2 50	1 30	.38
73 Horehound .....	2 70	1 45	.75	.25
Hydrastis, assayed.....(68)	7 30	3 75	1 90	.55
Hyoscyamus, assayed (note 159) ..(71)	3 60	1 90	1 00	.31
74 Ignatia, assayed (see note 159).....	.....	.....	.....	.75
Indian Cannabis.....(35)	9 60	4 90	2 50	.68
75 Ipecac, assayed (see note 159).....	.....	.....	.....	2 00
Iris.....(24)	3 00	1 60	.85	.27
76 Jaborandi, <i>see Pilocarpus</i> .....	9 00	4 60	2 35	.65
77 Jalap .....	4 80	2 50	1 30	.38
78 Jamaica Dogwood (see note 102) .....	11 00	5 60	2 85	.77
Juglans (see note 27) .....	(31)	2 50	1 35	.70
79 Juniper berries.....	2 25	1 20	.65	.23

PART  
ONE.

## Specify P. D. &amp; Co's

THESE EXTRACTS MAY BE ORDERED BY NUMBER AND LETTER.	A Per 1 lb. Jar.	B Per ½ lb. Jar.	C Per ¼ lb. Jar.	E Per 1 oz. Jar.
80 Kavakava .....	\$6 00	\$3 10	\$1 60	\$ .46
Kola nut (see note 107) .....	(133)	6 00	3 10	1 60
Krameria.....	(101)	2 40	1 30	70
81 Ladies'-slipper, <i>see Cypritedium</i> .....	7 00	3 60	1 85	52
Lappa .....	(30)	2 40	1 30	70
Leptandra.....	(55)	4 50	2 35	1 20
82 Lettuce, Wild.....	2 75	1 45	75	25
83 Life-root.....	2 50	1 35	70	24
84 Lobelia.....	3 00	1 60	85	27
85 Male-fern.....	3 60	1 90	1 00	31
86 Mandrake, <i>see Podophyllum</i> .....	3 50	1 85	95	30
Marrubium, <i>see Horehound</i> .....(73)			.	
87 Mezereum.....	4 50	2 35	1 20	36
88 Musk-root.....				90
89 Nux Vomica, assayed (see note 159) ..	3 60	1 90	1 00	31
90 Opium, assayed....(notes 131 and 159)				1 00
Physostigma, assayed.....(32)				I 90
See note 159.				
Phytolacca root.....(93)	3 20	1 70	90	28
91 Pichi (see note 136).....	10 00	5 10	2 60	70
Pilocarpus.....(76)	9 00	4 60	2 35	65
92 Pipsissewa, <i>see Chimaphila</i> .....	2 40	1 30	70	23
Podophyllum.....(86)	3 50	1 85	95	30
93 Poke-root, <i>see Phytolacca root</i> .....	3 20	1 70	90	28
94 Poppy heads.....	4 00	2 10	1 10	33
95 Prickly Ash bark, <i>see Xanthoxylum</i> ..	3 60	1 90	1 00	31
96 Pumpkin seed—Discontinued.				
97 Quassia.....	4 20	2 20	1 15	35
98 Quebracho bark—Discontinued.				
99 Queen-of-the-Meadow.....	3 00	1 60	85	27
100 Raspberry leaves—Discontinued.				
Red Clover blossoms.....(45)	3 00	1 60	85	27
101 Rhatany, <i>see Krameria</i> .....	2 40	1 30	70	23
102 Rhubarb.....	5 00	2 60	1 35	40
103 Rhubarb Comp.—Discontinued.				
See Powdered Extracts.				
104 Rhus aromatica.....	10 00	5 10	2 60	71
Rubus .....	(16)	1 80	1 00	55
105 Rue.....	3 00	1 60	85	27
Rumex.....(129)	2 40	1 30	70	23
Sambucus, <i>see Elder Flowers</i> ....(59)	2 25	1 20	65	23
Sanguinaria.....(22)	3 60	1 90	1 00	31
106 Sarsaparilla.....	4 50	2 35	1 20	36

*Solid Extracts.*PART  
ONE.

THESE EXTRACTS MAY BE ORDERED BY NUMBER AND LETTER.	A Per 1 lb. Jar.	B Per ½ lb. Jar.	C Per ¼ lb. Jar.	E Per 1 oz. Jar.
107 Sarsaparilla Comp..... Ext. Taraxacum, 4 parts. Ext. Rumex, 1 part. Ext. Sarsaparilla, 1 part. Oil Anise and Oil Gaultheria, q.s.	\$3 00	\$1 60	\$ 85	\$ 27
108 Savine..... Saw Palmetto .....(131)	1 80	1 00	55	20
109 Scullcap, <i>see Scutellaria</i> ..... Scutellaria.....(109)	4 00	2 10	1 10	33
110 Senna.....	3 50	1 85	95	30
111 Sheep Sorrel .....	3 50	1 85	95	30
112 Sourwood leaves.....	5 00	2 60	1 35	40
113 Star-grass (Unicorn root).....	5 50	2 85	1 45	43
114 Stillingia.....	3 50	1 85	95	30
115 Stone-root.....	3 50	1 85	95	30
116 Stramonium leaves, assayed..... See note 159.	2 40	1 30	70	23
117 Stramonium seed, assayed..... See note 159. Sumbul (88), <i>see Musk-root</i> .....	4 50	2 35	1 20	36
118 Sundew..... Taraxacum.....(57)	6 00	3 10	1 60	46
119 Tea—Discontinued.				
Triticum.....(52)	2 50	1 35	70	24
Unicorn root, <i>see Star-grass</i> .....(113)	5 50	2 85	1 45	43
120 Uva-ursi.....	2 40	1 30	70	23
121 Valerian..... Veratrum Viride, assayed.....(5) See note 159.	3 00	1 60	85	27
Viburnum Prunifolium .....(18)	3 60	1 90	1 00	31
122 Wahoo, <i>see Euonymus</i> .....	3 60	1 90	1 00	31
123 Warburg's Tincture—Discontinued. See Powdered Extracts.				
124 Warburg's Tincture, without aloes— Discontinued. See Powdered Extracts.				
125 White Indian Hemp—Discontinued.				
126 White Oak bark.....	1 80	1 00	55	20
127 Witch Hazel, <i>see Hamamelis</i> .....	2 40	1 30	70	23
128 Wormwood..... Xanthoxylum.....(95)	2 75	1 45	75	25
129 Yellow Dock, <i>see Rumex</i> .....	2 40	1 30	70	23
130 Yerba Santa, <i>see Eriodictyon</i> .....	3 60	1 90	1 00	31
131 Saw Palmetto .....	4 00	2 10	1 10	33
132 Colocynth Comp., B. P. In Canadian list only.				
133 Kola nut (see note 107).....	6 00	3 10	1 60	46

## Powdered Extracts.

For convenience in dispensing, powdered extracts possess some advantages over the solid, obviating the inconvenience and waste attendant upon the handling of the latter. It should be remembered that their nature is hygroscopic; the bottles therefore should always be kept in a cool place and securely closed with tightly fitting corks.

Where pound prices are quoted for these powdered extracts, an addition of 10 cents per pound to list price will be made on orders for half-pounds, and an addition of 20 cents per pound for quarter-pounds.

	PER OZ. VIAL.
1 Aconite leaves.....	\$ 40
2 Aconite root.....	40
3 Aloes.....	(per pound, \$5 00) ..
Apocynum.....	(15) ..
4 Belladonna leaves, assayed.....	(per pound, \$6 00) ..
See note 159.	45
5 Belladonna root, assayed.....	50
See note 159.	
6 Berberis Aquifolium.....	60
See note 19.	
7 Blackberry root bark.....	See <i>Rubus</i> .....
8 Black Cohosh.....	See <i>Cimicifuga</i> .....
9 Black Haw.....	See <i>Viburnum Prunifolium</i> ..
10 Black Hellebore.....	40
11 Bladder-wrack .....	40
12 Blood-root.....	See <i>Sanguinaria</i> ..
13 Butternut.....	See <i>Juglans</i> ..
14 Calabar bean.....	See <i>Physostigma</i> ..
Calumba .....	2 00
Calumba .....	(24) ..
15 Canadian Hemp .....	See <i>Apocynum</i> ..
16 Cannabis Indica.....	See <i>Indian Cannabis</i> ..
17 Cascara Amarga.....	1 50
18 Cascara Sagrada.....	(per pound, \$8 00) ..
Cimicifuga .....	60
Cimicifuga .....	(8) ..
19 Cinchona, assayed.....	40
See note 159.	
20 Coca, assayed.....	75
See note 159.	
21 Colchicum root, assayed.....	45
See note 159.	
22 Colocynth, U. S. P.....	60
See note 56.	

PART  
ONE.*Powdered Extracts.*PER OZ.  
VIAL.

23	Colocynth Compound, U. S. P. ....	(per pound, \$3 65) ..	\$ 30
	100 Gm. represent:		
	Powd. Ext. Colocynth, 16 Gm.		
	Powd. Purified Aloes, 50 Gm.		
	Powd. Cardamom, 6 Gm.		
	Powd. Resin Scammony, 14 Gm.		
	Powd. White Castile Soap, 14 Gm.		
	See note 56.		
24	Columbo.....	<i>See Calumba</i> .....	50
25	Condurango—Discontinued.		
26	Conium leaves.....		40
	Cotton-root bark.....	(64) ..	40
27	Culver's-root.....	<i>See Leptandra</i> .....	45
28	Damiana.....		75
29	Dandelion.....	<i>See Taraxacum</i> .....	40
	Digitalis.....	(31) ..	40
30	Eucalyptus.....		50
	Euonymus .....	(62) ..	45
31	Foxglove.....	<i>See Digitalis</i> .....	40
32	Gelsemium, assayed.....		50
	See note 159.		
33	Gentian.....	(per pound, \$5 00)	40
34	Golden-seal.....	<i>See Hydrastis</i> .....	65
35	Guaiac—Discontinued.		
36	Guarana, assayed.....		1 60
	See note 159.		
	Hamamelis.....	(63) ..	40
37	Henbane.....	<i>See Hyoscyamus</i> . (per pound, \$6 00)	45
38	Hops .....		60
	Hydrastis, assayed.....	(34) ..	65
	See note 159.		
	Hyoscyamus, assayed.....	(37). (per pound, \$6 00)	45
	See note 159.		
39	Ignatia, assayed.....		1 00
	See note 159.		
	Indian Cannabis.....	(16) ..	75
40	Ipecac, assayed.....		2 25
	See note 159.		
41	Jaborandi.....	<i>See Pilocarpus</i> .....	90
42	Jamaica Dogwood .....		1 50
43	Jalap.....	(per pound, \$6 00)	45
	Juglans.....	(13) ..	40
	Krameria .....	(54) ..	40
	Leptandra.....	(27) ..	45
44	Lettuce, Wild.....		60
45	Lobelia.....		40
46	Mandrake.....	<i>See Podophyllum</i> .....	40
47	Nux Vomica, assayed, U. S. P., 1890.....	(per pound, \$5 00)	40
	See note 159.		

PART  
ONE.

## Specify P. D. &amp; Co's

PER OZ.  
VIAL.

48 Opium, U. S. P.	\$ 1	10
See notes 131 & 132.		
Ox Gall, see Ox Gall, inspissated, powdered, etc., Part II.		
Phytolacca root.....	(51) ..	40
Physostigma, assayed.....	(14) ..	2 00
See note 159.		
49 Pichi.....		75
See note 136.		
Pilocarpus.....	(41) ..	90
Podophyllum.....	(46) ..	40
50 Poison Oak.....		65
51 Poke root.....	See Phytolacca root.....	40
52 Pulsatilla.....		50
53 Quassia.....		50
54 Rhatany.....	See Krameria.....	40
55 Rhubarb .....		45
Rhubarb Compound, Ph. G.....	(68) ..	45
Powd. Ext. Rhubarb, 6 parts.		
Powd. Ext. Aloes, 2 parts.		
Powd. Jalap resin, 1 part.		
Powd. White Castile Soap, 4 parts.		
Rhus Toxicodendron.....	See Poison Oak.....	65
Rubus.....	(7) ..	45
Sanguinaria.....	(12) ..	40
56 Sarsaparilla.....		65
57 Scullcap.....	See Scutellaria.....	50
Scutellaria.....	(57) ..	50
58 Senna, .....		50
59 Stillingia .....		50
60 Stramonium leaves, assayed.....		40
See note 159.		
Taraxacum .....	(29) ..	40
61 Valerian .....		40
Viburnum Prunifolium.....	(9) ..	50
62 Wahoo .....	See Euonymus.....	45
Warburg's Tincture.....	(65) ..	I 00
Warburg's Tincture, without aloes.....	(66) ..	I 00
See note 177.		
63 Witch Hazel.....	See Hamamelis.....	40
64 Cotton root bark.....		40
65 Warburg's Tincture .....		I 00
5 grs. represents two fluidrachms of Warburg's Tincture.		
66 Warburg's Tincture, without aloes.....		I 00
5 grs. represents two fluidrachms of Warburg's Tincture, without Aloes. See note 177.		
67 Ipecac, acetic, for making Wine of Ipecac, B. P.		
In Canadian list only.		
68 Rhubarb Compound, Ph. G .....		45

## Concentrations.

This list comprises the proximate medicinal principles of the several drugs named, either in a crude powdered form, or isolated in the form of an alkaloid or resin. Owing to the liability of many of these articles to absorb moisture, they should be kept in securely corked bottles, and in a cool place.

The preparations offered in the market under the name of concentrations vary greatly in physical properties as made by different manufacturers. In many instances, through ignorance of the chemistry of the drug, manufacturers have supplied a product nearly or quite inert; leptandrin, for example, has been prepared by precipitating the alcoholic tincture of the drug with water, in the mistaken belief that the active principle of the drug resided in its resinous constituents. We have aimed in our concentrations to present all the active constituents of each drug, excluding, as far as possible, inert matter; and when our preparations differ from those of other manufacturers, we are willing that they should be judged by their therapeutic efficiency.

It is thoroughly understood in America that the preparations called "concentrations" are not the active principles of the drugs they represent, but that they present in the form of a permanent powder all that is active in the drug, with a minimum of inert matter. The nomenclature of these preparations is so unsatisfactory and misleading, that we have ourselves introduced into it certain innovations, not for the sake of distinguishing preparations of our own manufacture from others in the market, but simply as a safeguard against serious mistakes in dispensing. Thus we do not label the concentration from digitalis "digitalin," since it might thereby be easily confounded with the more powerful glucoside to which the name "digitalin" properly belongs, see "Digitalisin." Notwithstanding the care we have taken to explain the matter, we find that many of those whose knowledge of drugs has been derived from books, and foreigners generally, expect that the concentrations will consist solely of the active principle of the drug, perhaps in a slightly impure form. We beg to state distinctly that such is not the case. In absence of any standard, we conform simply to prevailing usage, which in this country is generally well enough understood. In so doing it is necessary sometimes to incorporate diluents, such as milk sugar or powdered drug, to produce a satisfactory permanent powder; it would be only confusing to physicians and dispensers if this diluent were mentioned on the labels as distinct from the "concentration," the dose of which, as a whole, is always correctly stated. Of course it matters not whether the diluent is inert matter derived from the drug itself, or whether it is deliberately added; in either case it is an integral part of the preparation which the physician prescribes as a "concentration."

PART  
ONE.

## Specify P. D. &amp; Co.'s

## [SPECIAL PRICES IN BULK.]

PER OZ.

1 Aconapellin (Aconitin)— <i>Discontinued.</i>		
2 Aletrin.....	Star-grass (Unicorn root).....	\$ 50
3 Alnuin .....	Tag Alder.....	60
4 Ampelopsis— <i>Discontinued.</i>		
5 Apocynin.....	Bitter-root.....	I 20
6 Asclepidin.....	Pleurisy-root (Asclepias).....	75
7 Baptisin.....	Wild Indigo.....	75
8 Barosmin.....	Buchu.....	I 00
9 Belladonnin (Atropin)— <i>Discontinued.</i>		
10 Berberin.....	Barberry .....	2 00
Berberine hydrochlorate.....	(34) ..	2 00
See note 18.		
Berberine phosphate.....	(35) ..	4 00
See note 18.		
Berberine sulphate, neutral salt.....	(36) ..	4 00
See note 18.		
11 Cascarin, formula 1887....Rhamnus Purshiana.....		75
For description of properties, etc., see note 37.		
12 Caulophyllin.....	Blue Cohosh (Caulophyllum) ..	50
13 Cerasin .....	Choke Cherry.....	60
14 Chelonin.....	Balmony.....	I 00
15 Chimaphilin.....	Pipsissewa (Chimaphila).....	75
16 Cimicifugin (Macrotin)....Black Cohosh (Cimicifuga)...	45	
17 Collinsonin.....	Stone-root.....	I 20
18 Cornin .....	Dogwood .....	50
19 Corydalin.....	Turkey-corn.....	75
20 Cypripedin.....	Ladies'-slipper (Cypripedium).	I 50
Digitalin.....	See Digitalisin.....(21) ..	90
21 Digitalisin (Digitalin)....Foxglove (Digitalis).....		90
See note 57.		
22 Dioscorein.....	Wild Yam .....	I 00
23 Euonymin, brown.....	Wahoo (b. of r.) (Euonymus). ..	I 10
24 Euonymin, green.....	Wahoo (bark of twigs).....	I 10
25 Eupatorin— <i>Discontinued.</i>		
26 Eupurpurin.....	Queen-of-the-meadow.....	I 25
27 Fraserin.....	American Columbo.....	60
Gelsemin .....	See Gelsemperin.....(28) ..	I 50
28 Gelsemperin (Gelsemin) ..Gelsemium.....		I 50
See note 57.		
29 Geranin .....	Cranesbill (Geranium) .....	50
30 Gossypin.....	Cotton root bark.....	I 50
31 Hamamelin .....	Witch Hazel (Hamamelis)...	65
32 Helonin .....	Helonias (False Unicorn) ....	I 50
Humulin .....	See Lupulin.....(44) ..	40

## Concentrations.

PART  
ONE.

		PER OZ.
33	Hydrastin.....from.....Golden-seal (Hydrastis)	
	(per pound, \$21) \$ 1 50	
34	Hydrastin muriate.....See Berberine hydrochlorate....	2 00
	See note 18.	
35	Hydrastin phosphate.....See Berberine phosphate.....	4 00
	See note 18.	
36	Hydrastin sulph., pure cryst..See Berberine sulph., neut'l sait	4 00
	See note 18.	
37	Hyonigrin (Hyoscyamin)—Discontinued.	
38	Inulain (Inulin).....Elecampane.....	1 00
	See note 57.	
	Inulin.....See Inulain.....(38) ..	1 00
39	Irisin .....Blue Flag (Iris).....	60
40	Jalapin (Jalap Resin, U.S.P.)..Jalap .....	90
41	Juglandin.....Butternut (Juglans).....	60
42	Leptandrin.....Culver's-root (Leptandra)	
	(per pound, \$5 00) 40	
43	Lobeliin (see note 57)....Lobelia.....	1 25
44	Lupulin (see note 92).....Humulus Lupulus.....	40
45	Lycopin.....Bugle-weed.....	60
	Macrotin .....See Cimicifugin.....(16) ..	45
46	Menispermin .....	65
47	Myricin.....Bayberry .....	50
48	Phytolaccin.....Poke root (Phytolacca).....	75
49	Podophyllin, (Podophyllum...Mandrake (Podophyllum) Resin.....(per pound, \$5 00) 40	
50	Podophyllin, Pharm. Germ. Mandrake .....	60
51	Podophyllin, soluble.....Mandrake .....	50
	See note 138.	
52	Populin.....Poplar .....	50
53	Prunin.....Wild Cherry bark.....	50
54	Ptelein—Discontinued.	
55	Rhein—Discontinued.	
56	Rhusin.....Sumach bark (Rhus glabra)... 65	
57	Rumicin—Discontinued.	
58	Sanguinariin (see note 57) . Blood-root (Sanguinaria).....	65
59	Sanguinarine nitrate (pure salt of alkaloid) .....	3 00
	See note 18.	
60	Sanguinarine sulphate (pure salt of alkaloid) .....	3 50
	See note 18.	
61	Scutellarin.....Scullcap (Scutellaria).....	1 00
62	Senecin.....Life-root.....	85
63	Stillingin.....Stillingia.....	1 10
64	Trilliin.....Beth root.....	60
65	Veratriuin—Discontinued.	
66	Viburnin .....Cramp-bark (Viburnum Opulus) 1 00	
67	Xanthoxylin.....Prickly Ash bark (Xanthoxylum) 85	

## SPECIAL PREPARATIONS.

---

We possess unusual facilities for the manufacture of almost every variety of pharmaceuticals. Having recently made extensive additions to our manufacturing plant, introducing improved apparatus to facilitate manufacture, we are now prepared to afford our patrons the benefit of the same, and shall be pleased to be favored with your inquiries or orders. Of those who in the past have made these preparations for themselves, we would ask the opportunity of estimating, feeling, as we do, that we can afford them an actual saving of money and time, as well as insure superiority in product.

All matters pertaining to special formulæ are regarded by us as strictly confidential, and under no circumstances is the information communicated to us permitted to go out of our possession.

Our apparatus, in most instances, is on such an extensive scale that we find it impracticable to make pills in smaller quantities than 3,000 sugar-coated and 1,000 gelatin-coated; compressed tablets, coated or uncoated, in parcels of 3,000; lozenges in lots of 5 pounds. We can handle liquid preparations in quantities of 3 gallons; suppositories of any desired size, from 16 to 55 grains each, in lots of 1,000, for either uterine or rectal use; and filled capsules, whether the same be of the elastic or hard variety, in quantities of 1,000. We deprecate the manufacture of less quantities than those above specified, as otherwise the same expense is involved and the price approximately increased to that which would be charged for the quantities already given.

In submitting prices we desire it to be distinctly understood that we do not propose to compete in any case where a substitution of imperfect material is intended to be made for the purpose of reducing the cost of the preparation, as we have but one quality of material and that the best procurable. Furthermore, our reputation for purity of ingredients and perfection of workmanship will be maintained just as strictly in the manufacture of special preparations as in our regular listed goods.

Our facilities for the most advantageous production of pharmaceutical preparations of every variety being unsurpassed, we venture to solicit our customers' patronage as being identified with their own interests.



## *Sugar Coated and Gelatin Coated Pills.*

### **OVIFORM.**

Our pills are made from the purest materials and are coated by a method avoiding the application of any degree of heat which could impair their efficacy.

We direct special attention to the homogeneous character and ready solubility of the mass.

Some of our pills are intentionally made of a firm consistence in order to insure their permanency, but this condition does not impair the solubility of the mass, as the excipient employed is readily dissolved by the gastric juice.

For superiority of finish and uniformity of coating, our pills are unexcelled. *Particular attention is directed to the absence of the unsightly needle holes in our gelatin-coated pills, and the perfect protection of the mass from deleterious atmospheric influences, secured by the employment of an improved process by which the pill is completely enveloped in a gelatin coating.*

The formula in each instance is strictly followed, irrespective of cost, and the entire process conducted under scientific management and by improved methods.

Particular care is taken to ensure the preservation of the drug.

They are put up for the trade in bottles of 100 and 500 pills each, *excepting a few pills of Rare Alkaloids*, which are put up in bottles of 25 each, as noted in each instance.

Oviform Gelatin-coated Pills will be supplied unless otherwise specified.

*Please refer to our line of Enteric Pills, i.e., pills so coated as to pass the stomach intact and be dissolved in the duodenum or intestinal tract. See page 79.*

**☞ Special quotations for pills of special formulæ or for stock pills in bulk.**

See note 79.

PART  
ONE.

*Specify P. D. & Co.'s*

*As in many instances we manufacture several formulæ of pills and other lines, from precisely the same component parts, varying only in the proportions of each employed, we have signified the different formulæ by separate numbers or letters, and it is of the utmost importance, when ordering, that the exact formula desired be thus clearly specified.*

*In the absence of such specification, where more than one such formula is listed, we shall send that formula which is designated by a dagger, thus †.*

*Oviform Gelatin-coated Pills will be supplied, if not otherwise specified.*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
1	Acetanilid, 4 grs. ( <i>g.-c. only</i> ) .....	\$ 40	\$ 1 85
2	Aconite leaves Extract, 1-4 gr. ( <i>g.-c. only</i> ) .....	20	85
3†	Aconite leaves Extract, 1-2 gr. ....	25	1 10
4	Aconite leaves Extract, 1 gr. ....	30	1 35
5	Aconitine, cryst., 1-200 gr. (see note 4).....	25	1 10
6†	Aconitine, cryst., 1-500 gr.....	25	1 10
7	Adonidin, 1-10 gr.... per bottle of 25 each, \$1.00 <i>Gelatin-coated only</i> ; see note 137.	3 80	
8	Ague.....	40	1 85
	Chinoidin, 2 grs. Ol'res. Black Pepper, 1-6 gr.		
	Ext. Coloc. comp., 1-3 gr. Dried Ferrous sulphate, 1-2 gr.		
9†	Ague, Improved.....	50	2 35
	Cinchonidine sulph., 1 gr. Gelsemperin, 1-16 gr.		
	Xanthoxylin, 1 gr. Powd. Capsicum, 1-16 gr.		
10	Aloes, U. S. P.....	25	1 10
	Purified Aloes..... Gm. 0.13 about 2 grs.		
	Powd. Soap ..... Gm. 0.13 " 2 grs.		
11	Aloes and Asafetida, U. S. P.....	25	1 10
	Purified Aloes..... Gm. 0.09 about 1 2-5 grs.		
	Asafetida..... Gm. 0.09 " 1 2-5 grs.		
	Powd. Soap..... Gm. 0.09 " 1 2-5 grs.		
†	Aloes and Asafetida, 4 grs., B.P. ( <i>s.-c. only</i> ) (715)	20	85
	Powd. Soc. Aloes, 1 gr. Powd. Hard Soap, 1 gr.		
	Asafetida, 1 gr. Confect. Roses, 1 gr.		
	Aloes and Asafetida, 5 grs., B.P. ( <i>g.-c. only</i> ) (744)	35	1 60
	Powd. Soc. Aloes, 1 1-4 grs Powd. Hard Soap, 1 1-4 grs.		
	Asafetida, 1 1-4 grs. Confect. Roses, 1 1-4 grs.		
	Aloes, Barbadoes, B. P. ( <i>s.-c. only</i> ) ..... (716) ..	30	1 35
	Powd. Barb. Aloes, 2 grs. Oil Caraway, 1-8 gr.		
	Powd. Hard Soap, 1 gr. Confect. Roses, 1 gr.		
	Aloes and Ext. Gentian, <i>see Gentian Co.</i> .. (291) ..	30	1 35
12†	Aloes and Iron, B "A" ( <i>see also Iron and Aloes</i> ). ..	30	1 35
	Purified Aloes, 1 gr. Jamaica Ginger, 1-2 gr.		
	Dried Ferrous sulphate, 1 gr. Ext. Conium fruit, 1-2 gr.		
	Aloes and Iron, B "A" (half-strength) .. (797) ..	25	1 10
	Purified Aloes, 1-2 gr. Jamaica Ginger, 1-4 gr.		
	Dried Ferrous sulphate, 1-2 gr. Ext. Conium fruit, 1-4 gr.		

<sup>†</sup>See note at head of this page.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100	Per bot. of 500.
13	Aloes and Iron, U. S. P.....	\$ 25	\$ 1 10
	Purified Aloes..... Gm. 0.07 about 1 gr.		
	Dried Ferrous sulphate.. Gm. 0.07 " 1 gr.		
	Aromatic Powder..... Gm. 0.07 " 1 gr.		
	Confection Rose, q. s.		
	Aloes and Iron, B. P. ( <i>s.-c. only</i> ) .. (717) ..	30	1 35
	Iron sulphate 1-2 gr Comp. Cinnamon Powd., 1 gr.		
	Powd. Barb. Aloes, 2-3 gr. Confection Roses, 1 1-3 grs.		
	Aloes and Iron, 5 grs., B. P. ( <i>g.-c. only</i> ) .. (745) ..	50	2 35
	Powd. Barb. Aloes, 20-21 gr. Comp. Cinnamon Powd., 1 3-7 grs.		
	Iron sulphate 5-7 gr. Confection Roses, 1 19-21 grs.		
14	Aloes and Mastic, U. S. P.....	30	1 35
	Purified Aloes..... Gm. 0.13 about 2 grs.		
	Powd. Red Rose..... Gm. 0.03 " 1-2 gr.		
	Mastic..... Gm. 0.04 " 3-5 gr.		
15	Aloes and Myrrh, U. S. P.....	25	1 10
	Purified Aloes..... Gm. 0.13 about 2 grs.		
	Myrrh..... Gm. 0.06 " 1 gr.		
	Aromatic Powder..... Gm. 0.04 " 3-5 gr.		
†16	Aloes and Myrrh, B. P. ( <i>s.-c. only</i> ) .. (718) ..	25	1 10
	Soc. Aloes, 2 grs. Myrrh, 1 gr.		
	Saffron, 1-2 gr.		
	Aloes and Myrrh, 5 grs., B. P. ( <i>g.-c. only</i> ). (746) ..	40	1 85
	Soc. Aloes, 2 6-7 grs. Myrrh, 1 3-7 grs.		
	Saffron, 5-7 gr.		
16	Aloes, Myrrh and Iron.....	25	1 10
	Purified Aloes, 2 grs. Dried Ferrous sulphate, 1 gr.		
	Powd. Myrrh, 1 gr.		
17	Aloes and Nux Vomica.....	30	1 35
	Purified Aloes, 1 1-2 grs. Ext. Nux vomica, 1-2 gr.		
18	Aloes, Nux Vomica and Belladonna.....	35	1 60
	Purified Aloes, 1 1-2 grs. Ext. Belladonna lvs., 1-8 gr.		
	Ext. Nux vomica, 1-2 gr.		
	Aloes, Socotrine, B. P. ( <i>s.-c. only</i> ) .. (719) ..	25	1 10
	Powd. Soc. Aloes, 2 grs. Oil Nutmeg, 1-8 gr.		
	Powd. Hard Soap, 1 gr. Confection Roses, 1 gr.		
	Aloetic, <i>see Aloes</i> ..... (10) ..	25	1 10
19	Aloin, 1-10 gr.....	20	85
20	Aloin, 1-5 gr.....	25	1 10
21†	Aloin, 1-4 gr.....	25	1 10
22	Aloin, 1-2 gr.....	35	1 60
23	Aloin, 1 gr. ( <i>g.-c. only</i> ) ..	60	2 85
24	Aloin Compound.....	30	1 35
	Aloin, 1-8 gr. Ext. Belladonna lvs., 1-4 gr.		
	Podophyllum resin, 1-8 gr.		
25	Aloin Comp. and Strychnine.....	45	2 10
	Aloin, 1-8 gr. Strychnine, 1-80 gr.		
	Podophyllum resin, 1-8 gr. Oleoresin Capsicum, 1-10 gr.		
	Ext. Belladonna leaves, 1-8 gr.		
26	Aloin and Strychnine.....	40	1 85
	Aloin, 1-5 gr. Strychnine, 1-60 gr.		

†See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
27†	Aloin, Strychnine and Belladonna, R "A"..... Aloin, 1-5 gr. Strychnine, 1-60 gr.	\$ .40 Ext. Belladonna lvs., 1-8 gr.	\$ 1.85
28	Aloin, Strychnine and Belladonna, R "B"..... Aloin, 1-10 gr. Strychnine, 1-50 gr.	.40 Ext. Belladonna lvs., 1-6 gr.	1.85
	Aloin, Strychnine & Belladonna, R "C".(755).. Aloin, 1-5 gr. Strychnine, 1-120 gr.	.40 Ext. Belladonna lvs., 1-8 gr.	1.85
29	Aloin, Strychnine and Belladonna Compound.. Aloin, 1-5 gr. Ext. Belladonna lvs., 1-8 gr. Ext. Cascara sagrada, 1-2 gr.	.50 Strychnine, 1-60 gr.	2.35
	Aloin, Strychnine, Belladonna and Ipecac (See Evacuant),.....	(362)..	.35 1.60
30	Alterative..... Mass of Mercury, 1 gr. Powd. Opium, 1-8 gr. Powd. Ipecac, 1-8 gr.	25	1.10
31	Alterative Compound Extract (see note 6)..... Ext. Bamboo-brier, 2-3gr. Ext. Phytolacca rt., 2-3gr. Ext. Stillingia, 2-3 gr. Ext. Lappa, 2-3 gr. Ext. Xanthoxylum, 1-3 gr.	.50	2.35
32	Aluminum Compound ( <i>sugar-coated only</i> )..... Metallic aluminum, 1 gr. Calcium carbonate, 5-8 gr. Hydrate aluminum, 5-8 gr.	1.50	7.35
33	Ammonium bromide, 1 gr. ( <i>sugar-coated only</i> )..	.45	2.10
34	Ammonium chloride, 3 grs. ( <i>sugar-coated only</i> ). 35 Ammonium picrate, 1-8 gr. ( <i>gelatin-coated only</i> ). 36 Ammonium picrate, 1-4 gr.....	.30	1.35
37†	Ammonium picrate, 1-2 gr. ( <i>gelatin-coated only</i> ). 38 Ammonium picrate, 1 gr.....	.35	1.60
39	Ammonium picrate, 2 grs. ( <i>gelatin-coated only</i> ). 40 Ammonium picrate, 3 grs. ( <i>gelatin-coated only</i> ). 41 Ammonium valerianate, 1 gr. ( <i>sugar-coated only</i> ). 42 Anderson's Scot's..... Purified Aloes, 1-3 ½ grs. Powd. Soap, 1-15 gr. Powd. Colocynth, 4-15 gr. Oil Anise, 1-30 gr. Powd. Gamboge, 1-15 gr.	.60	2.85
43	Anodyne..... Ext. Hyoscyamus, 1 gr. Oleoresin Capsicum, 1-20 gr. Camphor, 1 gr. Morphine acetate, 1-20 gr.	.45	2.10
44	Anthelmintic ( <i>gelatin-coated only</i> )..... Santonin, 1 gr. Mercurous chloride, mild, 1 gr.	.55	2.60
45	Anthemis Extract, 2 grs. ( <i>gelatin-coated only</i> )..	.40	1.85
46	Anti-Bilious..... Ext. Coloc. comp., 2 1-2 grs. Podophyllum resin, 1-4 gr.	.40	1.85
47	Anti-Chill..... Chinoidin, 1 gr. Arsenous acid, 1-20 gr. Iron ferrocyanide, 2 grs. Oleoresin Black Pepper, 1 gr.	.40	1.85
48†	Anti-Constipation, Brundage's..... Podophyllum resin, 1-10 gr. Ext. Belladonna lvs., 1-10 gr. Ext. Nux vomica, 1-4 gr. Ext. Hyoscyamus, 1-4 gr. Powd. Capsicum, 1-4 gr.	.40	1.85

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A		B	
		Per bot. of 100.	Per bot. of 500.	Per bot. of 100.	Per bot. of 500.
49	Anti-Constipation, Carson's. ( <i>gelatin-coated only</i> ). \$ 60 Ext. Cascara sagrada, 1 gr. Ext. Nux vomica, 1-4 gr. Ext. Rhubarb, 1 gr. Aloin, 1-3 gr.	\$ 2 85			
50	Anti-Constipation, Goss'. Podophyllum resin, 1-4 gr. Ext. Colocynth, 1-4 gr. Ext. Juglans, 1-2 gr. Ext. Nux vomica, 1-8 gr.	40		1 85	
	Ext. Hyoscyamus, 1-8 gr. Ext. Gentian, 1-4 gr. Ext. Cascara sagr., 1-4 gr. Powd. Apocynum, 1-2 gr.				
51	Anti-Constipation, Palmer's. Purified Aloes, 1 gr. Ext. Hyoscyamus, 1 gr.	35		1 60	
	Ext. Nux vomica, 1-3 gr. Powd. Ipecac, 1-10 gr.				
	Anti-Dyspeptic, Fothergill's, <i>see Carminative</i> ... ....	(149) ..	45	2 10	
	Anti-Dyspeptic, Fothergill's Modified, <i>see Carminative, Modified</i> ....	(754) ..	45	2 10	
52	Anti-Dyspeptic. Strychnine, 1-40 gr. Ext. Belladonna lvs., 1-10 gr. Powd. Ipecac, 1-10 gr.	35		1 60	
	Mass of Mercury, 2 grs. Ext. Coloc. comp., 2 grs.				
53	Anti-Epileptic. Iron ferrocyanide, 1-2 gr. Quinine valerianate, 1 gr.	1 20		5 85	
	Zinc valerianate, 1-2 gr. Ext. Valerian, 1 gr.				
54	Antimony Compound, U. S. P. (Plummer's Pills) Sulphurated Antimony.. Gm. 0.04 about 3-5 gr. Mercurous chloride, mild. Gm. 0.04 " 3-5 gr. Powd. Guaiac..... Gm. 0.08 " 1 1-4 grs. Castor oil, q. s.	30		1 35	
55	Anti-Malarial, McCaw's. Quinine sulphate, 1 gr. Dried Ferrous sulphate, 1-4 gr. Gelsemerin, 1-4 gr.	65		3 10	
	Arsenous acid, 1-80 gr. Podophyllum resin, 1-8 gr. Ol'res. Bl'k Pepper, 1-16 gr.				
	Anti-Malarial, Maddin, Milder ( <i>g.-c. only</i> )..(823)	50		2 35	
	Strychnine, 1-40 gr. Reduced Iron, 1 gr. Purified Aloes, 1-6 gr.	Arsenous acid, 1-24 gr. Quinine sulphate, 1 gr.			
	Anti-Malarial, Maddin, Milder without Aloes (850) ..	50		2 35	
	Strychnine, 1-40 gr. Reduced Iron, 1 gr.	Arsenous acid, 1-24 gr. Quinine sulphate, 1 gr.			
†	Anti-Malarial, Maddin, Stronger ( <i>g.-c. only</i> ) (824)	55		2 60	
	Strychnine, 3-100 gr. Reduced Iron, 1 1-5 grs. Purified Aloes, 1-5 gr.	Arsenous acid, 1-20 gr. Quinine sulphate, 1 1-5 grs.			
	Anti-Malarial, Maddin, Stronger without Aloes ( <i>g.-c. only</i> ) .. (825) ..	55		2 60	
	Strychnine, 3-100 gr. Reduced Iron, 1 1-5 grs.	Arsenous acid, 1-20 gr. Quinine sulphate, 1 1-5 grs.			
56	Anti-Periodic. Cinchonidine sulph. 1 gr. Dried Ferrous sulph., 1-2 gr. Podophyllum resin, 1-20 gr.	40		1 85	
	Strychnine sulph., 1-33 gr. Gelsemerin, 1-20 gr. Oleoresin Capsicum, 1-10 gr.				
57	Anti-Syphilitic ( <i>sugar-coated only</i> ).....	65		3 10	
	Potassium iodide, 2 1-2 grs. Mercuric chlor., corros., 1-40 gr.				

†See note at head of page 44.

PART  
ONE.*Specify P. D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100	Per bot. of 500.
58†	Aperient.....	\$ 50	\$ 2 35
	Ext. Nux vomica, 1-3 gr.	Ext. Hyoscyamus, 1-2 gr.	
	Ext. Colocynth comp., 2 grs.		
59	Aperient, Bauer's .....	45	2 10
	Ext. Hyoscyamus, 1-2 gr.	Ext. Coloc. co., 1 gr.	
	Potass. and Sodium tartrate, 1 1-2 grs.	Ext. Aloes, 1 gr.	
60	Aperient, Drysdale's.....	35	1 60
	Powd. Rhubarb, 1 1-4 grs.	Purified Aloes, 1 1-4 grs.	
	Powd. Ipecac, 5-12 gr.	Powd. Nux vomica, 1-2 gr.	
61	Aperient Granules.....	25	1 10
	Podophyllum resin, 1-4 gr.	Ext. Nux vomica, 1-10 gr.	
	Aloin, 1-10 gr.	Oleoresin Capsicum, 1-40 gr.	
62	Aperient, Mild.....	35	1 60
	Ext. Coloc. comp., 1-2 gr.	Powd. Rhubarb, 2 grs.	
	Ext. Hyoscyamus, 5-6 gr.	Oil Caraway, 1-20 gr.	
	Aphrodisiac, see <i>Phosphorus, Nux Vomica and Damiana</i> .....	(477) ..	1 00 4 85
63	Aphrodisiac Compound.....	90	4 35
	Ext. Coca, 1 gr.	Ext. Nux vomica, 1-8 gr.	
	Cinchonidine sulph., 1-2 gr.	Iron bromide, 1 gr.	
	Phosphorus, 1-200 gr.		
64	Apocynum Extract, 2 grs. ( <i>gelatin-coated only</i> ) ..	40	1 85
†	Arsenic sulphide, 1-100 gr .....	(805) ..	20 85
	Arsenic sulphide, 1-60 gr .....	(806) ..	20 85
65†	Arsenous acid, 1-100 gr.....	20	85
66	Arsenous acid, 1-60 gr.....	20	85
67	Arsenous acid, 1-50 gr.....	20	85
68	Arsenous acid, 1-40 gr.....	20	85
69	Arsenous acid, 1-32 gr.....	20	85
70	Arsenous acid, 1-30 gr.....	20	85
71	Arsenous acid, 1-20 gr.....	20	85
72	Arsenous acid, 1-12 gr.....	20	85
73	Asafetida, 1 gr.....	20	85
74	Asafetida, 2 grs.....	25	1 10
75†	Asafetida, U. S. P., 3 grs.....	25	1 10
	Asafetida.....	Gm. 0.2	about 3 grs.
	Powd. Soap.....	Gm. 0.06	" 1 gr.
76	Asafetida, 4 grs.....	25	1 10
77	Asafetida, 5 grs. ( <i>gelatin-coated only</i> ) .....	35	1 60
78	Asafetida Compound.....	45	2 10
	Opium, 4-5 gr.	Asafetida, 4-5 gr.	
	Ammonium carbonate, 4-5 gr.		
†	Asafœtida Comp., 3 grs., B. P. ( <i>s.-c. only</i> ) ..	(720)	30 1 35
	Asafœtida, 1 gr.	Galbanum, 1 gr.	
	Myrrh, 1 gr.		
	Asafœtida Comp., 5 grs., B. P. ( <i>g.-c. only</i> ). (747) ..	50	2 35
	Asafœtida, 1 2-3 grs.	Galbanum, 1 2-3 grs.	
	Myrrh, 1 2-3 grs.		

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
79	Asafetida and Iron..... Asafetida, 2 grs. Dried Ferrous sulphate, 1 gr.	\$ 25	\$ 1 10
80	Asafetida and Nux Vomica..... Asafetida, 3 grs. Ext. Nux vomica, 1-4 gr.	35	1 60
81	Asafetida and Rhubarb..... Asafetida, 1 gr. Reduced Iron, 1 gr. Powd. Rhubarb, 1 gr.	40	1 85
Asiatic.....	(832) .....	35	*
	Arsenous acid..... Gm. 0.0075 about 1-9 gr.		
	Powd. Black Pepper.... Gm. 0.06 " 1 gr.		
	Powd. Acacia..... Gm. 0.015 " 1-4 gr.		
	Powd. Althæa..... Gm. 0.02 " 3-10 gr.		
*Not listed in bottles of 500. To be used cautiously on account of large dose of arsenous acid.			
82	Atropine, 1-120 gr.....	30	1 35
83†	Atropine, 1-100 gr.....	30	1 35
84	Atropine, 1-60 gr.....	40	1 85
85	Ballou..... Ext. Colocynth comp., 1 gr. Mercurous chlor., mild, 1 gr. Ext. Jalap, 1 gr. Powd. Ipecac, 1-8 gr.	45	2 10
86	Belladonna leaves Extract, 1-8 gr.....	25	1 10
87†	Belladonna leaves Extract, 1-4 gr. (g.-c. only) ..	25	1 10
88	Belladonna leaves Extract, 1-2 gr.....	30	1 35
89	Belladonna leaves Extract, 1 gr.—Discontinued.		
90	Berberine hydrochlorate, 1 gr.....	95	4 60
91	Berberine sulphate, 2 grs.....	1 50	7 35
92	Berberine and Podophyllin..... Berberine sulphate, 1-4 gr. Podophyllum resin, 1-20 gr.	50	2 35
93	Berberis Aquifolium Extract, 3 grs.....	45	2 10
94	Berberis Compound..... Ext. Berberis Aquifol., 2 grs. Ext. Cascara sagrada, 1 gr.	45	2 10
95	Bilious, Junge's..... Manganese iodide, 1-2 gr. Sanguinariin, 1-5 gr. Leptandrin, 3-10 gr. Ext. Hyoscyamus, 3-5 gr. Juglandin, 3-10 gr.	45	2 10
96†	Bilious, Wann's..... Ext. Coloc. comp., 1 gr. Ext. Hyoscyamus, 1-8 gr. Podophyllum resin, 1-4 gr. Powd. Capsicum, 1-4 gr. Ext. Jalap, 1-4 gr.	30	1 35
97	Bismuth and Ignatia..... Bismuth subnitrate, 4 grs. Ext. Ignatia, 1-4 gr.	75	3 60
98	Bismuth and Nux Vomica..... Bismuth subnitrate, 5 grs. Ext. Nux vomica, 1-2 gr.	80	3 85
99	Bismuth subcarbonate, 3 grs.....	55	2 60
100†	Bismuth subnitrate, 2 grs.....	40	1 85
101	Bismuth subnitrate, 3 grs.....	45	2 10
102	Black Haw Ext. (Viburnum Prunifolium), 3 grs.	35	1 60
103	Black Hellebore Extract, 1 gr..... Blaud Pills, see Ferrous carbonate (Blaud).	40	1 85

†See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

	SUGAR COATED AND GELATIN COATED—OVIFORM.	A Per bot. of 100.	B Per bot. of 500.
104	Blennorrhagic ( <i>sugar-coated only</i> )..... Ext. Hops, 3-4 gr. Turpentine, 1 1-2 grs. Podophyllum resin, 1-8 gr. Camphor monobrom., 3-4 gr.	\$ 65	\$ 3 10
105	Blue Mass, 1-2 gr. ( <i>gelatin-coated only</i> )..... (Mass of Mercury.)	20	85
106	Blue Mass, 1 gr.....	20	85
107	Blue Mass, 2 grs.....	20	85
108†	Blue Mass, 3 grs.....	20	85
109	Blue Mass, 5 grs.....	25	1 10
110	Blue Mass Compound..... Mass of Mercury, 1 gr. Powd. Opium, 1-2 gr. Powd. Ipecac, 1-4 gr.	45	2 10
	Blue and Podophyllin, see <i>Podophyllin and Blue</i> .....(510)..	30	1 35
III	Caffeine, citrated, 1 gr..... Caffeine, citrated, 2 grs.....(796)..	40	1 85
112	Calabar bean Extract (Physostigma), 1-12 gr...	35	1 60
113	Calcium sulphide, 1-20 gr.....	25	1 10
114	Calcium sulphide, 1-10 gr.....	30	1 35
115	Calcium sulphide, 1-8 gr.....	30	1 35
116	Calcium sulphide, 1-5 gr.....	30	1 35
117†	Calcium sulphide, 1-4 gr.....	30	1 35
118	Calcium sulphide, 1-2 gr.....	30	1 35
119	Calcium sulphide, 1 gr.....	35	1 60
120	Calcium sulphide, 2 grs.....	40	1 85
121	Calcium sulphide, 3 grs.....	45	2 10
122	Calisaya Alkaloids..... Quinine sulphate, 1-2 gr. Quinidine sulphate, 1-2 gr. Cinchonine sulphate, 1-2 gr. Cinchonidine sulph., 1-2 gr.	45	2 10
123	Calomel, 1-10 gr..... (Mercurous chloride, mild.) Calomel, 1-8 gr.....(837)..	20	85
124	Calomel, 1-4 gr.....	20	85
125	Calomel, 1-2 gr.....	20	85
126	Calomel, 1 gr. ....	20	85
127†	Calomel, 2 grs .....	25	1 10
128	Calomel, 3 grs .....	25	1 10
129	Calomel, 5 grs .....	35	1 60
130	Calomel Compound..... Mercurous chlor., mild, 3-4 gr. Guaiac, 1 1-2 grs. Sulphurated Antimony, 3-4 gr.	30	1 35
131	Calomel and Colocynth Compound..... Mercurous chlor., mild, 1 gr. Ext. Coloc. co., 2 1-2 grs.	45	2 10
132	Calomel and Opium..... Mercurous chloride, mild, 2 grs. Opium, 1 gr.	50	2 35
133	Calomel and Rhubarb..... Mercurous chlor., mild, 1-3 gr. Ext. Coloc. comp., 1-2 gr. Ext. Rhubarb, 1-2 gr. Ext. Hyoscyamus, 1-6 gr.	40	1 85

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A		B	
		Per bot. of 100.	Per bot. of 500.	Per bot. of 100.	Per bot. of 500.
134	Camphor Compound.....	\$ 50	\$ 2 35		
	Camphor, 1 gr.	Powd. Kino, 1 gr.			
	Powd. Opium, 1 gr.	Ext. Capsicum, 1-16 gr.			
135	Camphor and Hyoscyamus.....	30	1 35		
	Camphor, 1 gr.	Ext. Hyoscyamus, 1 gr.			
136	Camphor monobromated, 1 gr.....	35	1 60		
137†	Camphor monobromated, 2 grs.....	65	3 10		
138	Camphor monobromated, 3 grs.....	85	4 10		
	Camphor monobromated, 5 grs. (g.-c. only) (785)	1 20	5 85		
139	Camphor and Opium.....	50	2 35		
	Camphor, 2 grs.	Powd. Opium, 1 gr.			
140	Camphor, Opium and Hyoscyamus.....	40	1 85		
	Camphor, 1 gr.	Ext. Hyoscyamus, 1 gr.			
	Powd. Opium, 1-2 gr.				
141	Camphor, Opium and Lead acetate.....	50	2 35		
	Camphor, 1 gr. Opium, 1 gr.	Lead acetate, 1 gr.			
142	Camphor, Opium and Tannin.....	35	1 60		
	Camphor, 1 gr. Opium, 1-4 gr.	Tannic acid, 2 grs.			
143	Camphor, Valerian and Hyoscyamus.....	35	1 60		
	Camphor, 1 gr.	Ext. Hyoscyamus, 1-2 gr.			
	Powd. Valerian, 1-2 gr.				
144	Cannabis Indica Extract, 1-4 gr.....	35	1 60		
	(Extract Indian Cannabis.)				
145†	Cannabis Indica Extract, 1-2 gr.....	55	2 60		
146	Cannabis Indica Extract, 1 gr.....	95	4 60		
147	Capsicum, 1 gr.....	35	1 60		
148	Capsicum Extract, 1-2 gr .....	45	2 10		
149	Carminative .....	45	2 10		
	Strychnine, 1-20 gr.	Powd. Ipecac, 2-3 gr.			
	Powd. Black Pepper, 1 1-2 grs.	Ext. Gentian, 1 gr.			
	Carminative, Modified (g.-c. only).....(754)..	45	2 10		
	Strychnine sulphate, 1-50 gr.	Powd. Ipecac, 2-3 gr.			
	Powd. Black Pepper, 1-4 gr.	Ext. Gentian, 1 gr.			
	Oil Cloves, 1-20 gr.				
150	Cascara Comp. Pellets, D'Ary's.....	60	2 85		
	Ext. Cascara sagrada, 4-15 gr.	Ext. Nux vomica, 1-30 gr.			
	Ext. Belladonna lvs., 1-60 gr.	Euonymin, brown, 1-5 gr.			
	Oleoresin Capsicum, 1-20 gr.	Xanthoxylin, 4-15 gr.			
151	Cascara Sagrada Extract, 1 gr .....	30	1 35		
152†	Cascara Sagrada Extract, 2 grs.....	40	1 85		
153	Cascara Sagrada Extract, 3 grs.....	50	2 35		
154	Cascara Sagrada and Nux Vomica.....	60	2 85		
	Ext. Cascara sagrada, 2 grs.	Ext. Nux vomica, 1-5 gr.			
155	Cascara Sagrada, Nux Vomica and Belladonna.	60	2 85		
	Ext. Cascara sagrada, 2 grs.	Ext. Nux vomica, 1-8 gr.			
	Ext. Belladonna lvs., 1-16 gr.				
156	Catarrh, Hager's.....	45	2 10		
	Quinidine sulph., 3-8 gr.	Powd. Gentian, 1-4 gr.			
	Cinchonidine sulph., 3-8 gr.	Hydrochlor. acid, 1-4 gr.			
	Powd. Red Saunders, 1-12 gr.	Powd. Althaea, 1-4 gr.			

†See note at head of page 44.

PART  
ONE.*Specify P., D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A		B	
		Per bot. of 100.	Per bot. of 500.	Per bot. of 100.	Per bot. of 500.
	Cathartic (Dr. J. W. Keckler) ( <i>g.-c. only</i> ) (851) ..	\$ 30	\$ 1 35		
	Euonymin, brown, 1-4 gr.	Apocynin, 1-4 gr.			
	Chelonin, 1-4 gr.	Eupatorium, 1-4 gr.			
	Ext. Taraxacum, 1-2 gr.	Powd. Capsicum, 1-4 gr.			
	Podophyllum resin, 1-4 gr.				
	Cathartic and Liver Granules.....(849) ..	25		1 10	
	Aloin, 1-20 gr.	Strychnine, 1-100 gr.			
	Podophyllum resin, 1-5 gr.	Oleoresin Capsicum, 1-30 gr.			
	Cathartic Compound, Active*.....(819) ..	25		1 10	
	Purified Aloes, 1-8 grs.	Powd. Capsicum, 1-2 gr.			
	Powd. Gamboge, 3-16 gr.	Oleum Tigliai, 1-50 gr.			
	Podophyllum resin, 1-8 gr.				
157	Cathartic Comp., Cholagogue.....	30		1 35	
	Podophyllum resin, 1-2 gr.	Mass of Mercury, 1-4 gr.			
	Ext. Hyoscyamus, 1-8 gr.	Ext. Nux vomica, 1-16 gr.			
	Oleoresin Capsicum, 1-8 gr.				
158†	Cathartic Comp., Granules, 3-4 gr.....	25		1 10	
	Jalap resin, 1-16 gr.	Powd. Gamboge, 1-32 gr.			
	Leptandrin, 1-16 gr.	Powd. Capsicum, 1-64 gr.			
	Aloin, 1-8 gr.	Ext. Hyoscyamus, 1-8 gr.			
	Podophyllum resin, 1-4 gr.	Oil Peppermint, 1-128 gr.			
159	Cathartic Comp., Granules, 1-2 .....	25		1 10	
	Aloin, 1-10 gr.	Ext. Nux vomica, 1-20 gr.			
	Jalap resin, 1-10 gr.	Ext. Hyoscyamus, 1-20 gr.			
	Podophyllum resin, 1-5 gr.	Oleores. Capsicum, 1-20 gr.			
160†	Cathartic Comp., Improved*.....	25		1 10	
	Ext. Colocynth comp., 1 gr.	Leptandrin, 1-4 gr.			
	Ext. Jalap, 1-2 gr.	Ext. Hyoscyamus, 1-4 gr.			
	Podophyllum resin, 1-4 gr.	Oil Peppermint, q. s.			
	Ext. Gentian, 1-2 gr.				
161	Cathartic Comp., Mild.....	25		1 10	
	Ext. Colocynth comp., 1 gr.	Powd. Gamboge, 1-4 gr.			
	Jalap resin, 1-2 gr.	Ext. Hyoscyamus, 1-2 gr.			
	Mercurous chlor., mild, 1-2 gr.	Oil Peppermint, q. s.			
162	Cathartic Comp., Modified.....	30		1 35	
	Ext. Colocynth comp., 1 gr.	Powd. Gamboge, 1-6 gr.			
	Ext. Jalap, 3-4 gr.	Powd. Rhubarb, 1-2 gr.			
	Mercurous chlor., mild, 3-4 gr.	Powd. Jam. Ginger, 1-4 gr.			
163	Cathartic Comp., U. S. P.*.....	25		1 10	
	Ext. Colocynth comp....Gm. 0.08	about 1 1-4 grs.			
	Mercurous chloride, mild.Gm. 0.06	" 1 gr.			
	Ext. Jalap.....Gm. 0.03	" 1-2 gr.			
	Powd. Gamboge.....Gm. 0.015	" 1-4 gr.			
164	Cathartic Compound, Vegetable*.....	30		1 35	
	Ext. Colocynth, 1-3 gr.	Scammony Resin, 1-3 gr.			
	Podophyllum resin, 1-4 gr.	Powd. Cardamom, 1-8 gr.			
	Powd. Soap, 1-8 gr.	Purified Aloes, 1 1-4 grs.			
	Cathartic Vegetable, U. S. P., 1890.....(808) ..	30		1 35	
	Ext. Colocynth comp....Gm. 0.06	about 1 gr.			
	Ext. Hyoscyamus.....Gm. 0.03	" 1-2 gr.			
	Ext. Jalap.....Gm. 0.03	" 1-2 gr.			
	Ext. Leptandra.....Gm. 0.015	" 1-4 gr.			
	Podophyllum resin.....Gm. 0.015	" 1-4 gr.			
	Oil Peppermint.....Gm. 0.008	" 1-8 gr.			
165	Caulophyllin, 1-8 gr .....	25		1 10	
166	Cerium oxalate, 1-4 gr .....	30		1 35	

\*For prices in bulk, and per gross, see pages 134 and 135.

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
167†	Cerium oxalate, 1 gr.....	\$ 75	\$ 3 60
168	Cerium oxalate, 2 grs.....	1 00	4 85
	Chalybeate, <i>see Ferrous carbonate, (Blaud).</i>		
	Chalybeate Comp., Improved, Jarvis'....(801)...	30	1 35
	Ext. Nux vomica, 1-10 gr.		
	Ferrous carbonate mass (Blaud), 3 grs.		
169	Charcoal, 3 grs.....	35	1 60
170	Chimaphila Extract, 3 grs.....	45	2 10
171	Chinoidin, 1-2 gr.....	20	85
172	Chinoidin, 1 gr.....	20	85
173†	Chinoidin, 2 grs.....	25	1 10
174	Chinoidin, 3 grs.....	30	1 35
175	Chinoidin Compound.....	45	2 10
	Chinoidin, 2 grs. Piperine, 1-2 gr.		
	Dried Ferrous sulphate, 1 gr.		
176	Cholagogue .....	35	1 60
	Podophyllum resin, 1-4 gr. Purified Aloes, 1 gr.		
	Ext. Hyoscyamus, 1-2 gr. Powd. Rhubarb, 1 gr.		
	Powd. Capsicum, 1-4 gr.		
177	Cimicifugin, 1 gr.....	30	1 35
178	Cinchonidine salicylate, 2 1-2 grs .....	60	2 85
179	Cinchonidine sulphate, 1-2 gr.....	20	85
180	Cinchonidine sulphate, 1 gr.....	20	85
181†	Cinchonidine sulphate, 2 grs.....	25	1 10
182	Cinchonidine sulphate, 3 grs.....	30	1 35
183	Cinchonidine sulphate, 4 grs. ( <i>gelatin-coated only</i> )	35	1 60
184	Cinchonidine sulphate, 5 grs. ( <i>gelatin-coated only</i> )	40	1 85
185	Cinchonidine Compound.....	50	2 35
	Cinchonidine sulph., 1 gr. Reduced Iron, 1 gr.		
	Arsenous acid, 1-32 gr.		
186	Cinchonidine Compound and Strychnine.....	50	2 35
	Cinchonidine sulph., 1 gr. Reduced Iron, 1 gr.		
	Arsenous acid, 1-20 gr. Strychnine, 1-20 gr.		
187	Cinchonidine and Iron .....	50	2 35
	Cinchonidine sulph., 1 gr. Reduced Iron, 1 gr.		
188	Cinchonidine, Iron and Strychnine .....	50	2 35
	Cinchonidine sulph., 1 gr. Strychnine sulph., 1-60 gr.		
	Ferrous carbonate mass (Vallet), 2 grs.		
189†	Cinchonine sulphate, 1 1-2 grs.....	30	1 35
190	Cinchonine sulphate, 3 grs.....	40	1 85
191	Cincho-Quinine— <i>Discontinued.</i>		
192	Cincho-Quinine— <i>Discontinued.</i>		
193	Cincho-Quinine— <i>Discontinued.</i>		
194	Coca Extract, 3 grs.....	60	2 85
195	Cocaine hydrochlorate, 1-16 gr. ( <i>g. c. only</i> ).....	50	2 35
196†	Cocaine hydrochlorate, 1-8 gr. ( <i>g. c. only</i> ).....	65	3 10

†See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

	SUGAR COATED AND GELATIN COATED—OVIFORM.	A Per bot. of 100	B Per bot. of 500
List No.			
197	Cochia.....	\$ 50	\$ 2 35
	Ext. Coloc. comp., 1 gr. Powd. Gamboge, 1-2 gr.		
	Purified Aloes, 1 gr. Powd. Scammony, 1-2 gr.		
	Potassium sulphate, 1-2 gr.		
198	Codeine, 1-16 gr.....	50	2 35
199	Codeine, 1-8 gr.....	65	3 10
200	Codeine, 1-5 gr.....	90	4 35
201†	Codeine, 1-4 gr.....	1 00	4 85
202	Codeine, 1-2 gr. ( <i>gelatin-coated only</i> ) .....	1 60	7 85
203	Codeine, 1 gr. ( <i>gelatin-coated only</i> ) .....	2 70	13 35
204	Colchicine, 1-60 gr....per bottle of 25 each, .20 <i>Gelatin-coated only</i> ; see note 137.	60	
205	Colchicum root Extract, 1-2 gr.....	40	1 85
206	Colocynth Comp. Extract, 3 grs.....	40	1 85
†	Colocynth Comp., B. P. ( <i>s.-c. only</i> ).....(721)...	40	1 85
	Powd. Colocynth pulp, 1-2 gr. Potassium sulphate, 1-8 gr.		
	Powd. Barb. Aloes, 1 gr. Oil Cloves, 1-8 gr.		
	Powd. Scammony resin, 1 gr.		
	Colocynth Comp., 5 grs., B. P. ( <i>g.-c. only</i> ), (748)...	70	3 35
	P'd Colocynth pulp, 10-11 gr. P'd. Barb. Aloes, 1 9-11 grs.		
	Pa. Scammony resin, 1 9-11 grs. Potassium sulph., 5-22 gr.		
	Oil Cloves, 5-22 gr.		
207	Colocynth Comp. Belladonna and Nux Vomica. 60		2 85
	Ext. Coloc. comp., 3 grs. Ext. Nux vomica, 1-2 gr.		
	Ext. Belladonna lvs., 1-4 gr. ( <i>gelatin-coated only</i> .)		
208†	Colocynth Comp. and Blue, 3 grs.....	45	2 10
	Ext. Coloc. comp., 2 1-2 grs. Mass of Mercury, 1-2 gr.		
209	Colocynth Comp. and Blue, 5 grs.....	50	2 35
	Ext. Coloc. comp., 2 1-2 grs. Mass of Mercury, 2 1-2 grs.		
210	Colocynth Comp., Blue Mass and Ipecac.....	45	2 10
	Ext. Coloc. comp., 2 grs. Mass of Mercury, 2 grs.		
	Powd. Ipecac, 1-6 gr.		
211†	Colocynth Comp. and Hyoscyamus, 3 grs.....	45	2 10
	Ext. Coloc. comp., 2 grs. Ext. Hyoscyamus, 1 gr.		
212	Colocynth Comp. and Hyoscyamus, 5 grs.....	55	2 60
	Ext. Coloc. comp., 3 1-3 grs. Ext. Hyoscyamus, 1 2-3 grs.		
	Colocynth and Henbane, B. P. ( <i>s.-c. only</i> ), (722)...	45	2 10
	Comp. Pill Colocynth, 2 grs. Ext. Henbane, 1 gr.		
213	Colocynth Comp., Hyoscyamus and Blue Mass. 55		2 60
	Ext. Coloc. comp., 3 grs. Mass of Mercury, 1 gr.		
	Ext. Hyoscyamus, 1 gr. ( <i>gelatin-coated only</i> ).		
214†	Colocynth Comp., Hyoscyamus and Podophyllin, R "A.".....	55	2 60
	Ext. Coloc. comp., 3 grs. Podophyllum resin, 1-4 gr.		
	Ext. Hyoscyamus, 1 gr.		
215	Colocynth Comp., Hyoscyamus and Podophyllin, R "B.".....	50	2 35
	Ext. Coloc. comp., 3 grs. Podophyllum resin, 1-8 gr.		
	Ext. Hyoscyamus, 1 gr.		
216	Colocynth Comp. and Ipecac.....	45	2 10
	Ext. Coloc. comp., 2 1-2 grs. Powd. Ipecac, 1-2 gr.		

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
217	Colocynth Comp. and Podophyllin..... Ext. Coloc. comp., 2 1-2 grs. Podophyllum resin, 1-4 gr. Powd. Glycyrrhiza, 1-4 gr.	\$ 45	\$ 2 10
218	Colocynthin, 1-8 gr.... per bottle of 25 each, .40 <i>Gelatin-coated only; see note 137.</i>	1 40	
219	Conium fruit Extract, 1-4 gr.....	25	1 10
220†	Conium fruit Extract, 1-2 gr.....	30	1 35
221	Conium fruit Extract, 1 gr.....	35	1 60
222	Conium Extract and Ipecac..... Ext. Conium fruit, 1-2 gr. Powd. Ipecac, 1-2 gr. Conium Comp., see Hemlock Comp., B.P. (72.4) ..	35	1 60
223	Convallamarin, 1-12 gr. per bottle of 25 each, .75 <i>Gelatin-coated only; see note 137.</i>	2 80	1 85
224*	Cook's..... Purified Aloes, 1 gr. Powd. Rhubarb, 1 gr. Mercurous chloride, mild, 1-2 gr. Powd. Soap, 1-2 gr.	25	1 10
225†	Copaiba mass, 3 grs.....	30	1 35
226	Copaiba mass, 4 grs.....	35	1 60
227	Copaiba Compound..... Copaiba mass, 1 1-2 grs. Ferric citrate, 3-8 gr. Guaiac, 3-8 gr. Ext. Cubeb, 5-8 gr.	45	2 10
228	Copaiba and Oleoresin Cubeb..... Copaiba mass, 2 grs. Oleoresin Cubeb, 1-2 gr. Ext. Cubeb, 1-2 gr.	55	2 60
229	Copaiba, Cubeb and Iron citrate..... Copaiba mass, 3-4 gr. Ferric citrate, 3-4 gr. Ext. Cubeb, 1 1-2 grs.	55	2 60
230	Cornin, 2 grs.....	45	2 10
231	Cornus florida Extract, 2 grs.....	25	1 10
232†	Corrosive sublimate, 1-100 gr..... (Mercuric chloride, corrosive.)	20	85
233	Corrosive sublimate, 1-60 gr.....	20	85
234	Corrosive sublimate, 1-50 gr.....	20	85
235	Corrosive sublimate, 1-40 gr.....	20	85
236	Corrosive sublimate, 1-30 gr.....	20	85
237	Corrosive sublimate, 1-20 gr.....	20	85
238	Corrosive sublimate, 1-16 gr.....	20	85
239	Corrosive sublimate, 1-12 gr.....	20	85
240	Corrosive sublimate, 1-8 gr.....	20	85
241	Cubeb Extract, 2 grs.....	80	3 85
242	Cubeb and Alum—Discontinued.		
243	Cubeb, Rhatany and Iron..... Ext. Cubeb, 1 1-2 grs. Ext. Krameria, 1-2 gr. Dried Ferrous sulphate, 1 gr.	75	3 60
244	Cypripedium Extract, 2 grs.....	45	2 10
245	Damiana Extract, 3 grs.....	55	2 60

\*For price per gross, see page 135.

†See note at head of page 44.

PART  
ONE.

## Specify P., D. &amp; Co.'s.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A Per bot. of 100.	B Per bot. of 500.		
	Dandelion Extract, 3 grs, see <i>Taraxacum Extract</i> .....	(623) ..	\$ 45	\$ 2 10	
246	Dandelion and Leptandrin Ext. <i>Taraxacum</i> , 1 1-3 grs. Leptandrin, 2-3 gr.	30	1 35		
247	Daturine sulphate, 1-100 gr., per bot. of 25 ea., .20 <i>Gelatin-coated only</i> ; see note 137.	60			
248	Diaphoretic..... Morphine acetate, 1-25 gr. Powd. Ipecac, 1-4 gr.	45	2 10		
	Potassium nitrate, 1 gr. Camphor, 1-4 gr.				
249	Diarrhoea Pellets..... Mercurous chloride, mild, 1-8 gr. Powd. Ipecac, 1-32 gr.	25	1 10		
	Morphine sulph. 1-16 gr. Camphor, 1-16 gr.				
	Powd. Capsicum, 1-16 gr.				
250	Digestive Pellets, Hager's..... Cinchonidine sulph., 1-5 gr. Powd. Pimenta, 3-25 gr.	50	2 35		
	Pepsin aseptic (1-3000), 1 1-5 grs. Powd. Gentian, 6-25 gr.				
	Powd. Ginger, 3-25 gr. Hydrochl. acid, 6-25 gr.				
	Powd. Cardamom, 3-25 gr.				
251	Digitalin, pure, 1-60 gr.....	40	1 85		
252	Digitalis Extract, 1-2 gr.....	35	1 60		
253	Digitalis Compound..... Powd. Digitalis, 1 gr. Potassium nitrate, 2 grs.	30	1 35		
	Powd. Squill, 1 gr.				
254	Dinner, Chapman's..... Purified Aloes, 1 gr. Powd. Rhubarb, 1 gr.	30	1 35		
	Mastic, 1 gr.				
255	Dinner, Cole's ( <i>gelatin-coated only</i> )..... Mass of Mercury, 1 1-5 grs. Powd. Jalap, 1 1-5 grs.	40	1 85		
	Purified Aloes, 1 1-5 grs. Ant. and Pot. tart., 1-50 gr.				
256†	Dinner, Lady Webster's..... Purified Aloes, 1 4-5 grs. Red Rose, 2-5 gr.	25	1 10		
	Mastic, 3-5 gr.				
	Dipsomania, Mann's.....	(807) ..	60	2 85	
	Quinine sulphate, 2 grs. Zinc oxide, 2 grs.				
	Strychnine, 1-40 gr. Arsenous acid, 1-100 gr.				
	Oleoresin Capsicum, 1-5 gr.				
257	Diuretic..... Powd. Soap, 1 1-2 grs. Sodium carbonate, 1 1-2 grs.	35	1 60		
	Oil Juniper berries, 1-16 gr.				
	Diuretic Compound.....	(804) ..	45	2 10	
	Citrated Caffeine, 1 gr. Ext. Digitalis, 1-4 gr.				
	Dover's Powder, see <i>Ipecac and Opium</i> .				
	Dried Ferrous sulphate, see <i>Iron sulphate, exci-</i> <i>cated</i> .				
258	Dupuytren..... Guaiac, 3 grs. Powd. Opium, 1-8 gr.	30	1 35		
	Mercuric chloride, corrosive, 1-10 gr.				
259	Dysentery..... Mass of Mercury, 1 gr. Powd. Ipecac, 1 gr.	30	1 35		
	Gelsemperin, 1-6 gr.				
260	Dysmenorrhœa, Alvord's..... Morphine sulph., 1-10 gr. Quinine sulphate, 2-3 gr.	75	3 60		
	Cimicifugin, 2-3 gr.				

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

SUGAR COATED AND GELATIN COATED—OVIFORM.		A	B
List No.		Per bot. of 100.	Per bot. of 500.
261†	Dyspepsia.....	\$ 45	\$ 2 10
	Ext. Ignatia, 1-4 gr.	Ext. Rhubarb, 1-4 gr.	
	Ext. Cinchona, red, 1 gr.	Powd. Capsicum, 1-2 gr.	
262	Dyspepsia, Moore's .....	60	2 85
	Cinchonidine sulph., 1-2 gr.	Powd. Rhubarb, 1 gr.	
	Ext. Capsicum, 1-3 gr.		
263	Eccoprotic .....	40	1 85
	Ext. Aloes, 2 grs.	Podophyllum resin, 3-10 gr.	
	Ext. Nux vomica, 1-5 gr.	Oil Cloves, 1-10 gr.	
264	Elaterin, 1-20 gr..... per bottle of 25 each, .30	1 00	
	<i>Gelatin-coated only; see note 137.</i>		
265	Elaterium (Clutterbuck), 1-10 gr.....	50	2 35
266†	Elaterium (Clutterbuck), 1-8 gr.....	55	2 60
267	Elaterium (Clutterbuck), 1-4 gr.....	1 00	4 85
268†	Emmenagogue, Improved.....	70	3 35
	Ergotin (Bonjean), 1 gr.	Ext. Bl'k Hellebore, 1 gr.	
	Purified Aloes, 1 gr.	Dried Ferrous sulph., 1 gr.	
	Oil Savine, 1-4 gr.	Ext. Savine, 1-4 gr.	
269	Emmenagogue, Mutter's.....	25	1 10
	Dried Ferrous sulph., 1 1-2 grs.	Purified Aloes, 1-2 gr.	
	Turpentine, U. S. P., 1 1-2 grs.		
270	Emmenagogue No. 4.....	75	3 60
	Ergotin (Bonjean), 1 gr.	Dried Ferrous sulph., 1 gr.	
	Ext. Cotton root bark, 1 gr.	Oil Savine, 1-4 gr.	
	Purified Aloes, 1 gr.	Ext. Savine, 1-4 gr.	
271	Emmenagogue, Rigaud's.....	45	2 10
	Purified Aloes, 1 1-2 grs.	Powd. Saffron, 3-4 gr.	
	Powd. Rue, 3-4 gr.	Powd. Savine, 3-4 gr.	
272	Ergotin (Bonjean), 1-2 gr.....	35	1 60
273	Ergotin (Bonjean), 1 gr.....	50	2 35
274†	Ergotin (Bonjean), 2 grs.....	75	3 60
275	Ergotin (Bonjean), 3 grs.....	1 00	4 85
	Ergotin (Bonjean), 5 grs. ( <i>g.-c. only</i> )...(838)...	1 40	6 85
276†	Ergotin and Cannabis Indica B "A" .....	90	4 35
	Ergotin (Bonjean), 1 gr.	Ext. Ind. Cannabis, 1-2 gr.	
	Ergotin and Cannabis Indica, B "B" ... (737)...	75	3 60
	Ergotin (Bonjean), 1 gr.	Ext. Ind. Cannabis, 1-6 gr.	
277	Ergotin and Cannabis Indica, half-strength.....	50	2 35
	Ergotin (Bonjean), 1-2 gr.	Ext. Ind. Cannabis, 1-4 gr.	
278	Eucalyptus Compound.....	50	2 35
	Ext. Eucalyptus, 1 gr.	Sanguinariin, 1-8 gr.	
	Ext. Apocynum, 1-2 gr.		
279	Eucalyptus Extract, 2 grs.....	40	1 85
	Evacuant.....	(362)...	
	Aloin, 1-4 gr.	Ext. Belladonna lvs., 1-8 gr.	35
	Strychnine, 1-60 gr.	Powd. Ipecac, 1-16 gr.	1 60
280	Female, Amenorrhoea.....	55	2 60
	Ext. Cimicifuga, 1 gr.	Ext. Cotton root b'k, 1 gr.	
	Dried Ferrous sulphate, 1 gr.	Purified Aloes, 1 gr.	

†See note at head of page 44.

PART  
ONE.*Specify P. D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A		B	
		Per bot. of 100.	Per bot. of 500.	Per bot. of 100.	Per bot. of 500.
281†	Female, Hooper's.....	\$ 20	\$ 85		
	Purified Aloes, 1 gr. Myrrh, 1-4 gr.				
	Dried Ferrous sulphate, 1-2 gr. Soap, 1-8 gr.				
	Ext. Black Hellebore, 1-4 gr. Powd. Canella, 1-8 gr.				
	Powd. Jamaica Ginger, 1-8 gr.				
282	Female, Leucorrhœa.....	55	2 60		
	Hamamelin, 2 grs. Hydrastin, 1-2 gr.				
	Senecin, 1-2 gr.				
	Ferratin, (Boehringer—B. & S.), 2 grs.. (835) ..	1 10	5 35		
	Ferratin, (Boehringer—B. & S.), 4 grs. (g.-c. only)				
	(836) ..	2 00	9 85		
	Ferric citrate, see Iron citrate.				
283†	Ferrous carbonate (Blaud), 3 grs* .....	25	1 10		
284	Ferrous carbonate (Blaud), 5 grs., U. S. P.* .....	30	1 35		
	Ferrous carbonate (Blaud), Modified*. (750) ...	30	1 35		
	Ferrous carbonate mass (Blaud), 5 grs.				
	Arsenous acid, 1-40 gr.				
	Ferrous carbonate (Blaud), Modified B 2 (840) ..	25	1 10		
	Ferrous carbonate mass (Blaud), 3 grs.				
	Arsenous acid, 1-40 gr.				
	Pink pills will be supplied only when so specified.				
	Ferrous carbonate mass, see Iron proto-carbonate (Vallet).				
	Ferrous iodide, U. S. P., 0.065 grammes (about 1 grain) .....	(334) ..	35	1 60	
285	Fever and Ague.....	40	1 85		
	Ext. Eucalyptus, 1-4 gr. Powd. Capsicum, 1-4 gr.				
	Chinodin, 1 gr. Arsenous acid, 1-200 gr.				
	Iron ferrocyanide, 1-2 gr.				
	Flint's Saline and Chalybeate, see Saline and Chalybeate, Flint's .....	(749) ..	40	1 85	
286	Fucus vesiculosus Extract, 3 grs.....	50	2 35		
287	Galbanum Compound.....	35	1 60		
	Galbanum, 1 1-2 grs. Myrrh, 1 1-2 grs. Asafetida, 1-2 gr.				
288	Gamboge Compound.....	25	1 10		
	Powd. Gamboge, 3-5 gr. Purified Soc. Aloes, 3-5 gr.				
	Aromatic powder, 3-5 gr. Powd. Soap, 1 1-5 grs.				
	Gamboge Comp., B. P. (s.-c. only)..... (723) ..	30	1 35		
	Powd. Gamboge, 3-5 gr. Powd. Barb. Aloes, 3-5 gr.				
	Cinnamon co. powd., 3-5 gr. Powd. Hard Soap, 1 1-5 grs.				
289†	Gelsemoperin (Gelsemin concentration), 1-8 gr.	30	1 35		
290	Gelsemoperin (Gelsemin concentration), 1-4 gr.	45	2 10		
291	Gentian Compound.....	30	1 35		
	Ext. Gentian, 2-3 gr. Powd. Rhubarb, 1 1-3 grs.				
	Purified Aloes, 2-3 gr. Oil Caraway, 1-10 gr.				
292	Gentian Extract, 2 grs.....	30	1 35		
293	Geranin, 1 gr.....	35	1 60		
294	Three Valerenates and Sumbul (Dr. Manton). 1 40	6 85			
	Zinc valerenate, 1 gr. Ferric valerenate, 1-2 gr.				
	Quinine valerenate, 1-2 gr. Ext. Musk-root, 2 grs.				

\*For prices in bulk see page 134.

†See note at head of page 44.

S. C. and G. C. Pills.

## PART ONE

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	
		Per bot.	Per bot. of 100.
	Glonoin, <i>see Nitroglycerin.</i>		
	Gold and Sodium chloride, 1-20 gr.....(759) .. \$ 75	\$ 3	60
295	Gonorrhœa.....	30	1 35
	Powd. Cubeb, 1 1-4 grs. Dried Ferrous sulph., 1-4 gr. Copaiba mass, 1 1-4 grs. Venice Turpentine, 1-4 gr.		
296	Grindelia Extract, 3 grs.....	50	2 35
297	Guarana Extract, 3 grs.....	1 50	7 35
298	Headache .....	50	2 35
	Lactated Pepsin, 1 gr.      Sodium bicarbonate, 1 gr. Guarana, 1-2 gr.      Cypripedin, 1-2 gr.		
	Headache, No. 2.....(852)	30	1 35
	Irisin, 1-10 gr.      Sanguinarii, 1-20 gr. Euonymin, brown, 1-4 gr.      Podophyllum resin, 1-20 gr.		
299	Helonin, 1-8 gr.....	30	1 35
	Hemlock Comp., B. P. ( <i>s.-c. only</i> ).....(724) ..	40	1 85
	Ext. Hemlock, 3-4 gr.      Ipecacuanha, 3-20 gr.		
300	Hepatica.....	45	2 10
	Mass of Mercury, 2 grs.      Ext. Coloc. comp., 2-3 gr. Ext. Hyoscyamus, 2-3 gr.		
301	Hepatic, Eclectic .....	60	2 85
	Podophyllum resin, 1-4 gr. Ext. Nux vomica, 1-16 gr. Leptandrin, 1-2 gr.      Powd. Capsicum, 1-3 gr. Irisin, 1-4 gr.		
302	Hoang-Nan, 3 grs.....	1 55	7 60
	Hooper's, <i>see Female, Hooper's</i> .....(281) ..	20	85
	Hydrargyrum tannicum oxydulatum (Tannate of mercury), 1 gr. ( <i>g.-c. only</i> ).....(845) ..	40	1 85
303	Hydrastin (concentration), 1 gr.....	70	3 35
	Hydrastin muriate, <i>see Berberine hydrochlorate</i> .....(90) ..	95	4 60
	Hydrastin sulphate, <i>see Berberine sulph.</i> ..(91) ..	1 50	7 35
	Hydrastin and Podophyllin, <i>see Berberine and</i> <i>Podophyllin</i> .....(92) ..	50	2 35
304	Hyoscine hydrobrom., 1-400 gr.. per bot. of 25, 15 <i>Sugar-coated only; see note 137.</i>	40	
305	Hyoscyamine pure, 1-200 gr.. per bottle of 25, 15 <i>Gelatin-coated only; see note 137.</i>	40	
306	Hyoscyamus Extract, 1-4 gr.....	25	1 10
307†	Hyoscyamus Extract, 1-2 gr.....	30	1 35
308	Hyoscyamus Extract, 1 gr.....	35	1 60
309	Ichthyol, 1 1-2 grs.....	75	3 60
310	Ignatia Extract, 1-4 gr.....	30	1 35
311†	Ignatia Extract, 1-2 gr.....	35	1 60
312	Ignatia Extract, 1 gr.....	60	2 85
313	Intestinal Antiseptic.....	40	1 85
	Mercurous iodide, yellow, 1-8 gr. Ext. Nux vom., 1-16 gr. Podophyllum resin, 1-16 gr.      Ext. Hyoscyam., 1-16 gr. Aloe, 1-16 gr.		

<sup>†</sup>See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

	SUGAR COATED AND GELATIN COATED—OVIFORM.	A Per bot. of 100.	B Per bot. of 500.
314	Iodoform, 1 gr .....	\$ 60	\$ 2 85
315	Iodoform and Iron..... Reduced Iron, 1 gr. Iodoform, 1 gr.	70	3 35
316	Iodoform, Iron and Quinine..... Iodoform, 1 gr. Quinine sulphate, 1-2 gr. Ferrous carbonate mass (Vallet's), 2 grs.	90	4 35
317	Ipecac Extract, 1-4 gr.....	30	1 35
318	Ipecac and Opium, 1-2 gr..... Powd. Opium, 1-4 gr. { Equal to 2 1-2 grs. Powd. Ipecac, 1-4 gr. { Dover's Powder.	30	1 35
319†	Ipecac and Opium, 1 gr..... Powd. Opium, 1-2 gr. { Equal to 5 grs. Powd. Ipecac, 1-2 gr. { Dover's Powder.	50	2 35
320	Ipecac and Opium, 2 grs..... Powd. Opium, 1 gr. { Equal to 10 grs. Powd. Ipecac, 1 gr. { Dover's Powder.	90	4 35
	Ipecacuanha with Squill, B. P. ....(725) .....	30	1 35
	Comp. Powd. Ipecacuanha, 2 grs. Powd. Squill, 2-3 gr.		
	Powd. Ammoniacum, 2-3 gr.		
321	Ipecac and Squill—Discontinued		
322†	Irisin, 1-2 gr.....	40	1 85
323	Irisin, 1 gr.....	45	2 10
324	Irisin Compound..... Irisin, 1-4 gr. Strychnine, 1-40 gr. Podophyllum resin, 1-10 gr.	30	1 35
325	Irisin Comp. and Hyoscyamus (g. c. only)..... Irisin, 1-4 gr. Podophyllum resin, 1-10 gr. Strychnine, 1-100 gr. Ext. Hyoscyamus, 1-2 gr.	45	2 10
326	Iron and Aloes..... Dried Ferrous sulphate, 1 gr. Purified Aloes, 2 grs.	30	1 35
327	Iron bromide, 1 gr..... Iron carbonate, see Ferrous carbonate, (Bland) Iron carbonate, B. P. (s.-c. only) ....(726) .....	45	2 10
	Iron carbonate sacch., 2 1-2 grs. Confect. Roses, 5-8 gr.	20	85
328	Iron citrate (Ferric citrate), 2 gis.....	30	1 35
329	Iron and Strychnine citrates..... Ferric citrate, 2 grs. Strychnine citrate, 1-50 gr.	40	1 85
330	Iron Compound, U. S. P., 1880..... Myrrh, 1 1-2 grs. Sodium carbonate, 3-4 gr. Ferrous sulphate, 3-4 gr.	25	1 10
331	Iron ferrocyanide, 3 grs.....	30	1 35
332	Iron by hydrogen, 1 gr..... (Reduced Iron.)	25	1 10
333†	Iron by hydrogen, 2 grs.....	40	1 85
334	Iron iodide, see Ferrous iodide..... Iron iodide, 1 gr., B. P. ....(727) .....	35	1 60
		35	1 60

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
335	Iron iodide and Quinine.....	\$ 50	\$ 2 35
	Ferrous iodide, 1 1-2 grs.      Quinine sulphate, 1-4 gr.		
336	Iron lactate (Ferrous lactate), 1 gr.....	30	1 35
337	Iron and Manganese.....	45	2 10
	Ferrous carbonate mass (Vallet), 2 grs. Manganese carbonate, 1 gr.		
338	Iron phosphate (ferrous), 2 grs.....	40	1 85
339	Iron proto-carbonate (Vallet), 2 grs..... (Ferrous carbonate mass, Vallet.)	25	1 10
340†	Iron proto-carbonate (Vallet), 3 grs.....	25	1 10
341	Iron proto-carbonate (Vallet), 5 grs.....	30	1 35
342	Iron pyrophosphate, 1 gr..... (Soluble Ferric pyrophosphate).	25	1 10
	Iron and Potassium tartrate, 2 grs.....(523) .....	40	1 85
343	Iron, Quassia and Nux Vomica.....	45	2 10
	Reduced Iron, 1 1-2 grs.      Ext. Nux vomica, 1-4 gr. Ext. Quassia, 1 gr.      Powd. Soap, 1-2 gr.		
344	Iron and Quinine citrate, soluble, 1 gr.....	20	85
345†	Iron and Quinine citrate, soluble, 2 grs.....	30	1 35
346	Iron and Quinine citrate, soluble, 3 grs.....	40	1 85
347	Iron and Quinine citrate, soluble, 5 gr. (g.-c. only)	60	2 85
348	Iron, Quinine and Strychnine citrate..... Iron and Quinine citrate, soluble, 2 grs. Strychnine citrate, 1-50 gr.	55	2 60
349	Iron and Strychnine..... Strychnine, 1-60 gr.      Reduced Iron, 2 grs.	45	2 10
350	Iron sulphate exsiccated, 1 gr..... (Dried Ferrous sulphate.)	25	1 10
351†	Iron sulphate exsiccated, 2 grs.....	25	1 10
352	Iron sulphate exsiccated, 4 grs.....	25	1 10
353	Iron valerianate (Ferric valerianate), 1 gr.....	50	2 35
354	Jaborandi Extract, 3 grs.....	50	2 35
355	Jalap Compound..... Powd. Jalap, 3-4 gr.      Powd. Soap, 3-4 gr. Powd. Rhubarb, 3-4 gr.      Pil. Antimony comp., 1 1-8 grs. Oil Caraway, 1-8 gr.	50	2 35
356	Jalap Extract, 1 gr.....	50	2 35
357	Jalap resin, 1 gr.....	60	2 85
358	Jamaica Dogwood Extract, 2 grs.....	80	3 85
359	Kermes mineral (Sulphurated Antimony), 1-4 gr.	55	2 60
360	Krameria Extract, 2 grs.....	40	1 85
361	Lactated Pepsin and Bismuth..... Lactated Pepsin, 2 grs.      Bismuth subnitrate, 2 grs. Lactophenin (Boehringer—B. & S.), 2 grs. (841)      1 00      4 85 Lactophenin (Boehringer—B. & S.), 5 grs. (g.-c. only) .....(842)      2 00      9 85		

†See note at head of page 44.

## PART ONE.

*Specify P. D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A Per bot. of 100.	B Per bot. of 500.
	Lactophenin and Quinine Compound ( <i>g.-c. only</i> ) .....	(843) \$2 10	\$10 35
	Lactophenin (Boehringer—B. & S.), 3 grs.		
	Quinine sulphate, 2 grs.		
	Ipecac and Opium powder, 1-2 gr.		
	Ext. Aconite root, 1-12 gr.		
	Lactophenin and Salol ( <i>g.-c. only</i> ) ..... (844) ..	2 00	9 85
	Lactophenin (Boehringer—B. & S.), 2 1-2 grs.		
	Salol, 2 1-2 grs.		
	Lactophenin, Salol and Quinine Salicylate ( <i>g.-c. only</i> ) ..... (846) ..	2 00	9 85
	Lactophenin (Boehringer—B. & S.), 2 grs.		
	Quinine salicylate, 1 gr.      Salol, 2 grs.		
362	Lapactic, <i>see Evacuant</i> .....	35	1 60
363†	Laxative.....	35	1 60
	Purified Aloes, 1 gr.      Guaiac, 1-2 gr.		
	Sulphur, sublimed, 1-5 gr.      Podophyllum resin, 1-5 gr.		
	Syrup Buckthorn berries, q. s.		
364	Laxative, Cole's .....	40	1 85
	Podophyllum resin, 1-10 gr. Ext. Coloc. comp., 3 grs.		
	Mercurous chloride, mild, 1 gr.		
365	Laxative, "Special" (Dr. Fordyce Barker).....	45	2 10
	Ext Hyoscyamus, 1 1-4 grs. Ext. Coloc. comp., 1 2-3 grs.		
	Soc. Aloes, powd., 5-6 gr.      Podophyllum resin, 1-12 gr.		
	Ext. Nux vomica, 5-12 gr.      Powd. Ipecac, 1-12 gr.		
	Lead and Opium, B. P. ( <i>s.-c. only</i> ) ..... (728) ..	30	1 35
	Lead acetate, 2 grs.      Powd. Opium, 1-3 gr.		
	Confection Roses, 1-3 gr.		
366	Leptandrin, 1-8 gr.....	20	85
367	Leptandrin, 1-4 gr.....	20	85
368†	Leptandrin, 1-2 gr.....	25	1 10
369	Leptandrin, 1 gr .....	40	1 85
370	Leptandrin Compound.....	55	2 60
	Leptandrin, 1 gr.      Irisin, 1-4 gr.		
	Podophyllum resin, 1-8 gr.		
371	Lettuce Extract, 2 grs.....	35	1 60
	Lime sulphurated, <i>see Calcium sulphide</i> .		
372	Liver, Christopher's .....	35	1 60
	Mercurous chloride, mild, 2 grs. Powd. Ipecac, 1-2 gr.		
	Powd. Rhubarb, 1 gr.		
373†	Liver, Improved*.....	25	1 10
	Purified Aloes, 1 gr.      Mercurous chlor., mild, 1-8 gr.		
	Powd. Jalap, 1 gr.      Powd. Capsicum, 3-16 gr.		
	Powd. Gamboge, 1-8 gr. Fl. ext. Verat. viride, 1-8 gr.		
	Leptandrin, 1-8 gr.      Oleum Tigliai, 1-50 gr.		
374	Liver, Improved, Vegetable* .....	25	1 10
	Purified Aloes, 1 gr.      Podophyllum resin, 1-8 gr.		
	Powd. Jalap, 1 gr.      Powd. Capsicum, 3-16 gr.		
	Powd. Gamboge, 1-8 gr. Fl. ext. Verat. viride, 1-8 gr.		
	Leptandrin, 1-8 gr.      Oleum Tigliai, 1-50 gr.		

\*For price per gross, see page 135.

<sup>†</sup>See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

SUGAR COATED AND GELATIN COATED—OVIFORM.		A Per bot. of 100.	B Per bot. of 500.
List No.			
375	Liver, Dr. Taylor's..... Podophyllum resin, 1 gr.      Camphor, 4-5 gr. Powd. Ipecac, 1 gr.	\$ 35	\$ 1 60
376	Liver, Waxham's..... Ext. Leptandra, 1 gr.      Ext. Jalap, 3-8 gr. Powd. Capsicum, 1-2 gr.      Powd. Gamboge, 1-8 gr. Podophyllum resin, 1-4 gr.	30	1 35
377	Lupulin, 3 grs..... Magnesia (calcined), 2 grs.....(380).. Magnesia and Rhubarb.....(381).. Magnesia (calcined), 1 gr.      Powd. Rhubarb, 1 gr.	35 30 30 30	1 60 1 35 1 35 1 35
378	Manganese dioxide, 1 gr.....	50	2 35
379†	Manganese dioxide, 2 grs..... Manganese dioxide, 3 grs.....(812)..	70 90	3 35 4 35
380	Magnesia (calcined), 2 grs.....	30	1 35
381	Magnesia and Rhubarb .....	30	1 35
	Magnesia (calcined), 1 gr.      Powd. Rhubarb, 1 gr.		
382	Mercurial pill, 3 grs., B. P.....(729).. Mercurial pill, 5 grs., B. P.....(730).. Mercuric chloride, corrosive, <i>see Corrosive sublimate.</i>	20 25 20	85 1 10 85
383	Mercuric iodide, red, 1-25 gr..... (Mercury biniodide.)	20	85
384	Mercuric iodide, red, 1-16 gr.....	20	85
385	Mercuric iodide, red, 1-8 gr.....	20	85
386	Mercurous chloride, mild, <i>see Calomel.</i>		
387	Mercurous iodide, yellow, 1-16 gr..... (Mercury protiodide.)	20	85
388	Mercurous iodide, yellow, 1-8 gr.....	20	85
389	Mercurous iodide, yellow, 1-6 gr.....	20	85
390	Mercurous iodide, yellow, 1-5 gr.....	20	85
391†	Mercurous iodide, yellow, 1-4 gr.....	20	85
392	Mercurous iodide, yellow, 1-3 gr.....	25	1 10
393	Mercurous iodide, yellow, 1-2 gr.....	25	1 10
394	Mercurous iodide and Opium..... Mercurous iodide, yellow, 1 gr. Powd. Opium, 1-3 gr.	50	2 35
	Mercury subchloride Comp. B. P. ( <i>sugar-coated only</i> ).....(731)..	35	1 60
	Mercury subchloride, 3-4 gr.      Guaiacum resin, 1 1-2 grs. Antimony sulphurated, 3-4 gr.      Castor Oil, q. s.		
†	Mercury with Chalk, Hutchinson's ( <i>gelatin-coated only</i> ).....(738).. Mercury with chalk, 1 gr.      Confect. Rose, 1-2 gr.	35	1 60

†See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A		B	
		Per bot. of 100.	Per bot. of 500.	Per bot. of 100.	Per bot. of 500.
	Mercury with Chalk, B 2 (g.-c. only) .... (739)	\$ 50	\$ 2 35		
	Mercury with chalk, 1 gr. Ext. Gentian, 1 gr.				
	Ipecac and Opium powd., 1 gr.				
	Mercury with Chalk, B 3 (g.-c. only) .... (740)	65	3 10		
	Mercury with chalk, 1 gr. Reduced Iron, 2 grs.				
	Ext. Nux vomica, 1-4 gr. Ext. Gentian, 3-4 gr.				
	Migraine ..... (800)	50	2 35		
	Acetanilid, 2 grs. Camphor monobromated, 1-2 gr.				
395†	Morphine acetate, 1-8 gr.	35	1 60		
396	Morphine acetate, 1-4 gr.	50	2 35		
397	Morphine and Atropine.	60	2 85		
	Morphine sulphate, 1-8 gr. Atropine sulphate, 1-100 gr.				
398†	Morphine hydrochlorate, 1-8 gr.	35	1 60		
399	Morphine hydrochlorate, 1-4 gr. (g.-c. only) ....	50	2 35		
400	Morphine sulphate, 1-32 gr.	20	85		
401	Morphine sulphate, 1-20 gr.	20	85		
402	Morphine sulphate, 1-16 gr.	20	85		
403	Morphine sulphate, 1-10 gr.	20	85		
404	Morphine sulphate, 1-8 gr.	25	1 10		
405	Morphine sulphate, 1-6 gr.	30	1 35		
406†	Morphine sulphate, 1-4 gr.	35	1 60		
407	Morphine sulphate, 1-2 gr.	60	2 85		
408†	Morphine and Belladonna, B "A".	60	2 85		
	Morphine sulphate, 1-6 gr. Ext. Belladonna lvs., 1-8 gr.				
409	Morphine and Belladonna, B "B".	75	3 60		
	Morphine sulphate, 1-4 gr. Ext. Belladonna lvs., 1-4 gr.				
410	Morphine Compound.	75	3 60		
	Morphine sulphate, 1-4 gr. Mercurous chlor., mild, 1-4 gr.				
	Antimony and Potass. tartrate, 1-4 gr.				
411†	Morphine valerianate, 1-8 gr.	50	2 35		
412	Morphine valerianate, 1-4 gr.	90	4 35		
413	Muscarine sulph., 1-100 gr... per bottle of 25, .50	1 80			
	Gelatin-coated only; see note 137.				
414†	Neuralgic Idiopathic, Brown-Sequard's	1 05	5 10		
	Ext. Hy scyamus, 2-3 gr. Ext. Conium fruit, 2-3 gr.				
	Ext. Ignatia, 1-2 gr. Ext. Stramonium s'd, 1-5 gr.				
	Ext. Opium, 1-2 gr. Ext. Aconite lvs., 1-3 gr.				
	Ext. Belladonna lvs., 1-6 gr. Ext. Ind. Cannabis, 1-4 gr.				
415	Neuralgic Idiopat., Brown-Sequard's, half-str'gth,	65	3 10		
416	Neuralgic, Dr. Gross'.	1 00	4 85		
	Quinine sulph., 2 grs. Ext. Aconite leaves, 1-2 gr.				
	Morphine sulph., 1-20 gr. Strychnine, 1-30 gr.				
	Arsenous acid, 1-20 gr.				
417	Neuralgic without morphine, Dr. Gross'.	90	4 35		
418	Night Sweat.	55	2 60		
	Zinc oxide, 1-2 gr. Hydrastin, 1 gr.				
	Salicin, 1 gr. Lactated Pepsin, 1-2 gr.				
	Ext. Belladonna lvs., 1-25 gr.				

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
419	Nitroglycerin, 1-200 gr. (Glonoin).	\$ 50	\$ 2 35
420	Nitroglycerin, 1-150 gr.	50	2 35
421†	Nitroglycerin, 1-100 gr.	50	2 35
422	Nitroglycerin, 1-50 gr.	50	2 35
423	Nitroglycerin, 1-33 gr.	50	2 35
424	Nitroglycerin, 1-25 gr.	50	2 35
425	Nitroglycerin, 1-10 gr.	50	2 35
426	Nux Vomica Extract, 1-8 gr.	20	85
427†	Nux Vomica Extract, 1-4 gr.	20	85
428	Nux Vomica Extract, 1-2 gr.	25	1 10
429	Opium, 1-2 gr. Powd. Opium, 1-2 gr.	25	1 10
430†	Opium, U. S. P., 1 gr. Powd. Opium..... Gm. 0.065 about 1 gr. Powd. Soap..... Gm. 0.02 " 3-10 gr.	40	1 85
	Opium with Soap..... (597).. Powd. Opium, 3-5 gr. Soap, 2 2-5 grs.	35	1 60
	Opium with Soap, B. P., see <i>Soap Comp.</i> (735) ..	35	1 60
	Opium and Camphor, see <i>Camphor and Opium</i> ..... (139) ..	50	2 35
	Opium, Camphor and Compounds, see <i>Camphor, Opium and Compounds</i> :		
431	Opium Extract, 1-4 gr. } See note 132..... {	40	1 85
432†	Opium Extract, 1-2 gr. }	55	2 60
433	Opium Extract, 1 gr....	75	3 60
434†	Opium and Lead acetate, B "A" .....	40	1 85
	Opium, 1 gr. Lead acetate, 1 gr.		
435	Opium and Lead acetate, B "B." .....	35	1 60
	Opium, 1-2 gr. Lead acetate, 1 1-2 grs.		
436†	Ox Gall .....	35	1 60
	Inspissated Ox Gall, 2 grs. Powd. Jamaica Ginger, 1 gr.		
437	Ox Gall, Craig's .....	45	2 10
	Inspissated Ox Gall, 2 grs. Ext. Coloc. comp., 1 gr.		
438	Ox Gall Comp., Andrew's .....	55	2 60
	Inspissated Ox Gall, 2 grs. Ext. Stramonium s'd, 1-6 gr. Purified Aloes, 1-10 gr. Berberine hydrochlor., 1-12 gr.		
	Ox Gall and Pancreatin, see <i>Enteric Pills</i> .		
439	Ox Gall and Pepsin, Dr. Armor's.....	80	3 85
	Inspiss. Ox Gall, 1 1-2 grs. Purified Aloes, 1 gr.		
	Pepsin aseptic (1-3000), 1 gr. Ext. Nux vomica, 1-12 gr.		
	Dried Ferrous sulphate, 1-2 gr.		
440	Pepsin and Bismuth .....	75	3 60
	Pepsin aseptic (1-3000), 1 1-2 grs. Bismuth subcarb., 3-4 gr.		
441†	Pepsin, Bismuth and Strychnine, B I (g. c. only). Pepsin aseptic (1-3000), 2 1-2 grs. Strychnine, 1-60 gr. Bismuth subnitrate, 2 1-2 grs.	1 35	6 60

†See note at head of page 44.

PART  
ONE.

## Specify P., D. &amp; Co's.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
442	Pepsin, Bismuth and Strychnine, B 2 (g.-c. only). Pepsin aseptic (1-3000), 1 gr. Strychnine, 1-60 gr. Bismuth subnitrate, 5 grs.	\$1 00	\$ 4 85
443	Pepsin and Iron by hydrogen..... Pepsin aseptic (1-3000), 1 1-2 grs. Reduced Iron, 3-4 gr.	55	2 60
444	Pepsin and Ferrous iodide..... Pepsin aseptic (1-3000), 1 1-2 grs. Ferrous iodide, 3-4 gr. Reduced Iron, 1 1-2 grs.	75	3 60
445	Phenacetine (Bayer), 2 grs..... †Phenacetine (Bayer), 5 grs. (g.-c. only) .. (761).. Phenacetine and Quinine Compound (g.-c. only) ..... Phenacetine (Bayer), 3 grs. Quinine sulphate, 2 grs. Ipecac and Opium po.. 1-2 gr. Ext. Aconite r't, 1-12 gr.	1 00 2 00 (811).. 2 10	4 85 9 85 10 35
	Phenacetine and Salol, see <i>Salol and Phenacetine</i> ..... (756)..	2 00	9 85
	Phenacetine and Salophen (g.-c. only) .. (809).. Phenacetine (Bayer), 2 1-2 grs. Salophen, 2 1-2 grs.	2 50	12 35
	Phenacetine and Salophen, $\frac{1}{2}$ -strength. (810).. Phenacetine (Bayer), 1 1-4 grs. Salophen, 1 1-4 grs.	1 40	6 85
446†	Phosphorus, 1-100 gr.....	20	85
447	Phosphorus, 1-50 gr .....	20	85
448	Phosphorus, 1-33 gr..... Phosphorus, 1-30 gr., B. P. (s.-c. only) ... (732)..	20 30	85 1 35
449	Phosphorus, 1-25 gr.....	20	85
450	Phosphorus, 1-20 gr .....	20	85
451	Phosphorus and Aconite..... Phosphorus, 1-50 gr. Ext. Aconite lvs., 1-16 gr.	25	1 10
452	Phosphorus, Aloes, Iron and Strychnine..... Phosphorus, 1-50 gr. Ext. Aloes, 1 gr. Dried Ferrous sulph., 1 1-2 grs. Strychnine, 1-30 gr.	45	2 10
453†	Phosphorus, Aloes and Nux Vomica, B "A" ... Phosphorus, 1-50 gr. Ext. Nux vomica, 1-4 gr. Ext. Aloes, 1-2 gr.	30	1 35
454	Phosphorus, Aloes and Nux Vomica, B "B." ... Phosphorus, 1-20 gr. Ext. Nux vomica, 1-2 gr. Ext. Aloes, 1-2 gr.	30	1 35
455†	Phosphorus and Belladonna, B "A"..... Phosphorus, 1-100 gr. Ext. Belladonna lvs., 1-8 gr.	25	1 10
456	Phosphorus and Belladonna, B "B."..... Phosphorus, 1-33 gr. Ext. Belladonna lvs., 1-4 gr.	30	1 35
457†	Phosphorus and Cannabis Indica, B "A" ..... Phosphorus, 1-50 gr. Ext. Ind. Cannabis, 1-4 gr.	40	1 85
458	Phosphorus and Cannabis Indica, B "B."..... Phosphorus, 1-25 gr. Ext. Ind. Cannabis, 1-4 gr.	40	1 85
459†	Phosphorus and Cantharides Comp., B "A" ... Phosphorus, 1-50 gr. Powd. Nux vomica, 1 gr. Powd. Cantharides, 1 gr.	45	2 10

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
460	Phosphorus and Cantharides Comp., B "B." ....	\$ 45	\$ 2 10
	Phosphorus, 1-33 gr. Powd. Cantharides, 1 gr.		
	Powd. Nux vomica, 1 gr.		
461†	Phosphorus Compound, B 1.....	25	1 10
	Phosphorus, 1-100 gr. Ext. Nux vomica, 1-4 gr.		
462	Phosphorus Compound, B 2.....	25	1 10
	Phosphorus, 1-60 gr. Ext. Nux vomica, 1-4 gr.		
463	Phosphorus Compound, B 3 (g.-c. only).....	25	1 10
	Phosphorus, 1-50 gr. Ext. Nux vomica, 1-8 gr.		
464	Phosphorus and Digitalis Compound.....	40	1 85
	Phosphorus, 1-50 gr. Ext. Hyoscyamus, 1 gr.		
	Powd. Digitalis, 1 gr.		
465	Phosphorus, Digitalis and Hyoscyamus.....	50	2 35
	Phosphorus, 1-33 gr. Ext. Hyoscyamus, 2 grs.		
	Powd. Digitalis, 1 gr.		
466†	Phosphorus, Digitalis and Iron.....	45	2 10
	Phosphorus, 1-50 gr. Reduced Iron, 1 gr.		
	Powd. Digitalis, 1 gr.		
467	Phosphorus, Digitalis and Iron, B "B." .....	50	2 35
	Phosphorus, 1-33 gr. Powd. Digitalis, 1 gr.		
	Reduced Iron, 3 grs.		
468†	Phosphorus and Iron, B "A".....	30	1 35
	Phosphorus, 1-100 gr. Ferrous carb. mass (Vallet), 1 gr.		
469	Phosphorus and Iron, B "B." .....	40	1 85
	Phosphorus, 1-50 gr. Reduced Iron, 3 grs.		
470†	Phosphorus, Iron and Quinine, B "A".....	55	2 60
	Phosphorus, 1-100 gr. Quinine sulphate, 1 gr.		
	Ferrous carbonate mass (Vallet), 1 gr.		
471	Phosphorus, Iron and Quinine, B "B." .....	60	2 85
	Phosphorus, 1-50 gr. Quinine sulphate, 1-2 gr.		
	Reduced Iron, 3 grs.		
472	Phosphorus, Iron, Quinine and Strychnine....	55	2 60
	Phosphorus, 1-50 gr. Quinine sulphate, 1-2 gr.		
	Reduced Iron, 3 grs. Strychnine, 1-40 gr.		
473†	Phosphorus, Morphine and Zinc valerianate, B "A".....	1 00	4 85
	Phosphorus, 1-50 gr. Zinc valerianate, 1 gr.		
	Morphine sulphate, 1-12 gr.		
474	Phosphorus, Morphine and Zinc valerianate, B "B." .....	1 00	4 85
	Phosphorus, 1-25 gr. Zinc valerianate, 1 gr.		
	Morphine hydrochlorate, 1-12 gr.		
475†	Phosphorus and Nux Vomica, B "A".....	25	1 10
	Phosphorus, 1-50 gr. Ext. Nux vomica, 1-4 gr.		
476	Phosphorus and Nux Vomica, B "B." .....	30	1 35
	Phosphorus, 1-33 gr. Ext. Nux vomica, 1-2 gr.		
477	Phosphorus, Nux Vomica and Damiana (Aphro- disiac).....	1 00	4 85
	Phosphorus, 1-100 gr. Ext. Damiana, 2 grs.		
	Ext. Nux vomica, 1-8 gr.		
478†	Phosphorus, Nux Vomica and Iron, B "A".....	30	1 35
	Phosphorus, 1-100 gr. Ext. Nux vomica, 1-4 gr.		
	Ferric phosphate, precipitated, 1-2 gr.		

†See note at head of page 44.

PART  
ONE.*Specify P. D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.			A	B
		Per bot. of 100.	Per bot. of 500.		
479	Phosphorus, Nux Vomica and Iron, B "B".....	\$ 40	\$ 1 85		
	Phosphorus, 1-33 gr. Ext. Nux vomica, 1-3 gr.				
	Reduced Iron, 3 grs.				
480†	Phosphorus, Nux Vomica, Iron & Quinine, B "A".....	55	2 60		
	Phosphorus, 1-100 gr. Ext. Nux vomica, 1-8 gr.				
	Ferrous carb. mass (Vallet), 1 gr. Quinine sulphate, 1 gr.				
481	Phosphorus, Nux Vomica, Iron & Quinine, B "B".....	70	3 35		
	Phosphorus, 1-25 gr. Reduced Iron, 2 grs.				
	Ext. Nux vomica, 1-3 gr. Quinine sulphate, 1 gr.				
482†	Phosphorus, Opium and Digitalis, B "A".....	50	2 35		
	Phosphorus, 1-50 gr. Powd. Opium, 1-4 gr.				
	Powd. Ipecac, 1-4 gr. Powd. Digitalis, 1-2 gr.				
483	Phosphorus, Opium and Digitalis, B "B".....	45	2 10		
	Phosphorus, 1-33 gr. Powd. Opium, 1-4 gr.				
	Powd. Ipecac, 1-4 gr. Powd. Digitalis, 1-2 gr.				
484	Phosphorus and Quinine.....	50	2 35		
	Phosphorus, 1-50 gr. Quinine sulphate, 1 gr.				
485	Phosphorus, Quinine, Aloes and Nux Vomica ..	60	2 85		
	Phosphorus, 1-33 gr. Ext. Aloes, 1-2 gr.				
	Quinine sulphate, 1-2 gr. Ext. Nux vomica, 1-3 gr.				
486	Phosphorus and Quinine Compound.....	40	1 85		
	Phosphorus, 1-50 gr. Quinine sulphate, 1-2 gr.				
	Reduced Iron, 1 gr. Strychnine, 1-60 gr.				
487	Phosphorus, Quinine and Digitalis Compound.	55	2 60		
	Phosphorus, 1-50 gr. Powd. Digitalis, 1-2 gr.				
	Quinine sulphate, 1-2 gr. Powd. Opium, 1-4 gr.				
Powd. Ipecac, 1-4 gr.					
488	Phosphorus, Quinine and Nux Vomica.....	55	2 60		
	Phosphorus, 1-50 gr. Ext. Nux vomica, 1-4 gr.				
	Quinine sulphate, 1 gr.				
489†	Phosphorus and Strychnine, B "A".....	45	2 10		
	Phosphorus, 1-50 gr. Strychnine, 1-60 gr.				
490	Phosphorus and Strychnine, B "B".....	50	2 35		
	Phosphorus, 1-25 gr. Strychnine, 1-30 gr.				
491	Phosphorus, Strychnine and Iron.....	50	2 35		
	Phosphorus, 1-100 gr. Strychnine, 1-60 gr.				
	Ferrous carbonate mass (Vallet), 1 gr.				
492	Phosphorus, Strychnine and Iron sulphate.....	45	2 10		
	Phosphorus, 1-100 gr. Ferrous sulphate, 1 gr.				
	Strychnine, 1-100 gr.				
493	Phosphorus and Zinc Compound.....	45	2 10		
	Phosphorus, 1-50 gr. Zinc sulphate, 1 gr.				
	Lupulin, 1 gr.				
494	Phosphorus, Zinc and Strychnine.....	50	2 35		
	Phosphorus, 1-70 gr. Strychnine, 1-30 gr.				
	Zinc valerenianate, 3-4 gr.				
495	Phosphorus, Zinc and Valerian .....	45	2 10		
	Phosphorus, 1-40 gr. Zinc sulphate, 1 gr.				
	Ext. Valerian, 2 grs.				
	Physostigma Extract, see Calabar bean Extract .....	(112) ..	35	1 60	
496	Physostigmine salicyl., 1-100 gr., per bot. of 25, .25 <i>Gelatin-coated only; see note 137.</i>		80		

† See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

SUGAR COATED AND GELATIN COATED—OVIFORM.		A	B
List No.		Per bot. of 100.	Per bot. of 500.
497	Phytolaccin, 1-2 gr.....	\$ 40	\$ 1 85
498	Picrotoxin, 1-60 gr. ....	45	2 10
499	Pilocarpine hydrochl., 1-30 gr., per bot. of 25.... <i>(Gelatin-coated only.)</i>		
500†	Pilocarpine hydrochl., 1-16 gr., per bot. of 25.... See note 137.		Prices fluctuating.
501	Pilocarpine nitrate, 1-16 gr.....		
502	Podophyllin, 1-20 gr..... <i>(Podophyllum resin.)</i>	20	85
503	Podophyllin, 1-10 gr .....	20	85
504	Podophyllin, 1-8 gr..... Podophyllin, 1-6 gr..... (741) .....	20	85
505†	Podophyllin, 1-4 gr .....	20	85
506	Podophyllin, 1-2 gr.....	25	1 10
507	Podophyllin, 1 gr.....	40	1 85
508	Podophyllin and Belladonna .....	45	2 10
	Podophyllum resin, 1-4 gr. Ext. Belladonna lvs., 1-8 gr. Powd. Capsicum, 1-2 gr.		
509	Podophyllin, Belladonna and Calabar Bean ... Podophyllum resin, 1-4 gr. Ext. Physostigma, 1-4 gr. Ext. Belladonna leaves., 1-4 gr.	50	2 35
510	Podophyllin and Blue Mass..... Podophyllum resin, 1-4 gr. Mass of Mercury, 2 grs.	30	1 35
511†	Podophyllin Compound..... Podophyllum resin, 1-2 gr. Ext. Hyoscyamus, 1-8 gr. Ext. Nux vomica, 1-16 gr.	40	1 85
512	Podophyllin Compound, Dr. Janeway's..... Podophyllum resin, 1-2 gr. Ext. Belladonna lvs., 1-4 gr. Powd. Soc. Aloes, 1 gr. Ext. Nux vomica, 1-4 gr.	60	2 85
513	Podophyllin Compound, Eclectic..... Podophyllum resin, 1-8 gr. Leptandrin, 1-16 gr. Juglandin, 1-16 gr. Cimicifugin, 1-32 gr. Oleoresin Capsicum, 1-32 gr.	40	1 85
514	Podophyllin and Leptandrin..... Podophyllum resin, 1-2 gr. Leptandrin, 1 gr.	45	2 10
515	Podophyllotoxin, 1-8 gr. (sugar-coated only) ....	30	1 35
516	Podophyllum Extract, 1 gr.....	35	1 60
517	Poppy Extract—Discontinued.		
518	Post-partum (Dr. Fordyce Barker's)..... Ext. Coloc. comp., 1 1-2 grs. Powd. Aloes, 1-6 gr. Mercurous chlor., mild, 1 1-2 grs. Powd. Ipecac, 1-6 gr. Ext. Nux vomica, 1-6 gr. Ext. Hyoscyam., 1-3 gr.	65	3 10
	Post-partum (Dr. Fordyce Barker's), N. F., see <i>Laxative Special, No. 365.</i>		
519	Potassium bromide, 1 gr. (sugar-coated only) ...	45	2 10
520†	Potassium bromide, 5 grs. (sugar-coated only) ...	75	3 60
521	Potassium iodide, 2 grs. (sugar-coated only) ....	55	2 60
522†	Potassium iodide, 5 grs. (sugar-coated only) ....	85	4 10

†See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
523	Potassium and Iron tartrate, <i>see Iron and Potassium tartrate</i> .....	\$ 40	\$ 1 85
524	Potassium permanganate, 1-2 gr. ¶ (s. c. only)....	40	1 85
525	Potassium permanganate, 1 gr. ¶ (s. c. only)....	50	2 35
526†	Potassium permanganate, 2 grs. ¶ (s. c. only)....	75	3 60
527	Quassia Extract, 1 gr .....	55	2 60
528	Quinidine sulphate, 1 gr.....	30	1 30
529†	Quinidine sulphate, 2 grs.....	40	1 80
530	Quinidine sulphate, 3 grs.....	50	2 30
531	Quinine and Aloes.....	60	2 85
	Quinine sulphate, 3-4 gr. Purified Aloes, 1-4 gr.		
	Quinine, Arsenic and Atropine, (Dr. Whelan) (g.c. only) ..... (848) .....	70	3 35
	Quinine sulphate, 1 1-2 grs. Arsenical Solution, B.P., 1 ℥. Ext. Gentian, 1 2-3 grs. Sol. Atropine sulph., B.P., 1-12 ℥.		
532	Quinine and Belladonna..... (547) .....	50	2 35
	Quinine sulphate, 1 gr. Ext. Belladonna leaves, ½ gr.		
533	Quinine bisulphate, 1-4 gr.....		
534	Quinine bisulphate, 1-2 gr.....		
535†	Quinine bisulphate, 1 gr.....		
536	Quinine bisulphate, 2 grs.....		
537	Quinine bisulphate, 3 grs .....		
538	Quinine bisulphate, 4 grs. (g.c. only) .....		
539	Quinine bisulphate, 5 grs. (g.c. only) .....		
540	Quinine bisulphate and Capsicum.....	65	3 10
	Quinine bisulphate, 2 grs. Powd. Capsicum, 1-2 gr.		
541	Quinine and Blue Mass .....	50	2 35
	Quinine sulphate, 1 gr. Mass of Mercury, 2 grs. Oleoresin Black Pepper, 1-4 gr.		
542	Quinine hydrobromate, 2 grs.....	75	3 60
543	Quinine and Capsicum.....	60	2 85
	Quinine sulphate, 2 grs. Powd. Capsicum, 1-2 gr.		
544	Quinine Comp. and Dandelion.....	50	2 35
	Quinine sulphate, 1 gr. Reduced Iron, 1 gr. Arsenous acid, 1-2 gr.		
545	Quinine Comp. and Strychnine.....	60	2 85
	Quinine sulphate, 1 gr. Reduced Iron, 1 gr. Arsenous acid, 1-2 gr. Strychnine, 1-2 gr.		
546	Quinine, Digitalis, Ipecac and Opium (Heim's)	80	3 85
	Quinine sulphate, 1 gr. Powd. Digitalis, 1-2 gr. Powd. Ipecac, 1-4 gr. Powd. Opium, 1-4 gr.		
547	Quinine and Belladonna.....	50	2 35
	Quinine sulphate, 1 gr. Ext. Belladonna lvs., 1-2 gr.		
	Quinine hydrobromate, 2 grs..... (541) .....	75	3 60

¶ These pills are compressed.

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
	†Quinine hydrochlorate, 2 grs. ( <i>g. c. only</i> ). (742) ..	\$ 65	\$ 3 10
	Quinine hydrochlorate, 3 grs. ( <i>g. c. only</i> ). (743) ..	90	4 35
548	Quinine, Ipecac and Opium .....	1 25	6 10
	Quinine hydrobromate, 2 grs. Powd. Opium, 1-4 gr. Powd. Ipecac, 1-4 gr.		
549	Quinine and Iron .....	50	2 35
	Quinine sulphate, 1 gr. Reduced Iron, 1 gr.		
550	Quinine and Iron carbonate .....	45	2 10
	Quinine sulph., 1 gr. Ferrous carb. mass (Vallet), 1 gr.		
551	Quinine, Iron and Nux Vomica .....	50	2 35
	Quinine sulphate, 1 gr. Ext. Nux vomica, 1-4 gr. Ferrous carbonate mass (Vallet), 2 grs.		
552	Quinine, Iron and Strychnine .....	50	2 35
	Quinine sulphate, 1 gr. Strychnine sulphate, 1-60 gr. Ferrous carbonate mass (Vallet), 2 grs.		
553	Quinine, Iron and Strychnine phosphates .....	65	3 10
	Quinine phosphate, 1 gr. Strychnine phosphate, 1-60 gr. Ferric phosphate, precipitated, 1 gr.		
	Quinine, Iron and Strychnine phosphates, B 2 .....	(802) ..	75
	Quinine phosphate, 1 gr. Strychnine phosphate, 1-30 gr. Ferric phosphate, precipitated, 2 grs.		3 60
554	Quinine and Iron valerianate .....	80	3 85
	Quinine sulphate, 1 1-2 grs. Ferric valerianate, 1-2 gr.		
555	Quinine, Iron and Zinc valerianates .....	95	4 60
	Quinine valerianate, 1 gr. Zinc valerianate, 1 gr. Ferric valerianate, 1 gr.		
	Quinine, Iron and Zinc valerianates, (half-strength) .....	(813) ..	50
	Quinine valerianate, 1-2 gr. Zinc valerianate, 1-2 gr. Ferric valerianate, 1-2 gr.		2 35
556	Quinine and Strychnine .....	50	2 35
	Quinine sulphate, 1 gr. Strychnine, 1-60 gr.		
557	Quinine sulphate, 1-4 gr. ....		
558	Quinine sulphate, 1-2 gr. ....		
559	Quinine sulphate, 1 gr. ....		
560†	Quinine sulphate, 2 grs. ....		
561	Quinine sulphate, 3 grs. ....		
562	Quinine sulphate, 4 grs. ( <i>g. c. only</i> )		
563	Quinine sulphate, 5 grs. ( <i>g. c. only</i> )		
564†	Quinine valerianate, 1-2 gr. ....	35	1 60
	Quinine valerianate, 2 grs. .... (784) ..	75	3 60
	Reduced Iron, see Iron by hydrogen.		
565	Rheumatic. ....	55	2 60
	Ext. Coloc. co., 1 1-2 grs. Ext. Hyoscyamus, 1-3 gr. Ext. Colchicum root, 1 gr. Mercurous chlor., mild, 1-3 gr.		
566	Rhubarb Extract, 1 gr. ....	60	2 85

†See note at head of page 44.

PART  
ONE.

## Specify P. D. &amp; Co.'s

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A		B
		Per bot. of 100.	Per bot. of 500.	Per bot.
567	Rhubarb, U. S. P. ....	\$ 40	\$ 1 85	
	Powd. Rhubarb.....Gm. 0.2 about 3 grs.			
	Powd. Soap.....Gm. 0.06 " 1 gr.			
568	Rhubarb and Blue Mass.....	40	1 85	
	Mass of Mercury, 1 3-4 grs. Powd. Rhubarb, 1 gr.			
	Sodium bicarbonate, 1-2 gr.			
	Rhubarb Comp., B. P. (s.c. only).....(733)..	40	1 85	
	Powd. Rhubarb root, 1 gr. Powd. Hard Soap, 1-2 gr.			
	Powd. Soc. Aloes, 3-4 gr. Oil Peppermint, 1-16 gr.			
	Powd. Myrrh, 1-2 gr.			
569†	Rhubarb Comp., B "A".....	40	1 85	
	Powd. Rhubarb, 1-2 grs. Purified Aloes, 1 1-8 grs.			
	Powd. Myrrh, 3-4 gr. Oil Peppermint, 1-12 gr.			
570	Rhubarb Comp., U. S. P. ....	40	1 85	
	Powd. Rhubarb.....Gm. 0.13 about 2 grs.			
	Powd. Myrrh.....Gm. 0.06 " 1 gr.			
	Purified Aloes.....Gm. 0.1 " 1 1-2 grs.			
	Oil Peppermint.....Gm. 0.005 " 1-13 gr.			
571	Rhubarb and Iron.....	50	2 35	
	Powd. Rhubarb, 2 grs. Dried Ferrous sulphate, 1 gr.			
572	Salicin, 1 gr. ....	50	2 35	
573†	Salicin, 2 grs. ....	75	3 60	
574	Salicin, 3 grs. ....	1 00	4 85	
575	Salicin, 5 grs. (gelatin-coated only).....	1 35	6 60	
576	Salicylic acid, 1 gr. ....	30	1 35	
577†	Salicylic acid, 2 1-2 grs. ....	50	2 35	
578	Salicylic acid, 3 grs. ....	60	2 85	
579	Salicylic acid, 5 grs. (gelatin-coated only).....	90	4 35	
	Saline and Chalybeate Tonic, Flint's....(749) ..	40	1 85	
	Sodium chloride, 3 grs. Magnesium carbonate, 1-20 gr.			
	Potass. chloride, 3-20 gr. Calcium phosphate, precip., 1-2 gr.			
	Potass. sulphate, 1-10 gr. Calcium carbonate, precip., 1-20 gr.			
	Potass. carb., 1-20 gr. Reduced Iron, 9-20 gr.			
	Sodium carb., 3-5 gr. Ferrous carb. mass (Vallet), 1-20 gr.			
	Sugar-coated only; color brown; see note 149.			
580	Salol, 2 1-2 grs. ....	70	3 35	
581†	Salol, 5 grs. (gelatin-coated only).....	1 00	4 85	
	Salol and Phenacetine (g. c. only).....(756) ..	2 00	9 85	
	Salol, 2 1-2 grs. Phenacetine (Bayer), 2 1-2 grs.			
582	Sandalwood Compound.....	70	3 35	
	Oil Santal, E. India, 1 gr. Ext. Cubeb, 1 gr.			
	Copaiba mass, 1 gr.			
583	Sanguinaria Extract, 1-2 gr. ....	40	1 85	
584†	Sanguinariin (concentration), 1-2 gr. ....	35	1 60	
585	Sanguinariin (concentration), 1 gr. ....	45	2 10	
586	Santonin, 1-2 gr. ....	35	1 60	
587†	Santonin, 1 gr. ....	50	2 35	
588	Santonin and Calomel. ....	55	2 60	
	Santonin, 1-2 gr. Mercurous chloride, mild, 1-2 gr.			
589	Santonin and Podophyllin. ....	40	1 85	
	Santonin, 1-2 gr. Podophyllum resin, 1-20 gr.			

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
590	Sarsaparilla Extract, 3 grs .....	\$ 45	\$ 2 10
591	Savine Extract, 1 gr.....	40	1 85
	Saw Palmetto Extract, 3 grs.....(839) ..	50	2 35
	Scammony Comp., B. P. ( <i>s.-c. only</i> ).....(734) ..	40	1 85
	Scammony Resin, 1 gr. Powd. Curd Soap, 1 gr.		
	Jalap Resin, 1 gr. Strong Tinct. Ginger, 1 gr.		
592	Scillitoxin, 1-300 gr.... per bottle of 25 each, .20 <i>Gelatin-coated only</i> ; see note 137.	60	
593†	Sedative.....	50	2 35
	Ext. Musk-root, 1-2 gr. Ext. Valerian, 1-2 gr.		
	Ext. Hyoscyamus, 1-2 gr. Ext. Ind. Cannabis, 1-10 gr.		
594	Sedative, Mann's ( <i>sugar-coated only</i> ) .....	1 00	4 85
	Ext. Coca, 1-2 gr. Arsenous acid, 1-80 gr.		
	Ext. Valerian, 1-2 gr. Strychnine, 1-80 gr.		
	Ext. Ind. Cannabis, 1-4 gr. Codeine, 1-8 gr.		
	Ferroso carbonate mass (Vallet), 1 gr.		
595	Senna Extract, 2 grs.....	40	1 85
596	Silver iodide, 1-4 gr.....	45	2 10
	Silver nitrate, 1-4 gr. ( <i>gelatin-coated only</i> ). (803) ..	40	1 85
597	Opium with Soap.....	35	1 60
	Powd. Opium, 3-5 gr. Soap, 2 2-5 grs.		
	Soap Comp., B. P. ( <i>sugar-coated only</i> ) ..(735) ..	35	1 60
	Powd. Opium, 1-2 gr. Powd. Hard Soap, 2 grs.		
598	Sodium bicarbonate, 4 grs.— <i>Discontinued</i> .		
	Squill Comp., B. P. ( <i>sugar-coated only</i> ) ..(736) ..	25	1 10
	Powd. Squill, 5-8 gr. Powd. Ammoniacum, 1-2 gr.		
	Powd. Ginger, 1-2 gr. Powd. Hard Soap, 1-2 gr.		
599	Squill Compound ( <i>gelatin-coated only</i> ) .....	30	1 35
	Powd. Squill, 3-8 gr. Powd. Soap, 1 1-8 grs.		
	Powd. Jamaica Ginger, 3-4 gr. Ammoniac, 3-4 gr.		
600	Stillingin, 1 gr.....	35	1 60
601	Stramonium seed Extract, 1-4 gr.....	25	1 10
602†	Stramonium seed Extract, 1-2 gr.....	35	1 60
603	Stramonium seed Extract, 1 gr.....	40	1 85
604	Strophanthus, 1-20 gr.....	50	2 35
605†	Strophanthus, 1-4 gr.....	1 00	4 85
	Strophanthus and Iron.....(753) ..	1 00	4 85
	Strophanthus seed; 1-4 gr.		
	Ferroso carbonate mass (Blaud), 3 grs.		
606	Strychnine, 1-100 gr.....	20	85
607†	Strychnine, 1-60 gr.....	20	85
608	Strychnine, 1-50 gr.....	20	85
609	Strychnine, 1-48 gr.....	20	85
610	Strychnine, 1-40 gr.....	20	85
611	Strychnine, 1-32 gr.....	20	85
612	Strychnine, 1-30 gr.....	20	85
613	Strychnine, 1-20 gr.....	20	85

†See note at head of page 44.

PART  
ONE.*Specify P., D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
614	Strychnine, 1-16 gr.....	\$ 20	\$ 85
	Strychnine arsenate, 1-200 gr. ( <i>g.-c. only</i> ) (847) ..	20	85
	Strychnine nitrate, 1-60 gr..... (788) ..	20	85
†	Strychnine nitrate, 1-40 gr. ( <i>g.-c. only</i> ) .. (798) ..	20	85
	Strychnine sulphate, 1-200 gr..... (757) ..	20	85
615	Strychnine sulphate, 1-100 gr.....	20	85
†	Strychnine sulphate, 1-60 gr..... (758) ..	20	85
	Strychnine sulphate, 1-50 gr..... (828) ..	20	85
	Strychnine sulphate, 1-40 gr..... (829) ..	20	85
	Strychnine sulphate, 1-30 gr..... (830) ..	20	85
	Strychnine sulphate, 1-20 gr..... (831) ..	20	85
616†	Strychnine Compound.....	45	2 10
	Strychnine, 1-100 gr. Ext. Ind. Cannabis, 1-16 gr.		
	Phosphorus, 1-100 gr. Ferrous carb. mass (Vallet's), 1 gr.		
	Strychnine Compound, see also No. 545.		
617	Sulphur iodide, 1-25 gr.....	35	1 60
	Sulphurated Antimony, see <i>Kermes Mineral</i> .		
	Sumbul Compound..... (760) ..	1 00	4 85
	Ext. Musk-root, 1 gr. Asafetida, 2 grs.		
	Dried Ferrous sulphate, 1 gr. Arsenous acid, 1-40 gr.		
	Sumbul Compound, B "B" ( <i>g.-c. only</i> ) .. (827) ..	1 00	4 85
	Ext. Musk-root, 1 gr. Dried Ferrous sulph., 1 gr.		
	Asafetida, 2 grs. Arsenous acid, 1-100 gr.		
618	Sundew Extract, 3 grs.....	55	2 60
619	Syphilitic, Ricord's, Modified.....	1 00	4 85
	Mercurous iodide, yellow, 1-2 gr. Lactucarium, 1-2 gr.		
	Ext. Conium fruit, 1 1-2 grs. Ext. Opium, 1-10 gr.		
620	Tannic acid, 1 gr.....	50	2 35
621†	Tannic acid, 3 grs. ( <i>gelatin-coated only</i> ) ..	60	2 85
622	Tannic acid, 5 grs. ( <i>gelatin-coated only</i> ) ..	85	4 10
623	Taraxacum Ext., 3 grs.....	45	2 10
624	Tartar emetic, 1-16 gr.....	20	85
	(Antimony and Potassium tartrate.)		
625†	Tartar emetic, 1-10 gr.....	20	85
626	Tartar emetic, 1-8 gr.....	20	85
627	Tartar emetic, 1-4 gr.....	20	85
628†	Terpin hydrate, 2 grs.....	40	1 85
	Terpin hydrate, 5 grs. ( <i>g. c. only</i> ) .. (799) ..	75	3 60
	Three Valerianates and Gold ( <i>g.-c. only</i> ) (826) ..	1 00	4 85
	Zinc valerianate, 1 gr. Ferric valerianate, 1-2 gr.		
	Quinine valerianate, 1-2 gr. Gold and Sodium chloride, 1-40 gr.		
	Three Valerianates and Sumbul (Dr. Manton)		
	..... (294) ..	1 40	6 85
	Zinc valerianate, 1 gr. Ferric valerianate, 1-2 gr.		
	Quinine valerianate, 1-2 gr. Ext. Musk-root, 2 grs.		

†See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.		
		A Per bot. of 100	B Per bot. of 500
629†	Tonic, Aiken's.....	\$ 55	\$ 2 60
	Quinine sulphate, 1 gr.      Reduced Iron, 2-3 gr.		
	Arsenous acid, 1-50 gr.      Strychnine, 1-50 gr.		
630	Tonic Hæmatic, Andrews'.....	75	3 60
	Quinine sulph., 1 gr.      Powd. Ipecac, 1-8 gr.		
	Reduced Iron, 1 1-2 grs.      Strychnine sulphate, 1-40 gr.		
	Arsenous acid, 1-40 gr.		
631	Tonic Hæmatic with Cinchonidine.....	50	2 35
	Cinchonidine sulph., 1 gr.      Reduced Iron, 1 1-2 grs.		
	Powd. Ipecac, 1-8 gr.      Strychnine sulphate, 1-40 gr.		
	Arsenous acid, 1-40 gr.		
632	Tonic, Waxham's.....	40	1 85
	Cinchonine sulphate, 1 gr.      Ext. Dogwood, 1-4 gr.		
	Ext. Xanthoxylum, 1-4 gr.      Powd. Capsicum, 1-4 gr.		
	Ext. Cinchona, red, 1-4 gr.		
633	Trilliin, 1-8 gr.....	30	1 35
	Triple Valerianates, see Quinine, Iron and Zinc valerianates (555).		
634†	Triplex.....	40	1 85
	Purified Aloes, 2 grs.      Podophyllum resin, 1-4 gr.		
	Mass of Mercury, 1 gr.		
635	Triplex, Dr. Francis'.....	40	1 85
	Purified Aloes, 1 1-5 grs.      Scammony, 1 1-5 grs.		
	Mass of Mercury, 1 1-5 grs.      Oleum Tigliae, 1-20 gr.		
	Oil Caraway, 1-5 gr.      Tr. Aloes and Myrrh, 1-4 gr.		
636	Uva Ursi Extract, 2 grs.....	40	1 85
637	Valerian Extract, 2 grs.....	55	2 60
	Vegetable Cathartic, see Cathartic Vegetable, <i>U. S. P.</i> , 1890.....	(808) ..	30
			1 35
638	Veratrine, 1-60 gr.....	25	1 10
639†	Veratrine, 1-32 gr.....	30	1 35
640	Veratrine, 1-12 gr.....	35	1 60
641†	Veratrum viride Extract, 1-4 gr.....	30	1 35
642	Veratrum viride Extract, 1-2 gr.....	40	1 85
	Viburnum Prunifolium, see Black Haw Ext.(102)		35
			1 60
643†	Warburg's Tincture, B "A".....	I 20	5 85
	Each pill represents one fluidrachm of the tincture.		
	Warburg's Tincture, B "B".....	(786) ..	75
	Each pill represents $\frac{1}{2}$ fluidrachm of the tincture.		3 60
644	Warburg's Tincture (no Aloes), B "C".....	I 20	5 85
	Each pill represents one fluidrachm of the tincture without aloes.		
	Warburg's Tincture (no Aloes), B "D". (787) ..	75	3 60
	Each pill represents $\frac{1}{2}$ fluidrachm of the tincture without aloes. (See note 177.)		
645	Yerba Santa Extract, 3 grs.....	50	2 35
646	Zinc oxide, 1 gr.....	40	1 85
647	Zinc phosphide, 1-10 gr.....	45	2 10
648†	Zinc phosphide, 1-8 gr.....	45	2 10
649	Zinc phosphide, 1-6 gr.....	45	2 10

†See note at head of page 44.

PART  
ONE.*Specify P. D. & Co.'s*

List No.	SUGAR COATED AND GELATIN COATED--OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
650	Zinc phosphide, 1-4 gr.....	\$ 50	\$ 2 35
651	Zinc phosphide, 1-2 gr.....	65	3 10
652	Zinc phosphide Compound.....	65	3 10
	Zinc phosphide, 1-8 gr. Ext. Ind. Cannabis, 1-8 gr.		
	Ext. Nux vomica, 1-8 gr.		
653	Zinc phosphide and Nux Vomica.....	50	2 35
	Zinc phosphide, 1-10 gr. Ext. Nux vomica, 1-4 gr.		
654	Zinc valerianate, 1-2 gr.....	50	2 35
655†	Zinc valerianate, 1 gr.....	60	2 85
656	Zinc valerianate, 2 grs.....	75	3 60

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

657 to 714. See Pink Granules.

715†	Aloes and Asafoetida, 4 grs., B. P. ( <i>s. c. only</i> )...	20	85
716	Aloes, Barbadoes, B. P. ( <i>s. c. only</i> ).....	30	1 35
717†	Aloes and Iron, B. P. ( <i>s. c. only</i> ).....	30	1 35
718†	Aloes and Myrrh, B. P. ( <i>s. c. only</i> ).....	25	1 10
719	Aloes, Socotrine, B. P. ( <i>s. c. only</i> ).....	25	1 10
720†	Asafoetida Comp., 3 grs., B. P. ( <i>s. c. only</i> ).....	30	1 35
721†	Colocynth Comp., B. P. ( <i>s. c. only</i> ).....	40	1 85
722	Colocynth and Henbane, B. P. ( <i>s. c. only</i> ).....	45	2 10
723	Gamboge Comp., B. P. ( <i>s. c. only</i> ).....	30	1 35
724	Hemlock Comp., B. P. ( <i>s. c. only</i> ).....	40	1 85
725	Ipecacuanha with Squill, B. P. ....	30	1 35
726	Iron carbonate, B. P. ( <i>s. c. only</i> ).....	20	85
727	Iron iodide, 1 gr., B. P. ....	35	1 60
728	Lead and Opium, B. P. ( <i>s. c. only</i> ).....	30	1 35
729†	Mercurial pill, 3 grs., B. P. ....	20	85
730	Mercurial pill, 5 grs., B. P. ....	25	1 10
731	Mercury subchloride Comp., B. P. ( <i>s. c. only</i> )...	35	1 60
732	Phosphorus, 1-30 gr., B. P. ( <i>s. c. only</i> ).....	30	1 35
733	Rhubarb Comp., B. P. ( <i>s. c. only</i> ).....	40	1 85
734	Scammony Comp., B. P. ( <i>s. c. only</i> ).....	40	1 85
735	Soap Comp., B. P. ( <i>s. c. only</i> ).....	35	1 60
736	Squill Comp., B. P. ( <i>s. c. only</i> ).....	25	1 10
737	Ergotin and Cannabis Indica, B "B".....	75	3 60
738†	Mercury with Chalk, Hutchinson's ( <i>g. c. only</i> )..	35	1 60
739	Mercury with Chalk, B 2 ( <i>g. c. only</i> ).....	50	2 35
740	Mercury with Chalk, B 3 ( <i>g. c. only</i> ).....	65	3 10
741	Podophyllin, 1-6 gr.....	20	85
742†	Quinine hydrochlorate, 2 grs. ( <i>g. c. only</i> ).....	65	3 10

† See note at head of page 44.

*S. C. and G. C. Pills.*PART  
ONE.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
743	Quinine hydrochlorate, 3 grs. ( <i>g. c. only</i> ).....	\$ 90	\$ 4 35
744	Aloes and Asafetida, 5 grs., B. P. ( <i>g. c. only</i> )...	35	1 60
745	Aloes and Iron, 5 grs., B. P. ( <i>g. c. only</i> ).....	50	2 35
746	Aloes and Myrrh, 5 grs., B. P. ( <i>g. c. only</i> ).....	40	1 85
747	Asafetida Comp., 5 grs., B. P. ( <i>g. c. only</i> ).....	50	2 35
748	Colocynth Comp., 5 grs., B. P. ( <i>g. c. only</i> ).....	70	3 35
749	Saline and Chalybeate Tonic, Flint's ( <i>s. c. only</i> ). .	40	1 85
750	Ferrous carbonate (Blaud), Modified*.....	30	1 35
751	and 752 appear in our Spanish list only.		
753	Strophanthus and Iron.....	1 00	4 85
754	Carminative, Modified ( <i>g. c. only</i> ).....	45	2 10
755	Aloin, Strychnine and Belladonna, B "C".....	40	1 85
756	Salol and Phenacetine ( <i>gelatin-coated only</i> )....	2 00	9 85
757	Strychnine sulphate, 1-200 gr.....	20	85
758†	Strychnine sulphate, 1-60 gr.....	20	85
759	Gold and Sodium chloride, 1-20 gr.....	75	3 60
760	Sumbul Compound.....	1 00	4 85
761†	Phenacetine (Bayer), 5 grs. ( <i>g.-c. only</i> ).....	2 00	9 85
762	to 783. See Enteric Pills.		
784	Quinine valerianate, 2 grs.....	75	3 60
785	Camphor monobromated, 5 grs. ( <i>g.-c. only</i> ).....	1 20	5 85
786	Warburg's Tincture, B "B".....	75	3 60
787	Warburg's Tincture (no Aloes), B "D".....	75	3 60
788	Strychnine nitrate, 1-60 gr.....	20	85
789	Appears in our Spanish list only.		
790	to 793. See Enteric Pills.		
794	Appears in our Spanish list only.		
795	See Enteric Pills.		
796	Caffeine, citrated, 2 grs.....	70	3 35
797	Aloes and Iron, B "A" (half-strength).....	25	1 10
798†	Strychnine nitrate, 1-40 gr. ( <i>g. c. only</i> ).....	20	85
799	Terpin hydrate, 5 grs. ( <i>g. c. only</i> ).....	75	3 60
800	Migraine .....	50	2 35
801	Chalybeate Comp., Improved, Jarvis' .....	30	1 35
802	Quinine, Iron and Strychnine phosphates, B 2...	75	3 60
803	Silver nitrate, 1-4 gr. ( <i>g. c. only</i> ).....	40	1 85
804	Diuretic Compound.....	45	2 10
805†	Arsenic sulphide, 1-100 gr.....	20	85
806	Arsenic sulphide, 1-60 gr.....	20	85
807	Dipsomania, Mann's.....	60	2 85

\*For prices in pounds, see Part II.

†See note at head of page 44.

PART  
ONE.

## Specify P., D. &amp; Co's.

List No.	SUGAR COATED AND GELATIN COATED—OVIFORM.	A	B
		Per bot. of 100.	Per bot. of 500.
808	Cathartic Vegetable, U. S. P., 1890.....	\$ 30	\$ 1 35
809†	Phenacetine and Salophen ( <i>g.-c. only</i> ).....	2 50	12 35
810	Phenacetine and Salophen (half-strength).....	1 40	6 85
811	Phenacetine and Quinine Compound ( <i>g.-c. only</i> )	2 10	.10 35
812	Manganese dioxide, 3 grs.....	90	4 35
813	Quinine, Iron & Zinc valerianates (half strength)	50	2 35
814	to 818 Appear in our Spanish list only.		
819	Cathartic Compound, Active*.....	25	1 10
820	to 822 Appear in our Spanish list only.		
823	Anti-Malarial, Maddin, Milder ( <i>g.-c. only</i> ).....	50	2 35
824†	Anti-Malarial, Maddin, Stronger ( <i>g.-c. only</i> ).....	55	2 60
825	Anti-Malarial, Maddin, Stronger without Aloes <i>(g.-c. only)</i> .....	55	2 60
826	Three Valerenates and Gold ( <i>g.-c. only</i> ).....	1 00	4 85
827	Sumbul Compound, B "B" ( <i>g.-c. only</i> ).....	1 00	4 85
828	Strychnine sulphate, 1-50 gr.....	20	85
829	Strychnine sulphate, 1-40 gr.....	20	85
830	Strychnine sulphate, 1-30 gr.....	20	85
831	Strychnine sulphate, 1-20 gr.....	20	85
832	Asiatic .....	35	
833-834.	See Enteric Pills.		
835	Ferratin, (Boehringer—B. & S.), 2 grs.....	1 10	5 35
836	Ferratin, (Boehringer—B. & S.), 4 grs. ( <i>g.-c. only</i> )	2 00	9 85
837	Calomel, 1-8 gr.....	20	85
838	Ergotin (Bonjean), 5 grs. ( <i>g.-c. only</i> ).....	1 40	6 85
839	Saw Palmetto extract, 3 grs.....	50	2 35
840	Ferrous carbonate (Blaud), Modified B 2.....	25	1 10
841	Lactophenin, (Boehringer—B. & S.), 2 grs. ....	1 00	4 85
842	Lactophenin, (Boehringer—B. & S.) 5 grs. <i>g.-c. only</i> .	2 00	9 85
843	Lactophenin and Quinine compound ( <i>g.-c. only</i> )	2 10	10 35
844	Lactophenin and Salol ( <i>g.-c. only</i> ).....	2 00	9 85
845	Hydraryrum tannicum oxydulatum (Tannate of Mercury), 1 gr. ( <i>g.-c. only</i> ).....	40	1 85
846	Lactophenin, Salol and Quinine salicylate ( <i>g.-c. only</i> ).....	2 00	9 85
847	Strychnine arsenate, 1-200 gr., ( <i>g.-c. only</i> ).....	20	85
848	Quinine, Arsenic and Atropine (Dr. Whelan's) <i>(g.-c. only)</i> .....	70	3 35
849*	Cathartic and Liver Granules.....	25	1 10
850	Anti-Malarial, Maddin, Milder without Aloes..	50	2 35
851	Cathartic (Dr. J. W. Keckler) ( <i>g.-c. only</i> ) .....	30	1 35
852	Headache, No. 2.....	30	1 35

**PILLS IN BULK.**—Sugar and Gelatin-Coated. For Price, see p. 134.

\*For prices in pounds, see Part II.

†See note at head of page 44.

# Enteric Pills.

*Pills so Coated as to Pass the Stomach Intact, and Dissolve in the Duodenum or Intestinal Tract.*

To be employed when drugs are prescribed which irritate the gastric mucous membrane; also when substances are given which neutralize the acidity of the stomach, or which are in any way impaired by action of the gastric secretion. Literature mailed on request.

List No.		A Per bot. of 100.	B Per bot. of 500.
762	Arsenous acid, 1-100 gr.—Discontinued.		
763	Arsenous acid, 1-50 gr.—Discontinued.		
764	Calcium sulphide, 1-4 gr.....	\$ 50	\$ 2 35
765	Cathartic Comp., Improved.....	50	2 35
	Ext. Colocynth comp., 1 gr. Podophyllum resin, 1-4 gr.		
	Ext. Jalap, 1-2 gr. Ext. Hyoscyamus, 1-4 gr.		
	Ext. Gentian, 1-2 gr. Oil Peppermint, q. s.		
	Leptandrin, 1-4 gr.		
766	Calomel, 1-4 gr..... (Mercurous chloride, mild.)	50	2 35
767	Calomel, 1-2 gr.....	50	2 35
768†	Calomel, 1 gr.....	50	2 35
769	Calomel, 2 grs.....	50	2 35
770	Calomel, 3 grs.....	50	2 35
771†	Corrosive sublimate, 1-100 gr..... (Mercuric chloride, corrosive.)	50	2 35
772	Corrosive sublimate, 1-50 gr.....	50	2 35
773	Corrosive sublimate, 1-20 gr.....	50	2 35
774	Corrosive sublimate, 1-16 gr.....	50	2 35
775	Corrosive sublimate, 1-8 gr.....	50	2 35
782	Creosote, 1-2 gr..... (Beechwood Creosote.)	50	2 35
783†	Creosote, 1 gr.....	50	2 35
790	Creosote, 2 grs.....	60	2 85
791	Creosote, 3 grs.....	70	3 35
792	Creosote, 4 grs.....	80	3 85
793	Creosote, 5 grs.....	90	4 35
795	Hydronaphthol, 3 grs.....	75	3 60
776	Intestinal Antiseptic..... Ext. Hyoscyamus, 1-16 gr. Ext. Nux vomica, 1-16 gr. Aloin, 1-16 gr. Mercurous Iodide, yellow, 1-8 gr. Podophyllum resin, 1-16 gr.	50	2 35
777	Mercuric iodide, red, 1-4 gr.....	50	2 35
778	Mercurous iodide, yellow, 1-4 gr.....	50	2 35
	Ox Gall and Pancreatin..... (833) .....	80	3 85
	Inspissated Ox Gall, 2 grs. Pure Pancreatin, 2 grs.		
	Ox Gall, purified, 2 grs. .... (834) .....	50	2 35
779	Pancreatin, 1 gr.....	50	2 35
780†	Podophyllin, 1-4 gr..... (Podophyllum resin.)	50	2 35
781	Podophyllin, 1-2 gr.....	50	2 35

†See note at head of page 44.

# Pink Granules, Sugar-Coated.

These granules are intended to supply the needs of physicians in such cases as require minute or frequently repeated doses. A glance at the list will show that they are distinguished from our regular line of pills in that they represent doses suitable for children. This diminishes the risk there might otherwise be of giving to a child an overdose of some powerful remedy. At the same time, their distinctive color renders them attractive to the class of patients for which they are intended.

List No.		A Per bot. of 100.	B Per bot. of 500.
657	Aconite root, 1-20 gr.	\$ 20	\$ 85
658	Aloin, 1-10 gr.	20	85
659	Alum, 1-10 gr.	20	85
660	Ammonium chloride, 1-10 gr.	20	85
661	Anodyne..... Camphor, 1-8 gr. Ext. Hyoscyamus, 1-8 gr.	20	85
	Morphine acetate, 1-160 gr. Oleoresin Capsicum, 1-100 gr.		
662	Anti-Chill..... Chinoidin, 1-16 gr.	20	85
	Iron ferrocyanide, 1-8 gr.	Arsenous acid, 1-320 gr. Oleoresin Blk. Pepper, 1-16 gr.	
663	Anti-Constipation..... Podophyllum resin, 1-40 gr.	20	85
	Ext. Nux vomica, 1-16 gr.	Ext. Belladonna lvs., 1-40 gr. Ext. Hyoscyamus, 1-16 gr.	
	Powd. Capsicum, 1-16 gr.		
664	Apomorphine hydrochlorate, 1-60 gr.	20	85
665	Arnica flowers, 1-5 gr.	20	85
666	Arsenic iodide, 1-100 gr.	20	85
667	Arsenous acid, 1-100 gr.	20	85
668	Belladonna leaves, 1-20 gr.	20	85
669†	Calomel, 1-20 gr. (Mercurous chloride, mild.)	20	85
670	Calomel, 1-10 gr.	20	85
671	Camphor, 1-20 gr.	20	85
672	Camphor and Opium..... Camphor, 1-6 gr.	20	85
673	Camphor, Opium and Tannin..... Camphor, 1-16 gr.	20	85
	Tannic acid, 1-8 gr.	Opium, 1-64 gr.	
674	Cantharides, 1-50 gr.	20	85
675	Capsicum, 1-20 gr.	20	85
676	Cascarin, 3-16 gr.	20	85
677	Cathartic Comp., Improved..... Ext. Colocynth comp., 1-12 gr.	20	85
	Ext. Jalap, 1-24 gr.	Leptandrin, 1-48 gr.	
	Podophyllum resin, 1-48 gr.	Ext. Hyoscyam., 1-48 gr.	
	Oil Peppermint, q. s.	Ext. Gentian, 1-24 gr.	
678	Cathartic Comp., (U. S. P. mass)..... Ext. Colocynth comp., 1-11 gr.	20	85
	Mercurous chlor., mild, 1-14 gr.	Ext. Jalap, 1-28 gr.	
	Powd. Gamboge, 1-56 gr.		

†See note at head of page 44.

*Pink Granules.*PART  
ONE.

List No.		A Per bot. of 100.	B Per bot. of 500.
679	Corrosive sublimate, I-100 gr. (Mercuric chloride, corrosive.)	\$ 20	\$ 85
680	Croton Oil, I-50 gr.	20	85
681	Digitalis leaves, I-20 gr.	20	85
682	Dover's Powder, I-4 gr. (Ipecac and Opium powder.)	20	85
683	Ergotin (Bonjean), I-10 gr.	20	85
684	Gamboge, I-32 gr.	20	85
685	Gelsemium root, I-50 gr.	20	85
686	Hydrastin, I-20 gr.	20	85
687	Hyoscyamus Extract, I-8 gr.	20	85
688	Iodoform, I-10 gr.	20	85
689	Ipecac, I-50 gr.	20	85
690	Iron, Reduced, I-10 gr.	20	85
691	Jalap resin, I-16 gr.	20	85
692	Leptandrin, I-16 gr.	20	85
693	Mercury with Chalk, I-10 gr.	20	85
694†	Mercurous iodide, yellow, I-40 gr.	20	85
695	Mercurous iodide, yellow, I-20 gr.	20	85
696	Morphine sulphate, I-50 gr.	20	85
697	Neuralgic, Dr. Gross'. Quinine sulphate, I-5 gr.      Morphine sulphate, I-200 gr. Arsenous acid, I-200 gr.      Ext. Aconite leaves, I-20 gr. Strychnine, I-300 gr.	20	85
698	Nux Vomica, I-50 gr.	20	85
699	Opium, I-40 gr.	20	85
700	Peppermint Oil, I-128 gr.	20	85
701	Phosphorus, I-200 gr.	20	85
702	Piperin, I-20 gr.	20	85
703	Podophyllum resin, I-40 gr.	20	85
704	Potassium arsenite, I-100 gr.	20	85
705	Potassium bromide, I-5 gr.	20	85
706	Potassium nitrate, I-10 gr.	20	85
707	Quinine sulphate, I-10 gr.	20	85
708	Quinine, Iron and Strychnine. Quinine sulphate, I-16 gr.      Strychnine sulph., I-960 gr. Ferrous carbonate mass (Vallet's), I-8 gr.	20	85
709	Salicylic acid, I-10 gr.	20	85
710	Santonin, I-10 gr.	20	85
711	Strychnine, I-100 gr.	20	85
712	Tannic acid, I-20 gr.	20	85
713	Tartaric acid, I-10 gr.	20	85
714	Tartar emetic (Antimony and Potassium tartrate), I-100 gr.	20	85

†See note at head of page 44.

# *Diurnules and Diurnal Tablet Triturates.*

In an article published in the *Revue de Thérapeutique*, M. Trouette has suggested a new mode of administering toxic drugs.

Additions are constantly being made to the already long list of alkaloids, glucosides and similar active principles, and it is almost impossible for the practitioner to have at finger's end the ordinary, minimum and maximum doses of each.

It is, therefore, proposed to furnish a new line of granules and tablets which shall overcome this difficulty, as follows: The maximum internal (full daily) dose of the substance for the adult is subdivided into 12 equal doses. We exhibit these subdivisions in the shape of granules, under the name of DIURNULES, with the coating colored yellow, to distinguish them from parvules, pink granules and regular white granules; also in the shape of DIURNAL TABLET TRITURATES, for list of which see page 217.

When it is desirable to administer or prescribe the full daily dose for an adult of any such active principle, one diurnule or diurnal tablet triturate is to be administered every two hours. If health or age of patient does not warrant full daily dose, the physician can readily decide whether two-thirds or one-half the full daily dose shall be prescribed, and in accordance with his decision, one diurnule or diurnal tablet triturate can be administered every three or four hours respectively, etc.

The diurnal triturate admits of smaller subdivision, each tablet being marked by lines, so that it may be divided into two or four equal parts in cases where smaller doses than one-twelfth of the full daily dose are to be administered. These tablet triturates also commend themselves for administration to children, and to such patients as cannot take pills, as they can be crushed into powder, or dissolved in water.

For Diurnule Pocket Case, see Part II; also note 64.

## *Diurnules.*

### *(SUGAR-COATED, YELLOW.)*

Twelve diurnules represent, in absolutely equal subdivision, the FULL DAILY INTERNAL DOSE for an adult.

List No.		Adult daily dose.	Equal to about	Per bot. of 100	Per bot. of 500.
900	Aconitine crystals, pure	0.0013	Gm. (1-50 gr.)	\$ 25	\$ 1 10
901	Arsenic bromide	.....0.02	Gm. (3-10 gr.)	25	1 10
902	Arsenic iodide	.....0.02	Gm. (3-10 gr.)	25	1 10
	Arsenic and Mercuric iodide (similar to Donovan's Solution) (923)	0.008	Gm. (1-8 gr.)	25	1 10
903	Arsenic sulphide	.....0.02	Gm. (3-10 gr.)	25	1 10
904	Arsenous acid	.....0.02	Gm. (3-10 gr.)	20	85
905	Atropine sulphate	.....0.00216	Gm. (1-30 gr.)	25	1 10
906	Brucine	.....0.15	Gm. (2 3-10 grs)	40	1 85

*Diurnules.*PART  
ONE.

List No.	Adult daily dose.	Equal to about 100.	Per bot. of 100.	Per bot. of 500.
907 Cocaine hydrochlorate...0.15	Gm. (2 3-10 grs)	\$ 70	\$ 3 35	
908 Colchicine.....0.02	Gm. (3-10 gr.)	40	1 85	
909 Colocynthidin.....0.02	Gm. (3-10 gr.)	50	2 35	
910 Coniine hydrobromate...0.01	Gm. (3-20 gr.)	25	1 10	
911 Copper arsenite.....0.02	Gm. (3-10 gr.)	20	85	
912 Corrosive sublimate (Mercuric chloride, corrosive).....0.008	Gm. (1-8 gr.)	20	85	
913 Curarine—Discontinued.				
914 Daturine.....0.00216	Gm. (1-30 gr.)	40	1 85	
915 Digitalin, pure.....0.002	Gm. (3-100 gr.)	25	1 10	
916 Elaterin.....0.03	Gm. (1-2 gr.)	60	2 85	
917 Gelsemine hydrochlorate.0.006	Gm. (1-10 gr.)	40	1 85	
	Glonoin, see Nitroglycerin.			
918 Hydrastine sulphate.....0.06	Gm. (1 gr.)	50	2 35	
919 Hydrastinine hydrochlor.0.2	Gm. (3 grs.)	1 75	8 60	
	In bottles of 25, 50 cents.			
920 Hyoscine hydrobromate..0.002	Gm. (3-100 gr.)	55	2 60	
921 Hyoscyamine, pure.....0.002	Gm. (3-100 gr.)	30	1 35	
922 Iron arsenate.....0.03	Gm. (1-2 gr.)	20	85	
923 Mercuric and arsenic iodide (see Arsenic and Mercuric Iodide).....		25	1 10	
924 Mercuric iodide, red.....0.015	Gm. (1-4 gr.)	20	85	
925 Mercurous iodide, yellow.0.2	Gm. (3 grs.)	20	85	
926 Morphine acetate.....0.1	Gm. (1 1-2 grs)	35	1 60	
927 Morphine hydrochlorate.0.1	Gm. (1 1-2 grs)	35	1 60	
928 Morphine sulphate.....0.1	Gm. (1 1-2 grs)	30	1 35	
929 Nitroglycerin (Glonoin).0.003	Gm. (1-20 gr.)	50	2 35	
930 Phosphorus.....0.0013	Gm. (1-50 gr.)	20	85	
931 Physostigmine sulphate .0.003	Gm. (1-20 gr.)	50	2 35	
932 Podophyllum resin.....0.1	Gm. (1 1-2 grs)	20	85	
933 Potassium arsenate.....0.02	Gm. (3-10 gr.)	25	1 10	
934 Potassium bichromate...0.1	Gm. (1 1-2 grs)	25	1 10	
935 Potassium cyanide.....0.0108	Gm. (1-6 gr.)	25	1 10	
936 Potassium osmate.....0.01	Gm. (3-20 gr.)	75	3 60	
937 Quinine arsenate.....0.02	Gm. (3-10 gr.)	25	1 10	
938 Scillitoxin.....0.002	Gm. (3-100 gr.)	50	2 35	
939 Sodium arsenate.....0.03	Gm. (1-2 gr.)	25	1 10	
940 Sparteine sulphate.....0.06	Gm. (1 gr.)	35	1 60	
941 Strophanthin.....0.00065	Gm. (1-100 gr.)	50	2 35	
	Strychnine arsenate(944).0.0054	Gm. (1-12 gr.)	20	85
942 Strychnine nitrate....0.006	Gm. (1-10 gr.)	20	85	
943 Veratrine sulphate.....0.006	Gm. (1-10 gr.)	25	1 10	
944 Strychnine arsenate.....0.0054	Gm. (1-12 gr.)	20	85	

See also Diurnal Tablet Triturates, page 217.

# Hypodermatic Tablets.

SOLUBLE.

ACCURATE.

PERMANENT.

**CAUTION.**—On unspecified orders for 100's we send four tubes of 25 each, therefore be sure and specify "In bottles of 100" or "C" where bottles of 100 are desired.

Also kindly specify "Hypodermatic Tablet," or the abbreviation "H. T.," to prevent your order being interpreted as calling for Tablet Triturates or Compressed Tablets.

We prefer to supply the tablets in tubes of 25 each, in which package they will be less apt to break or crumble, as they fit closely in the tube. This package also enables the druggist to sell the tablets in original packages when smaller quantities than 100 are called for. In tubes of 25 the tablets are less subjected to the influence of the weather as the container will not be opened so frequently.

We manufacture, on order, any tablets that may be desired, provided the quantity required (at least 500) and the nature of the material employed, do not preclude their manufacture.

A hypodermatic case adapted to these tablets is provided with or without the syringe. For description see note 94. For prices see Part II, page 129.

For Hypodermatic Tablets for Veterinary purposes, see page 90.

PLEASE ORDER BY NUMBER  
AND LETTER.

	A	B	C
	Per tube of 25 each.	Per 100 in tubes of 25.	Per bot. of 100.

Aconitine, crystals, 1-120 gr.....	(1)	\$ 22	\$ 80	\$ 70
Apomorphine hydrochlorate, 1-20 gr..	(33)	19	70	60
†Apomorphine hydrochlorate, 1-10 gr..	(2)	24	90	80

NOTE.—The peculiarly perishable nature of apomorphine salts necessitates the very careful preservation of these tablets in closely corked dark containers. We cannot hold ourselves responsible for their deterioration.

Atropine (crystals), 1-200 gr.....	(42)	12	40	30
†Atropine (crystals), 1-150 gr.....	(41)	12	40	30
Atropine (crystals), 1-80 gr.....	(40)	14	50	40
Atropine sulphate, 1-200 gr.....	(45)	12	40	30
Atropine sulphate, 1-150 gr.....	(32)	12	40	30
Atropine sulphate, 1-120 gr.....	(44)	12	40	30
†Atropine sulphate, 1-100 gr.....	(4)	12	40	30
Atropine sulphate, 1-80 gr.....	(43)	12	40	30
Atropine sulphate, 1-50 gr.....	(3)	14	50	40
Caffeine, 1-2 gr.....	(46)	15	55	45

†See note at head of page 44.

*Hypodermatic Tablets.*PART  
ONE.PLEASE ORDER BY NUMBER  
AND LETTER.

	A Per tube of 25 each.	B Per 100 in tubes of 25.	C Per bot. of 100.
Cocaine hydrochlorate, 1-8 gr.....(34)	\$ 16	\$ 60	\$ 50
†Cocaine hydrochlorate, 1-4 gr.....(5)	22	80	70
Cocaine hydrochlorate, 1-2 gr.....(47)	38	1 40	1 30
Cocaine tablets, soluble, see Part II.			
Codeine, 1-8 gr.....(48)	27	1 00	90
Codeine phosphate, 1-4 gr.....(75)	33	1 20	1 10
Codeine phosphate, 1-2 gr.....(76)	37	1 45	1 35
Coniine hydrobromate, 1-8 gr.....(6)	27	1 00	90
Colchicine, 1-30 gr.....(7)	27	1 00	90
†Corrosive sublimate, 1-100 gr.....(50) (Mercuric chloride, corrosive.)	12	40	30
Corrosive sublimate, 1-60 gr.....(35)	12	40	30
Corrosive sublimate, 1-50 gr.....(49)	12	40	30
Corrosive sublimate, 1-30 gr.....(36)	12	40	30
Corrosive sublimate, 1-25 gr., w'h Urea(8)	16	50	50
Digitalin, pure, 1-100 gr.....(9)	12	40	30
Ergotin.			
Owing to the extremely hygroscopic nature of ergotin, we have discontinued the manufacture of hypodermatic tablets containing it. In our experience we have found that it was only a question of a few weeks when they would melt and become entirely unfit for use.			
Gelsemine hydrochlorate, 1-50 gr.....(10)	40	1 50	1 40
Glonoin, see Nitroglycerin.			
Hyoscine hydrobromate, 1-100 gr.....(11)	20	75	65
†Hyoscyamine, pure, 1-100 gr.....(51)	14	50	40
Hyoscyamine, pure, 1-50 gr.....(12)	16	60	50
Local Anæsthetic (Dental).....(81)	45	1 65	1 55
Cocaine hydrochlorate, 1-2 gr.			
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-200 gr.			
Magnesium sulphate, 1 1-2 grs.....(80)	12	40	30
Morphine and Atropine, B "A".....(57)	15	55	45
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-300 gr.			
Morphine and Atropine, B "B".....(15)	15	55	45
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-200 gr.			
Morphine and Atropine, B "C".....(58)	15	55	45
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-150 gr.			
Morphine and Atropine, B "D".....(28)	15	55	45
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-100 gr.			
Morphine and Atropine, B "E".....(24)	15	55	45
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-180 gr.			
Morphine and Atropine, B "F".....(59)	15	55	45
Morphine sulphate, 1-6 gr.			
Atropine sulphate, 1-150 gr.			

† See note at head of page 44.

PART  
ONE.*Specify P. D. & Co.'s*

PLEASE ORDER BY NUMBER AND LETTER.	A Per tube of 25 each.	B Per 100 in tubes of 25.	C Per bot. of 100.
Morphine and Atropine, B "G".....(60)	\$ 16	\$ 60	\$ 50
Morphine sulphate, 1-4 gr.			
Atropine sulphate, 1-200 gr.			
+Morphine and Atropine, B "H".....(16)	16	60	50
Morphine sulphate, 1-4 gr.			
Atropine sulphate, 1-150 gr.			
Morphine and Atropine, B "I".....(29)	16	60	50
Morphine sulphate, 1-4 gr.			
Atropine sulphate, 1-100 gr.			
Morphine and Atropine, B "J".....(61)	19	70	60
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-200 gr.			
Morphine and Atropine, B "K".....(38)	19	70	60
Morphine sulphate, 1-8 gr.			
Atropine sulphate, 1-120 gr.			
Morphine and Atropine, B "L".....(62)	23	85	75
Morphine sulphate, 1-2 gr.			
Atropine sulphate, 1-200 gr.			
Morphine and Atropine, B "M.".....(63)	23	85	75
Morphine sulphate, 1-2 gr.			
Atropine sulphate, 1-120 gr.			
Morphine and Atropine, B "N".....(39)	23	85	75
Morphine sulphate, 1-2 gr.			
Atropine sulphate, 1-100 gr.			
Morphine and Atropine, B "O".....(82)	16	60	50
Morphine sulphate, 1-4 gr.			
Atropine sulphate, 1-120 gr.			
+Morphine hydrochlorate, 1-8 gr.....(53)	13	45	35
Morphine hydrochlorate, 1-4 gr.....(52)	15	55	45
Morphine sulphate, 1-12 gr.....(56)	12	40	30
Morphine sulphate, 1-8 gr.....(14)	12	40	30
Morphine sulphate, 1-6 gr.....(25)	13	45	35
Morphine sulphate, 1-5 gr.....(55)	14	50	40
+Morphine sulphate, 1-4 gr.....(18)	14	50	40
Morphine sulphate, 1-3 gr.....(27)	15	55	45
Morphine sulphate, 3-8 gr.....(54)	16	60	50
Morphine sulphate, 1-2 gr.....(26)	20	75	65
Morphine sulphate, 1-8 gr.....(14)	12	40	30
Nitroglycerin, 1-200 gr.....(65) (Glonoin.)	12	40	30
+Nitroglycerin, 1-100 gr.....(31)	12	40	30
Nitroglycerin, 1-50 gr.....(64)	12	40	30
Nitroglycerin and Strychnine.....(84)	12	40	30
Nitroglycerin, 1-100 gr.			
Strychnine sulphate, 1-50 gr.			
Physostigmine sulphate, 1-100 gr.....(20)	15	55	45
Picrotoxin, 1-50 gr.....(17)	22	80	70
Pilocarpine hydrochlorate, 1-8 gr.....(74)			
Pilocarpine hydrochlorate, 1-6 gr.....(37)			
+Pilocarpine hydrochlorate, 1-3 gr.....(18)			Prices fluctuating.
Pilocarpine nitrate, 1-4 gr.....(66)			
+Pilocarpine nitrate, 1-3 gr.....(19)			

†See note at head of page 44.

*Hypodermatic Tablets.*PART  
ONE.PLEASE ORDER BY NUMBER  
AND LETTER.

	A	B	C
	Per tube of 25 each.	Per 100 in tubes of 25.	Per bot. of 100.
Quinine and Urea muriate.....(30)	\$ 22	\$ 80	\$ 70
See note 141.			
Sodium arsenate, 1-10 gr.....(21)	12	40	30
Sparteine sulphate, 1-30 gr.....(67)	18	45	35
Strychnine nitrate, 1-100 gr.....(68)	18	45	35
Strychnine nitrate, 1-60 gr.....(77)	18	45	35
†Strychnine nitrate, 1-40 gr.....(72)	18	45	35
Strychnine nitrate, 1-20 gr.....(79)	18	45	35
Strychnine sulphate, 1-150 gr.....(71)	12	40	30
†Strychnine sulphate, 1-100 gr.....(23)	12	40	30
Strychnine sulphate, 1-60 gr.....(70)	12	40	30
Strychnine sulphate, 1-50 gr.....(22)	12	40	30
Strychnine sulphate, 1-40 gr.....(78)	12	40	30
Strychnine sulphate, 1-32 gr.....(69)	12	40	30
Strychnine sulphate, 1-30 gr.....(78)	12	40	30

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

1 Aconitine, crystals, 1-120 gr.....	\$ 22	\$ 80	\$ 70
2 †Apomorphine hydrochlorate, 1-10 gr....	24	90	80
3 Atropine sulphate, 1-50 gr.....	14	50	40
4 †Atropine sulphate, 1-100 gr.....	12	40	30
5 †Cocaine hydrochlorate, 1-4 gr.....	22	80	70
6 Coniine hydrobromate, 1-8 gr.....	27	1 00	90
7 Colchicine, 1-30 gr.....	27	1 00	90
8 Corrosive sublimate, 1-25 gr., with Urea.	16	60	50
9 Digitalin, pure, 1-100 gr.....	12	40	30
10 Gelsemine hydrochlorate, 1-50 gr.....	40	1 50	1 40
11 Hyoscine hydrobromate, 1-100 gr.....	20	75	65
12 Hyoscyamine, pure, 1-50 gr.....	16	60	50
13 †Morphine sulphate, 1-4 gr.....	14	50	40
14 Morphine sulphate, 1-8 gr.....	12	40	30
15 Morphine and Atropine, B "B".....	15	55	45
16 †Morphine and Atropine, B "H".....	16	60	50
17 Picrotoxin, 1-50 gr.....	22	80	70
18 †Pilocarpine hydrochlorate, 1-3 gr.....	{ Prices fluctuating.		
19 †Pilocarpine nitrate, 1-3 gr.....			
20 Physostigmine sulphate, 1-100 gr.....	15	55	45
21 Sodium arsenate, 1-10 gr.....	12	40	30
22 Strychnine sulphate, 1-50 gr.....	12	40	30
23 †Strychnine sulphate, 1-100 gr.....	12	40	30
24 Morphine and Atropine, B "E".....	15	55	45
25 Morphine sulphate, 1-6 gr.....	13	45	35
26 Morphine sulphate, 1-2 gr.....	20	75	65
27 Morphine sulphate, 1-3 gr.....	15	55	45
28 Morphine and Atropine, B "D.".....	15	55	45

†See note at head of page 44.

PART  
ONE.

## Specify P., D. &amp; Co.'s

PLEASE ORDER BY NUMBER AND LETTER.	A Per tube of 25 each.	B Per 100 in tubes of 25.	C. Per bot. of 100.
29 Morphine and Atropine, B "I".....	\$ 16	\$ 60	\$ 50
30 Quinine and Urea muriate.....	22	80	70
31 †Nitroglycerin (Glonoin), 1-100 gr.....	12	40	30
32 Atropine sulphate, 1-150 gr.....	12	40	30
33 Apomorphine hydrochlorate, 1-20 gr.....	19	70	60
34 Cocaine hydrochlorate, 1-8 gr.....	16	60	50
35 Corrosive sublimate, 1-60 gr..... (Mercuric chloride, corrosive.)	12	40	30
36 Corrosive sublimate, 1-30 gr.....	12	40	30
37 Pilocarpine hydrochlorate, 1-6 gr.....		Price fluctuating.	
38 Morphine and Atropine, B "K".....	19	70	60
39 Morphine and Atropine, B "N".....	23	85	75
40 Atropine (crystals), 1-60 gr.....	14	50	40
41 †Atropine (crystals), 1-150 gr.....	12	40	30
42 Atropine (crystals), 1-200 gr.....	12	40	30
43 Atropine sulphate, 1-60 gr.....	12	40	30
44 Atropine sulphate, 1-120 gr.....	12	40	30
45 Atropine sulphate, 1-200 gr.....	12	40	30
46 Caffeine, 1-2 gr.....	15	55	45
47 Cocaine hydrochlorate, 1-2 gr.....	38	1 40	1 30
48 Codeine, 1-8 gr.....	27	1 00	90
49 Corrosive sublimate, 1-50 gr..... (Mercuric chloride, corrosive.)	12	40	30
50 †Corrosive sublimate, 1-100 gr.....	12	40	30
51 †Hyoscyamine, pure, 1-100 gr.....	14	50	40
52 Morphine hydrochlorate, 1-4 gr.....	15	55	45
53 †Morphine hydrochlorate, 1-8 gr.....	18	45	35
54 Morphine sulphate, 3-8 gr.....	16	60	50
55 Morphine sulphate, 1-5 gr.....	14	50	40
56 Morphine sulphate, 1-12 gr.....	12	40	30
57 Morphine and Atropine, B "A".....	15	55	45
58 Morphine and Atropine, B "C".....	15	55	45
59 Morphine and Atropine, B "F".....	15	55	45
60 Morphine and Atropine, B "G".....	16	60	50
61 Morphine and Atropine, B "J".....	19	70	60
62 Morphine and Atropine, B "L".....	23	85	75
63 Morphine and Atropine, B "M".....	23	85	75
64 Nitroglycerin, 1-50 gr..... (Glonoin.)	12	40	30
65 Nitroglycerin, 1-200 gr.....	12	40	30
66 Pilocarpine nitrate, 1-4 gr.....		Price fluctuating.	
67 Sparteine sulphate, 1-30 gr.....	18	45	35
68 Strychnine nitrate, 1-100 gr.....	13	45	35
69 Strychnine sulphate, 1-32 gr.....	12	40	30
70 Strychnine sulphate, 1-60 gr.....	12	40	30
71 Strychnine sulphate, 1-150 gr.....	12	40	30
72 †Strychnine nitrate, 1-40 gr.....	13	45	35

†See note at head of page 44.

*Hypodermatic Tablets.*PART  
ONE.PLEASE ORDER BY NUMBER  
AND LETTER.

	A Per tube of 25 each.	B Per 100 in tubes of 25.	C Per bot. of 100
73 Strychnine sulphate, 1-30 gr.....	\$ 12	\$ 40	\$ 30
74 Pilocarpine hydrochlorate, 1-8 gr.....		Price fluctuating.	
75 Codeine phosphate, 1-4 gr.....	38	1 20	1 10
76 Codeine phosphate, 1-2 gr.....	37	1 45	1 35
77 Strychnine nitrate, 1-60 gr.....	13	45	35
78 Strychnine sulphate, 1-40 gr.....	12	40	30
79 Strychnine nitrate, 1-20 gr.....	13	45	35
80 Magnesium sulphate, 1 1-2 grs.....	12	40	30
81 Local Anaesthetic (Dental).....	45	1 65	1 55
82 Morphine and Atropine, B "O".....	16	60	50
83 English list only.			
84 Nitroglycerin and Strychnine.....	12	40	30

*Ophthalmic Tablets.*

In the introduction of Soluble Ophthalmic Tablets we aim to embrace those drugs most commonly employed locally in treating diseases of the eye, or in preparing this organ for surgical therapeusis. We are confident that their importance, value and usefulness will be at once recognized, not only by the eye specialist but also by the general practitioner.

These tablets dissolve readily in distilled water, and hence can be employed for the extemporaneous preparation of solutions.

When a diluent is required a sufficient quantity of chemically pure boric acid has been added.

The tablets are put up in bottles of 100, or, in the case of more expensive ingredients, in tubes of 25.

For description and cut of our Medicine Dropper and Bottle, graduated, see note 117, and for price see Part II.

	Per tube of 25.	Per bet. of 100.
Atropine sulphate, 1 gr.....	\$ 1 00	\$ ....
Boric acid, 5 grs.....	....	50
Cocaine, see footnote.*		
Copper sulphate, 1 gr.....	....	40
Eserine, see <i>Physostigmine</i> .		
Homatropine hydrobromate, 1 gr.....		
..... per tube of 10 tablets, \$4.50		
Physostigmine salicylate, 1-8 gr.....	65	
Sodium borate, 5 grs.....	....	50
Tannic acid, 5 grs.....	....	75
Zinc sulphate, 1 gr.....	....	40

\*For tablets of Cocaine hydrochlorate, 3 grs., 2 1-4 grs. and 1 1-8 grs. for the extemporaneous preparation of 4 per cent. and 2 per cent. solutions, see Part II.

## Hypodermatic Tablets for Veterinary Use.

At the suggestion of influential veterinary surgeons, we have added to our list this line of Veterinary Hypodermatic Tablets, put up in tubes of 1 dozen tablets.

They are exceedingly convenient for the medicine case of the Veterinary Surgeon, who can readily prepare, as needed, solutions of definite strengths for hypodermatic injection.

We also supply a Veterinary Hypodermatic Case, complete. For price, see Part II, and description, etc., note 176.

List No.	IN TUBES OF 12 EACH. PLEASE ORDER BY NUMBER.	Per doz. tubes.
500 †Aconitine crystals, 1-40 gr.....		1 15
501 Aconitine crystals, 1-20 gr.....		1 50
502 †Atropine sulphate, 1-4 gr.....		1 50
503 Atropine sulphate, 1-2 gr.....		2 50
504 Cocaine hydrochlorate, 1 gr.....		4 00
505 †Colchicine, 1-4 gr.....		2 50
506 Colchicine, 1-2 gr.....		4 00
507 Coniine hydrobromate, 1 gr.....		6 00
508 †Digitalin, pure, 1-8 gr.....		1 25
509 Digitalin, pure, 1-4 gr.....		1 50
Eserine, see <i>Physostigmine</i> .		
510 Hyoscyamine, 1-8 gr.....		3 00
511 †Morphine sulphate, 1 gr.....		2 40
512 Morphine sulphate, 2 grs.....		4 50
513 Morphine and Atropine.....	Morphine sulphate, 1 1-2 grs. Atropine sulphate, 1-2 gr.	4 50
514 Physostigmine salicylate, 1-4 gr.....		6 50
515 Pilocarpine hydrochlorate, 1-2 gr.....	Price fluctuating.	
516 Sodium arsenite, 1 gr.....		1 15
518 †Strychnine sulphate, 1-2 gr.....		1 50
519 Strychnine sulphate; 1 gr.....		2 00
520 †Veratrine hydrochlorate, 1-4 gr.....		1 25
521 Veratrine hydrochlorate, 1-2 gr.....		1 50

## Iodoform Bougies.

Contemplating an improvement in these bougies, changing their shape, strength, etc., we discontinue our former line, and shall have pleasure in course of time in announcing the addition to our list of a more complete line of these articles.

† See note at head of page 44.

# Medicinal Elixirs, Wines and Syrups.

---

*Designed to Present Medicines in a Form Agreeable to the Palate.*

---

Manufacturers have hitherto exercised their discretion in regard to the quantity and proportions of the medicinal ingredients in preparations of this class. Hence has arisen endless confusion in formulæ and nomenclature, resulting in unwillingness on the part of the physician to prescribe remedies so uncertain in composition. To remedy this evil the American Pharmaceutical Association has authorized the issue of a National Formulary of Unofficial Preparations. We have observed the standards prescribed in this work when the demands of the trade would permit. For example: our various wines and elixirs containing pepsin in combination were made to conform to the National Formulary standard until January, 1894, when the digestive power of these preparations was increased by us so as to contain 16 grains of Saccharated Pepsin, U. S. P., 1890 (1-300), in each fluidounce.

NOTE ON CONTAINERS.—Elixirs, wines and syrups are put up in *pint* and *half-gallon* bottles.

## Medicinal Elixirs.

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
1 Ammonium bromide, 40 grs.....	\$ 5 00	\$ 9 00
2 Ammonium valerianate, 16 grs.....	5 00	9 00
3 Ammonium and Morphine valerianates.....	7 00	12 00
Ammonium valerianate, 16 grs. Morphine valerianate, 1-2 gr.		
4 Ammonium and Quinine valerianates.....	6 50	11 25
Ammonium valerianate, 16 grs. Quinine valerianate (equivalent), 4 grs.		
Aromatic, red.....(114)...	3 00	6 00
Aromatic, U. S. P.....(115)...	3 00	6 00
5 Berberine and Iron.....	7 00	12 00
Berberine sulphate (neutral), 8 grs. Ferric pyrophosphate, soluble, 8 grs.		
6 Bismuth and Ammonium citrate, 16 grs.....	5 00	9 00
7 Bismuth and Quinine.....	6 00	10 50
Bismuth and Ammonium citrate, 16 grs. Quinine sulphate, 2 grs.		

PART  
ONE.

## Specify P., D. &amp; Co.'s

	Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
8	Bismuth and Strychnine..... Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.	\$ 5 00	\$ 9 00
9	Black Cohosh, see <i>Cimicifuga</i> .....(42) ..	4 50	8 25
10	Buchu, 120 grs..... Buchu Compound..... Buchu, 60 grs. Juniper berries, 15 grs. Cubeb, 15 grs. Uva Ursi, 15 grs. Spirit Nitrous Ether, 15 ml	5 00 6 00	9 00 10 50
11	Buchu, Juniper and Potassium acetate..... Buchu, 45 grs. Juniper berries, 12 grs. Potassium acetate, 16 grs.	5 50	9 75
12	Buchu and Pareira Compound..... Buchu, 30 grs. Juniper berries, 15 grs. Pareira, 7 1-2 grs. Stone-root, 7 1-2 grs.	5 00	9 00
13	Buckthorn bark, 120 grs.....	5 00	9 00
14	Calcium bromide, 40 grs.....	5 00	9 00
15	Calisaya alkaloids, representing 40 grs. of the bark.....	4 00	7 50
16	Calisaya bark, 40 grs..... See note 29.	4 00	7 50
17	Calisaya and Bismuth..... Calisaya bark (active principles), 40 grs. Bismuth and Ammonium citrate, 8 grs.	5 00	9 00
18	Calisaya and Iron protoxide..... 12½ grs. Calisaya bark (active principles) and the equivalent of ¾ gr. ferrous sulphate in the form of citrate of Iron protoxide.	4 00	7 50
19	Calisaya and Iron pyrophosphate..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs.	4 00	7 50
20	Calisaya, Iron and Bismuth..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs.	5 00	9 00
21	Calisaya, Iron, Bismuth and Pepsin..... Calisaya bark (active principles), 40 grs. Sacch. Pepsin, U. S. P. 1890, 16 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs.	9 00	15 00
22	Calisaya, Iron, Bismuth, Pepsin and Strychnine..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs. Sacch. Pepsin, U. S. P. 1890, 16 grs. Strychnine, 8-100 gr.	9 00	15 00
23	Calisaya, Iron, Bismuth and Strychnine..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Bismuth and Ammonium citrate, 8 grs. Strychnine, 8-100 gr.	5 00	9 00
24	Calisaya, Iron and Pepsin..... Calisaya bark (active principles), 40 grs. Ferric pyrophosphate, soluble, 8 grs. Sacch. Pepsin, U. S. P., 1890, 16 grs.	7 00	12 00

*Medicinal Elixirs.*PART  
ONE.

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
<b>25</b> Calisaya, Iron and Phosphorus.....	\$ 5 00	\$ 9 00
Calisaya bark (active principles), 40 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Phosphorus, 8-200 gr.		
<b>26</b> Calisaya, Iron and Quinine.....	6 00	10 50
Calisaya bark (active principles), 40 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Quinine sulphate, 2 grs.		
<b>27</b> Calisaya, Iron, Quinine and Strychnine.....	7 00	12 00
Calisaya bark (active principles), 40 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Quinine sulphate, 2 grs.		
Strychnine, 8-100 gr.		
<b>28</b> Calisaya, Iron and Strychnine.....	4 50	8 25
Calisaya bark (active principles), 40 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Strychnine, 8-100 gr.		
<b>29</b> Calisaya, Iron, Strychnine and Pepsin.....	8 00	13 50
Calisaya bark (active principles), 40 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Strychnine, 8-100 gr.		
<b>30</b> Calisaya and Lactated Pepsin.....	8 00	13 50
Calisaya bark (active principles), 40 grs.		
Lactated Pepsin, 40 grs.		
<b>31</b> Calisaya, Pepsin and Bismuth.....	8 50	14 25
Calisaya bark (active principles), 40 grs.		
Sacch. Pepsin, U. S. P. 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
<b>32</b> Calisaya, Pepsin, Bismuth and Strychnine....	7 50	12 75
Calisaya bark (active principles), 40 grs.		
Sacch. Pepsin, U. S. P. 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Strychnine, 8-100 gr.		
<b>33</b> Calisaya, Pepsin and Strychnine.....	7 50	12 75
Calisaya bark (active principles), 40 grs.		
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Strychnine, 8-100 gr.		
<b>34</b> Calisaya and Strychnine.....	5 00	9 00
Calisaya bark, 40 grs.      Strychnine, 8-100 gr.		
<b>35</b> Cascara Sagrada, 120 grs.....	5 00	9 00
<b>36</b> Cascara Sagrada Compound.....	5 00	9 00
Cascara sagrada, 60 grs.      Glycyrrhiza, 60 grs.		
Berberis Aquifolium, 30 grs. Aromatics.		
<b>37</b> Cascara Sagrada, B 1887, 120 grs.....	5 50	9 75
(Also called "tasteless.")		
<b>38</b> Cathartic Compound.....	5 00	9 00
Senna, 16 grs.      Juglans, 16 grs.		
Cascara sagrada, 32 grs.      Leptandra, 16 grs.		
Potass. and Sodium tartrate, 32 grs.		
<b>39</b> Celery and Guarana.....	7 50	12 75
Celery seed, 60 grs.      Guarana, 60 grs.		
<b>40</b> Chloral, 80 grs.....	7 50	12 75
<b>41</b> Chloral and Potassium bromide.....	6 00	10 50
Chloral, 40 grs.      Potassium bromide, 40 grs.		
<b>42</b> Cimicifuga, 120 grs.....	4 50	8 25

PART  
ONE.*Specify P. D. & Co.'s*

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
43 Cimicifuga Compound—Discontinued.		
44 Cinchona, detannated .....	\$ 6 00	\$ 10 50
Contains the equivalent of 40 grs. Red Cinchona bark, combined with choice aromatics; specially adapted for combination with the salts of iron.		
45 Cinchona, ferrated .....	5 50	9 75
Contains the equivalent of Red Cinchona bark, 40 grs. Iron and Ammon. citrate, 16 grs.		
46 Cinchonidine, Iron and Strychnine .....	4 50	8 25
Cinchonidine sulphate, 4 grs. Ferric pyrophosphate, soluble, 8 grs. Strychnine, 8-100 gr.		
47 Coca, 120 grs.....	5 50	9 75
48 Corydalis Compound .....	4 50	8 25
Turkey-corn, 30 grs. Potassium iodide, 8 grs. Stillingia, 30 grs. Iris, 40 grs. Xanthoxylum, 15 grs.		
49 Cramp-bark Compound.....	5 00	9 00
Viburnum Opulus, 28 grs. Skunk cabbage, 14 grs. Scutellaria, 28 grs. Aromatics.		
50 Damiana, 120 grs.....	5 50	9 75
51 Damiana, Iron and Phosphorus .....	5 50	9 75
Damiana, 60 grs. Phosphorus, 8-200 gr. Ferric pyrophosphate, soluble, 8 grs.		
52 Damiana, Nux Vomica, Iron and Phosphorus. ....	5 50	9 75
Damiana, 60 grs. Nux vomica, 8 grs. Ferric pyrophosphate, sol., 8 grs. Phosphorus, 8-200 gr.		
53 Damiana, Phosphorus and Nux Vomica.....	5 50	9 75
Damiana, 60 grs. Nux vomica, 8 grs. Phosphorus, 8-200 gr.		
54 Dandelion, 180 grs.....	5 00	9 00
55 Dandelion Compound .....	4 50	8 25
Taraxacum, 10 grs. Glycyrrhiza, 20 grs. Wild Cherry, 10 grs. Aromatics.		
56 Eucalyptus Compound.....	5 00	9 00
Eucalyptus, 15 grs. Wild cherry, 16 grs. Gentian, 4 grs. Glycyrrhiza, 15 grs. Taraxacum, 20 grs. Syr. Yerba santa arom., 30 fl. oz.		
57 Gentian, 20 grs.....	4 00	7 50
58 Gentian and Iron chloride.....	4 00	7 50
Gentian, 16 grs. Tinct. Iron citro-chloride, 16 fl. oz.		
59 Gentian, Iron chloride and Lactated Pepsin..	7 00	12 00
Gentian, 16 grs. Lactated Pepsin, 20 grs. Tinct. Iron citro-chloride, 16 fl. oz.		
60 Gentian and Iron pyrophosphate.....	4 50	8 25
Gentian, 20 grs. Ferric pyrophosphate, soluble, 8 grs.		
61 Gentian and Lactated Pepsin.....	7 00	12 00
Gentian, 20 grs. Lactated Pepsin, 20 grs.		
62 Grindelia, 120 grs.....	4 50	8 25
63 Guarana, 120 grs.....	9 00	15 00

## *Medicinal Elixirs.*

## PART ONE.

PART  
ONE.*Specify P., D. & Co's*

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
81 Lactated Pepsin, Bismuth and Strychnine....\$ 7 00	\$ 12 00	
Lactated Pepsin, 20 grs.     Strychnine, 8-100 gr.		
Bismuth and Ammonium citrate, 8 grs.		
82 Lactated Pepsin, Bismuth, Strych. and Iron... 7 00		12 00
Lactated Pepsin, 20 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Strychnine, 8-100 gr.		
83 Laxative..... 5 00		9 00
Senna, 60 grs.     Juglans, 30 grs.		
Potassium and Sodium tartrate, 60 grs.		
84 Liquorice Aromatic (Quinine elixir)..... 3 65		7 00
See note 140.		
85 Lithium citrate, 16 grs..... 9 00		15 00
86 Manaca and Salicylates (see note 116)..... 11 00		18 00
Manaca, 80 grs.		
Sodium salicylate, 64 grs.		
Potassium salicylate, 32 grs.		
Lithium salicylate, 8 grs.		
87 Matico Compound ..... 5 00		9 00
Matico, 40 grs.     Hydrangea, 40 grs.		
Uva Ursi, 40 grs		
88 Pepsin..... 6 00		10 50
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
89 Pepsin and Bismuth..... 7 00		12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
90 Pepsin, Bismuth and Iron..... 7 00		12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
91 Pepsin, Bismuth, Iron and Quinine..... 7 50		12 75
Sacch. Pepsin, U. S. P. 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Quinine sulphate, 2 grs.		
92 Pepsin, Bismuth and Nux Vomica..... 7 00		12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Nux vomica, 15 grs.		
93 Pepsin, Bismuth and Pancreatin..... 7 00		12 00
Sacch. Pepsin, U. S. P. 1890, 16 grs.		
Saccharated Pancreatin, 4 grs.		
Bismuth and Ammonium citrate, 8 grs.		
94 Pepsin, Bismuth and Quinine .. 7 00		12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Quinine sulphate (equivalent), 2 grs.		
95 Pepsin, Bismuth, Strychnine and Pancreatin. 7 50		12 75
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Strychnine, 8-100 gr.		
Saccharated Pancreatin, 4 grs.		
96 Pepsin, Bismuth and Wafer Ash—Discontinued.		
97 Pepsin, Damiana, Phosphorus and Nux Vomica 9 00		15 00
Sacch. Pepsin, U.S.P., 1890, 16 grs.		
Nux vomica, 8 grs.		
Damiana, 60 grs.		
Phosphorus, 8-200 gr.		

*Medicinal Elixirs.*PART  
ONE.

Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in ½-gal. bottles, inclusive.	Per dozen pints.
Pepsin, lactated, see "Lactated Pepsin."		
98 Pepsin and Pancreatin.....	\$ 7 50	\$ 12 75
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Saccharated Pancreatin, 4 grs.		
99 Pepsin and Strychnine.....	7 00	12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Strychnine, 8-100 gr.		
100 Pepsin, Strychnine and Bismuth.....	7 00	12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Strychnine, 8-100 gr.		
101 Pepsin, Strychnine and Bismuth with Iron....	7 50	12 75
Sacch. Pepsin, U. S. P. 1890, 16 grs.		
Bismuth and Ammonium citrate, 8 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Strychnine, 8-100 gr.		
102 Pepsin, Strychnine and Iron.....	7 00	12 00
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Ferric pyrophosphate, soluble, 8 grs.		
Strychnine, 8-100 gr.		
103 Pepsin and Wafer Ash.....	8 00	13 50
Sacch. Pepsin, U. S. P., 1890, 16 grs.		
Wafer Ash, 60 grs.		
104 Phosphates Compound and Calisaya .....	4 50	8 25
Calisaya bark (active principles), 40 grs.		
Ferric phosphate, soluble, 2 grs.		
Calcium phosphate, 2 grs. with small excess of phosphoric acid.		
105 Phosphorus, 8-100 gr.....	5 00	9 00
106 Phosphorus and Strychnine.....	5 50	9 75
Phosphorus, 8-100 gr. Strychnine, 8-100 gr.		
107 Potassium bromide, 80 grs.....	5 00	9 00
Quinine elixir, see Liquorice Aromatic..(84)..	3 65	7 00
108 Quinine sulphate—Discontinued.		
109 Rhubarb and Calumba—Discontinued.		
110 Rhubarb and Magnesium.....	5 00	9 00
Rhubarb, 60 grs. Magnesium acetate, 10 grs.		
111 Rhubarb and Potassium.....	5 00	9 00
Rhubarb, 18 grs. Potassium bicarb., 18 grs.		
Hydrastis, 9 grs.		
112 Rhubarb and Potassium with Pancreatin....	5 00	9 00
Rhubarb, 18 grs. Potassium bicarb., 18 grs.		
Hydrastis, 9 grs. Sacch. Pancreatin, 4 grs.		
113 Salicylic Acid Compound.....	6 00	10 50
Salicylic acid, 40 grs. Gelsemium, 15 grs.		
Cimicifuga, 15 grs. Potassium iodide, 4 grs.		
114 Simple, red, see Aromatic, red.....	3 00	6 00
115 Simple, white, see Aromatic, U.S.P.....	3 00	6 00
116 Sodium bromide, 40 grs.....	5 00	9 00
117 Sodium salicylate, 20 grs.....	4 00	7 50
118 Stillingia Compound.....	4 50	8 25
Stillingia, 30 grs. Turkey-corn, 30 grs.		
Chimaphila, 15 grs. Sambucus, 15 grs.		
Iris, 15 grs. Prickly Ash berries, 7½ grs.		
Coriander, 7½ grs.		

PART  
ONE.*Specify P. D. & Co.'s*

	Each fluidounce of Elixir represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
119	Wahoo, 160 grs.....	\$ 5 50	\$ 9 75
120	Wahoo and Blue Flag—Discontinued.		
121	Wild Cherry and Iron. Wild cherry, 60 grs.	5 00 Ferric pyrophosphate, sol., 8 grs.	9 00
122	Kola Compound..... Kola nut, 40 grs. Celery seed, 40 grs.	5 75	10 00
123	Iron succinate .....	6 00	10 50

*Medicinal Wines.*

Each fluidounce of wine represents the quantity of ingredients specified.

1	American White Ash, 120 grs.....	\$ 5 50	\$ 9 75
2	Antimony..... Antimony & Potass. tartrate, 4 Gm. in 1000 Cc.	6 00	10 50
3	Aromatic.....	7 00	12 00
4	Beef and Wine..... A placebo containing the soluble constituents of beef combined with superior sherry wine.	5 00	9 00
	Beef, Iron and Wine, see Part II. Contains the nutritive constituents of beef, combined with 16 fl. Tinct. Iron citro-chloride in each fluidounce.		
5	Beef, Iron and Wine with Cinchona..... Calisaya bark (active principles), 40 grs. in each fluidounce of Beef, Iron and Wine.	5 50	9 75
6	Beef, Iron and Wine with Pepsin..... Sacch. Pepsin, U. S. P., 1890, 16 grs. in each fluidounce of Beef, Iron and Wine.	7 00	12 00
7	Calisaya bark (active principles), 40 grs.....	4 50	8 25
8	Coca, 60 grs.....	5 50	9 75
9	Coca and Beef..... Coca, 60 grs. in each fluidounce of Beef and Wine.	7 00	12 00
10	Coca, Beef and Iron..... Coca, 60 grs. in each fl. oz. of Beef, Iron and Wine.	7 00	12 00
11	Colchicum root, U. S. P., 40 Gm. in 100 Cc....	5 50	9 75
12	Colchicum seed, U. S. P., 15 Gm. in 100 Cc.... Condurango, 60 grs. (see note 58).....(26)...	5 50	9 75
13	Ergot, U. S. P., 15 Gm. in 100 Cc..... Ferric citrate.....(16)...	7 50	12 75
	100 Cc. contains: 4 Gm. Ferric citrate.		
14	Ipecac, U. S. P., 10 Gm. in 100 Cc.....	10 00	16 50
15	Iron—Bitter..... 100 Cc. contains: Soluble iron and quinine citrate, 5 Gm.	5 50	9 75
16	Iron citrate, see Ferric citrate .....	4 50	8 25

*Medicinal Wines.*PART  
ONE.

	Each fluidounce of wine represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
17	Opium, assayed.....	\$14 00	\$ 22 50
	Each fl. oz. contains by assay 6 grs. crystallized morphine, equal to 7 1-2 grs. morphine sulphate.		
18	Pepsin..... Sacch. Pepsin, U. S. P., 1890, 16 grs.	7 50	12 75
	White Ash, see American White Ash.....(1) ..	5 50	9 75
19	Wild Cherry, 120 grs.....	5 00	9 00
20	Wild Cherry and Iron..... Wild Cherry, 110 grs. Tinct. Iron citro-chloride, 40 ml.	5 50	9 75
21 to 25.	In Canadian List only.		
26	Condurango, 60 grs.....	6 50	11 25

*Medicinal Syrups.*

We formerly marketed a line of Medicated Syrups which were sold by weight. In future we shall supply all syrups under our label in pint and  $\frac{1}{2}$ -gallon bottles with the exception of Syrup Ferrous iodide.

	Each fluidounce of Syrup represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
1	Acid Phosphates and Pepsin.—Discontinued.		
	Alterative Compound.....(31) ..	\$ 5 00	\$ 9 00
	Fl. Ext. Alterative comp., 120 ml.		
	Fl. Cardamom comp., 15 ml.		
	Anodyne Pine Expectorant, see Specialties, Part II. For formula, see note 9.		
	Blackberry Aromatic, 120 grs.....(33) ..	3 80	7 20
	Buckthorn berries.....(34) ..	3 80	7 20
	Buckthorn berries, 120 grs.		
	Ginger, 6 grs.		
	Pimenta, 6 grs.		
2	Calcium hypophosphite, 32 grs.....	4 50	8 25
3	Calcium iodide, 16 grs.....	7 50	12 75
4	Calcium lactophosphate, 16 grs.....	8 00	13 50
5	Calcium and Iron lactophosphates..... Calcium lactophosphate, 8 grs. Ferric lactophosphate, 4 grs.	8 00	13 50
6	Calcium and Sodium hypophosphites..... Calcium hypophosphite, 24 grs. Sodium hypophosphite, 16 grs.	5 50	9 75
7	Calcium and Sodium lactophosphates..... Calcium lactophosphate, 16 grs. Sodium lactophosphate, 8 grs.	8 00	13 50

PART  
ONE.*Specify P. D. & Co.'s*

Each fluidounce of Syrup represents the quantity of ingredients specified. Per gallon in  $\frac{1}{2}$ -gal. bottles, inclusive. Per dozen pints.

8	Calcium, Sodium, Iron and Potassium lactophosphates.....	\$ 9 00	\$ 15 00
	Calcium lactophosphate, 8 grs.		
	Sodium lactophosphate, 2 grs.		
	Ferric lactophosphate, 4 grs.		
	Potassium lactophosphate, 2 grs.		
9	Dover's Powder, 40 grs.....	5 00	9 00
	Adjusted to a uniform strength by assay. Each fluidounce contains 0.56 gr. morphine alkaloid, equivalent to $\frac{3}{4}$ gr. morphine sulphate.		
10	<i>Discontinued.</i>		
	Ferrous iodide, see <i>Syrup Iron iodide</i> , Specialties, Part II.		
	Hematem Hypophosphites, see Specialties, Part II.		
	Horehound Compound.....	(37) ..	3 80
	Red root, 18 grs.	Wild Cherry, 18 grs.	
	Inula, 18 grs.	Marrubium, 18 grs.	
	Spikenard, 18 grs.	Sanguinaria, 9 grs.	
	Comfrey, 18 grs.		
	Hydriodic acid, 1% and 2%, see Specialties, Part II.		
11	Hypophosphites, (Churchill's).....	5 00	9 00
	Calcium hypophosphate, 16 grs.		
	Sodium hypophosphate, 16 grs.		
	Potassium hypophosphate, 8 grs.		
12	Hypophosphites Compound.....	5 00	9 00
	Calcium hypophosphate, 16 grs.		
	Sodium hypophosphate, 16 grs.		
	Potassium hypophosphate, 8 grs.		
	Ferrous hypophosphate, 2 grs.		
	Ipecac, 30 grains.....	(38) ..	5 50
13	Iron bromide, 60 grs.— <i>Discontinued.</i>		9 60
	Iron chloride (Weld's), see Part II.		
14	Iron hypophosphate— <i>Discontinued.</i>		
	Iron iodide, 10% ferrous iodide by weight, see Specialties, Part II.		
15	Iron lactophosphate, 16 grs.— <i>Discontinued.</i>		
16	Iron and Manganese iodides.....	7 50	12 75
	Ferrous iodide, 16 grs.		
	Manganese iodide, 8 grs.		
17	Iron phosphate— <i>Discontinued.</i>		
18	Iron pyrophosphate.....	5 00	9 00
	Ferric pyrophosphate, soluble, 24 grs.		
19	Iron, Quinine and Strychnine phosphates.....	6 50	11 25
	Iron phosphate, 16 grs.		
	Quinine phosphate (equivalent), 8 grs.		
	Strychnine phosphate, 8-60 gr.		
20	Iron and Sodium albuminates— <i>Discontinua.</i>		
21	Iron superphosphate— <i>Discontinued.</i>		

*Medicinal Syrups.*PART  
ONE.

Each fluidounce of Syrup represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
22 Lactated Pepsin, 40 grs.....	\$ 8 00	\$ 13 50
23 Lactated Pepsin Compound.— <i>Discontinued.</i>		
24 Lactophosphates Compound.....	9 00	15 00
Calcium lactophosphate, 16 grs.		
Ferric lactophosphate, 8 grs.		
Manganese lactophosphate, 4 grs.		
25 Manganese iodide, 16 grs.....	10 00	16 50
Neutralizing Cordial, see Rhubarb Comp. with Potassium .....	(42) ..	5 00
26 Phosphates Compound (Chemical Food).....	5 50	9 75
Iron phosphate, 8 grs.		
Calcium phosphate, 20 grs., and smaller quantities of Sodium and Potassium phosphates.		
27 Potassium citrate and Ipecac.....	7 00	12 00
Potassium citrate, 80 grs. Syrup Ipecac, 40 fl. oz.		
Lemon juice, 160 fl. oz.		
28 Potassium lactophosphate, 16 grs.....	6 00	10 50
Rhubarb Aromatic, U. S. P.....	(41) ..	3 80
100 Cc. represents:		7 20
Aromatic Tinct. Rhubarb. 15 Cc.		
Rhubarb Comp. with Potassium (Neutralizing Cordial).....	(42) ..	5 00
Fl. ext. Rhubarb comp. with Potassium, 120 fl. oz.		9 00
Rubus, <i>see Blackberry.</i>		
Sarsaparilla, 120 grs.....	(43) ..	3 80
Sarsaparilla Compound, U. S. P.....	(44) ..	3 80
1000 Cc. represents:		7 20
Fl. Ext. Sarsaparilla..... 200 Cc.		
Fl. Ext. Glycyrrhiza..... 15 Cc.		
Fl. Ext. Senna..... 15 Cc.		
Oil Sassafras..... 0.1 Cc.		
Oil Anise..... 0.1 Cc.		
Oil Gaultheria..... 0.1 Cc.		
Sarsaparilla Comp. with Potass. iodide .....	(45) ..	6 25
16 grs. Potassium iodide in each fluidounce of Syrup Sarsaparilla compound.		10 80
29 Sodium hypophosphite, 32 grs.....	4 50	8 25
Squaw-vine Comp. (Mother's Cordial) .....	(47) ..	3 80
Squaw-vine, 60 grs. Viburnum Opulus, 15 grs.		7 20
Helonias, 15 grs. Caulophyllum, 15 grs.		
Squill, U. S. P.....	(48) ..	3 00
100 Cc. represents:		6 00
Vinegar Squill..... 45 Cc.		
Squill Compound, U. S. P.....	(49) ..	3 80
1000 Cc. represents:		7 20
Fl. Ext. Squill..... 80 Cc.		
Fl. Ext. Senega ..... 80 Cc.		
Antimony & Potass. tartrate. 2 Gm.		

PART  
ONE.*Medicinal Syrups.*

Each fluidounce of Syrup represents the quantity of ingredients specified.	Per gallon in $\frac{1}{2}$ -gal. bottles, inclusive.	Per dozen pints.
Stillngia Compound.....(51) .. \$ 3 80	\$ 3 80	\$ 7 20
<i>Stillingia, 30 grs. Chimaphila, 15 grs.</i>		
Turkey-corn, 30 grs. Iris, 15 grs.		
Sambucus, 15 grs. Prickly Ash berries, 7 1-2 grs.		
Coriander, 7 1-2 grs.		
Tolu.....(52) .. 3 80	3 80	7 20
Trifolium Compound, see Part II.		
Wild Cherry, U. S. P. (15 Gm. in 100 Cc.) .(53) .. 3 80	3 80	7 20
30 Yerba Santa aromatic, see Part II.		

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

31 Alterative Compound.....	\$ 5 00	\$ 9 00
32 Blackberry (Rubus), 120 grs.— <i>Discontinued.</i>		
33 Blackberry Aromatic, 120 grs.....	3 80	7 20
34 Buckthorn berries .....	3 80	7 20
35 Corydalis Compound— <i>Discontinued.</i>		
36 Ginger— <i>Discontinued.</i>		
37 Horehound Compound.....	3 80	7 20
38 Ipecac, 30 grs.....	5 50	9 60
39 Iron iodide, see Part II.		
40 Rhubarb, U. S. P.— <i>Discontinued.</i>		
41 Rhubarb Aromatic.....	3 80	7 20
42 Rhubarb Comp. with Potassium (Neutralizing Cordial).....	5 00	9 00
43 Sarsaparilla, 120 grs.....	3 80	7 20
44 Sarsaparilla Compound, U. S. P.....	3 80	7 20
45 Sarsaparilla Comp. with Potassium iodide.....	6 25	10 80
46 Senega— <i>Discontinued.</i>		
47 Squaw-vine Compound (Mother's Cordial)....	3 80	7 20
48 Squill, U. S. P.....	3 00	6 00
49 Squill Compound, U. S. P.....	3 80	7 20
50 Stillingia.— <i>Discontinued.</i>		
51 Stillingia Compound.....	3 80	7 20
52 Tolu.....	3 80	7 20
53 Wild Cherry, U. S. P. (15 Gm. in 100 Cc.) ....	3 80	7 20

*A New Form of Presenting Quinine.*

See Gelatin Capsules containing Quinine sulphate in granulated form, Part II, page 135, also page 253.

# Soluble Gelatin Capsules.

---

## 1. Soluble Elastic Capsules Filled,

See pages 104 to 110.

## 2. Soluble Elastic Capsules Filled, Extra-sized,

See page 110.

## 3. Hard Filled Capsules,

See pages 111 and 112.

## 4. Empty Capsules.

See Part II.

---

Prepared from the Finest French Gelatin by Improved Processes and Apparatus; Very Soluble and Easy to Swallow;  
Unexcelled in Quality.

---

We offer here a superior means for the administration of drugs possessing pungent, acrid or oily properties. The enclosure of such substances in an envelope of flexible gelatin not only avoids giving offense to the palate, but allows the medicine to be exhibited with greater ease, and in larger single doses.


When drugs of this nature are taken in the ordinary way, it becomes a difficult matter to avoid the occurrence of nausea, which often seriously interferes with the production of the proper remedial effect.

We desire to state, with reference to the drugs which are presented in this form, that, whether or not of our own manufacture, they are of the best quality the market affords.


---

*We would direct special attention to our Improved "Acme" Capsule Filler on page 125; also note 32.*

15 Gm. size.



5 Gm. size.



10 Ml. size.



2 1/2 Gm. size.



10 Gm. size.

## Soluble Elastic Capsules, Filled.

*These Capsules are Prepared from the Finest Material,  
and Are Not Surpassed by Any Brand in Use.*

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
1	Apiol, green, 5 Ml..... With Olive oil, 5 Ml. See also Hard Filled Capsules.	\$ 3 60	\$ 6 90	\$ 2 20
	Apiol, red, 3 Ml (See note 14a) ... (150) With Olive oil, 2 Ml.	6 30	12 30	4 00
2	Balsam Fir, 10 Ml .....	1 35	2 40	.70
3	Balsam Peru, 10 Ml.....	1 65	3 00	.90
	Cascara Sagrada Extract, 1 gr....(81) With Olive oil.	1 50	2 70	.80
	Cascara Sagrada Extract, 2 grs... (79) With Olive oil.	1 80	3 30	1 00
	Cascara Sagrada Extract, 3 grs... (80) With Olive oil.	2 00	3 70	1 15
4	Castor Oil, 10 Ml..... See also Extra Sized and Hard Caps.	1 20	2 10	.60
5	Castor Oil and Oil of Fleabane..... Castor oil, 5 Ml. Oil Erigeron, 5 Ml.	1 35	2 40	.70
6	Castor Oil and Podophyllin..... Castor oil, 10 Ml. Podophyllum resin, 1-8 gr. See also Hard Filled Capsules.	1 20	2 10	.60
7	Chaulmoogra Oil, 10 Ml..... See also Hard Filled Capsules.	2 40	4 50	1 40
8	Chloroform—Discontinued.			
9	Cod Liver Oil, Norwegian, 10 Ml. See also Extra Sized and Hard Caps.	1 20	2 10	.60

*Soluble Elastic Capsules.*PART  
ONE.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
	Cod Liver Oil and Creosote.....(86) Cod Liver oil, Norwegian, 10 ℥. Beechwood Creosote, 1 ℥. See also under "Creosote," page 106.	\$ 1 65	\$ 3 00	\$ .90
10	and 11—Discontinued.			
12	Cod Liver Oil and Iron Iodide..... Cod Liver oil, Norwegian, 10 ℥. Ferrous iodide, 1-2 gr. See also Hard Filled Capsules.	1 35	2 40	.70
13	Cod Liver Oil and Iodine..... Cod Liver oil, Norwegian, 10 ℥. Iodine, 1-4 gr.	1 35	2 40	.70
14	Cod Liver Oil and Iodoform..... Cod Liver oil, Norwegian, 10 ℥. Iodoform, 2 grs.	2 00	3 70	1 15
15	Cod Liver Oil and Phosphorus (1-30 gr.) Discontinued.			
16	Cod Liver Oil and Phosphorus (1-60 gr.) Cod Liver oil, Norwegian, 10 ℥. Phosphorus, 1-60 gr.	1 20	2 10	.60
17	Copaiba, Para, 10 ℥..... See also Hard Filled Capsules.	1 20	2 10	.60
	Copaiba Resin .....(69) Copaiba, deprived of volatile oil, 5 ℥. Olive oil, 5 ℥.	1 65	3 00	.90
18	Copaiba and Iron..... Copaiba, Para, 10 ℥. Iron and Am. cit. (equivalent) 2 grs. See also Hard Filled Capsules.	1 35	2 40	.70
19	Copaiba and Oleoresin Cubeb..... Copaiba, Para, 7 ℥. Oleoresin Cubeb, 3 ℥. See also Hard Filled Capsules.	1 80	3 30	1 00
20	Copaiba, Cubeb and Buchu..... Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Ext. Buchu, 2 grs.	1 80	3 30	1 00
21	Copaiba, Cubeb and Iron..... Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Tr. Ferric chloride (equivalent), 2 ℥.	1 80	3 30	1 00
22	Copaiba, Cubeb and Rhatanay..... Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Ext. Krameria, 2 grs.	1 80	3 30	1 00
23	Copaiba, Cubeb and Santal..... Copaiba, Para, 6 ℥. Oil Cubeb, 2 ℥. Oil Santal, East India, 2 ℥. See also Hard Filled Capsules.	2 40	4 50	1 40
24	Copaiba, Cubeb and Sarsaparilla..... Copaiba, Para, 6 ℥. Oleoresin Cubeb, 2 ℥. Ext. Sarsaparilla, 2 grs.	1 80	3 30	1 00

PART  
ONE.*Specify P. D. & Co.'s*

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
25	Copaiba, Cubeb and Turpentine .....	\$ 1 80	\$ 3 30	\$ 1 00
	Copaiba, Para, 4 ℥.			
	Oil Cubeb, 2 ℥.			
	Oil Turpentine, 4 ℥.			
26	Copaiba and Oil of Cubeb.....	2 00	3 70	1 15
	Copaiba, Para, 7 ℥. Oil Cubeb, 3 ℥.			
27	Copaiba and Rhatany .....	1 35	2 40	70
	Copaiba, Para, 8 ℥.			
	Ext. Krameria, 2 grs.			
28	Copaiba and Santal.....	2 40	4 50	1 40
	Copaiba, Para, 5 ℥.			
	Oil Santal, East India, 5 ℥.			
	See also Hard Filled Capsules.			
	Copaiba and Matico.....(37)	2 10	3 90	1 20
	Copaiba, Para, 7 ℥.			
	Oleoresin Matico, 3 ℥.			
	Copaiba, Cubeb and Matico.....(38)	2 00	3 70	1 15
	Copaiba, Para, 6 ℥.			
	Oleoresin Cubeb, 3 ℥.			
	Oleoresin Matico, 1 ℥.			
	Copaiba, Cubeb, Matico and Santal.(39)	2 70	5 10	1 60
	Copaiba, Para, 3 ℥.			
	Oleoresin Cubeb, 3 ℥.			
	Oleoresin Matico, 1 ℥.			
	Oil Santal, East India, 3 ℥.			
	Copaiba Oil and Oil of Cubeb....(41)	2 50	4 70	1 45
	Oil Copaiba, 6 ℥. Oil Cubeb, 4 ℥.			
	See also Hard Filled Capsules.			
	Creosote, Beechwood, 1 ℥ .....(83)	1 80	3 30	1 00
	With Olive oil, 4 ℥.			
	Creosote, Beechwood, 2 ℥.....(151)	2 00	3 70	1 15
	With Cod-Liver Oil, 8 ℥.			
	Cubeb Oil, 10 ℥.....(30)	3 75	7 20	2 30
	Cubeb Oleoresin, 10 ℥.....(31)	3 00	5 70	1 80
	Cubeb and Matico.....(40)	3 50	6 70	2 10
	Oleoresin Cubeb, 7 ℥.			
	Oleoresin Matico, 3 ℥.			
	Cubeb and Santal.....(48)	3 25	6 20	1 95
	Oil Cubeb, 5 ℥.			
	Oil Santal, East India, 5 ℥.			
	Erigeron Oil, 10 ℥.....(42)	2 10	3 90	1 20
	Eucalyptus Oil, 5 ℥.....(43)	2 00	3 70	1 15
	With Sweet Almond oil, 5 ℥.			
	See also Hard Filled Capsules.			
	Gurjun Balsam, 10 ℥.....(32)	2 00	3 70	1 15
	Haarlem Oil, 10 ℥.....(33)	1 35	2 40	70
	Hæminal, 0.25 grm. (about 4 grs.) ..(99)	1 20	2 10	60
	See page 129.			
	Linseed Oil, 10 ℥ .....	(35)	1 20	2 10
	Liquor Sedans.....(87)	2 10	3 90	1 20
	Each capsule represents 1 fluidrachm of Liquor Sedans. See note III.			

*Soluble Elastic Capsules.*PART  
ONE.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
	Male-fern and Kamala .....(44) Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥. See also Hard Filled Capsules.	\$ 4 00	\$ 7 70	\$ 2 45
	Nitroglycerin (Glonoin), 1-100 gr. ....(68) With Olive oil, 8 ℥. Castor oil, 2 ℥.	1 65	3 00	90
	Pennyroyal Oil, 2 ℥.....(76) With Olive oil, 8 ℥.	1 65	3 00	90
29	Petroleum Mass, 10 ℥ .....	1 35	2 40	70
	Phenacetine (Bayer), 5 grs.....(93)	4 00	7 70	2 45
	Phosphorated Oil Compound.....(56) Phosphorus, 1-60 gr. in 10 ℥ of oil. Ext. Nux vomica, 1-4 gr.	1 50	2 70	80
	Pichi Extract, 5 grs.....(82) With Sweet Almond oil, 5 ℥. See note 136.	2 10	3 90	1 20
	Quinine, see Part II.			
	Quinine and Capsicum, see Part II.			
	Salicylic Acid (true), 5 grs.....(95) Salicylic Acid (true) 5 grs. Powd. Milk sugar, 2 grs.	2 00	3 70	1 15
	Salol, 2 1-2 grs.....(211)	1 65	3 00	90
	Salol, 5 grs.....(212)	2 40	4 50	1 40
	Salol Compound.....(85) Salol, 3 1-2 grs. Oleores. Cubeb, 5 ℥. Copaiba, Para, 10 ℥. Pepsin aseptic (1-3000), 1 gr.	3 75	7 20	2 30
	Salol and Santal Compound.....(92) Salol, 4 grs. Oleoresin Cubeb, 5 ℥. Santal oil, E. India, 5 ℥. Pepsin aseptic (1-3000), 1 gr. Olive oil, 5 ℥.	4 00	7 70	2 45
	Santal Oil, East India, 5 ℥.....(89)	2 00	3 70	1 15
	Santal Oil, East India, 10 ℥.....(46) See also Hard Filled Capsules.	3 60	6 90	2 20
	Santal and Cassia.....(47) Oil Santal, East India, 9 ℥. Oil Cinnamon, 1 ℥. See also Hard Filled Capsules.	3 25	6 20	1 95
	Saw Palmetto.....(88) Oleoresin Saw Palmetto, 5 ℥. Olive oil, 5 ℥.	1 50	2 70	80
	Saw Palmetto and Santal.....(91) Oleoresin Saw Palmetto, 3 ℥. Oil Santal, East India, 2 ℥.	1 50	2 70	80

PART  
ONE.

## Specify P. D. &amp; Co.'s

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
	Tæniafuge.....(90) Oleoresin Aspidium, 7 ℥. Erigeron oil, 1 ℥. Chloral, 3 grs. Castor oil, 8 ℥. Oleum Tiglii, 1-16 ℥.	\$ 4 00	\$ 7 70	\$ 2 45
	Tar, purified, 10 ℥.....(57)	1 20	2 10	60
	Terebene, 10 ℥.....(78)	2 00	3 70	1 15
	Turpentine Oil, 5 ℥.....(84)	1 20	2 10	60
	Turpentine Oil, 10 ℥.....(49)	1 20	2 10	60
	Valerian Oil, 2 ℥.....(74) With Sweet Almond Oil, 8 ℥.	2 00	3 70	1 15
	Warburg's Tincture.....(73) Each capsule represents 2 fluidrachms of Warburg's Tincture.	4 00	7 70	2 45
	Warburg's Tincture, without Aloes (96) Each capsule represents 2 fluidrachms of Warburg's Tincture, without Aloes.	4 00	7 70	2 45
	Wintergreen Oil, 5 ℥.....(77) With Olive oil, 5 ℥.	1 80	3 30	1 00
	Wintergreen Oil, 10 ℥.....(72)	2 40	4 50	1 40

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

30	Cubeb Oil, 10 ℥.....	3 75	7 20	2 30
31	Cubeb Oleoresin, 10 ℥.....	3 00	5 70	1 80
32	Gurjun Balsam, 10 ℥.....	2 00	3 70	1 15
33	Haarlem Oil, 10 ℥.....	1 35	2 40	70
34	Kava Kava—Discontinued.			
35	Linseed Oil, 10 ℥.....	1 20	2 10	60
36	Matico Oleoresin, 10 ℥—Discontinued.			
37	Copaiba and Matico.....	2 10	3 90	1 20
38	Copaiba, Cubeb and Matico.....	2 00	3 70	1 15
39	Copaiba, Cubeb, Matico and Santal....	2 70	5 10	1 60
40	Cubeb and Matico.....	3 50	6 70	2 10
41	Copaiba Oil and Oil of Cubeb.....	2 50	4 70	1 45
42	Erigeron Oil, 10 ℥.....	2 10	3 90	1 20
43	Eucalyptus Oil, 5 ℥.....	2 00	3 70	1 15
44	Male-fern and Kamala .....	4 00	7 70	2 45
45	Origanum Oil, 5 ℥—Discontinued.			
46	Santal Oil, East India, 10 ℥ .....	3 60	6 90	2 20
47	Santal and Cassia.....	3 25	6 20	1 95
48	Cubeb and Santal.....	3 25	6 20	1 95

*Soluble Elastic Capsules.*PART  
ONE.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
49	Turpentine Oil, 10 ℥.....	\$ 1 20	\$ 2 10	\$ 60
50	Wormseed Oil.— <i>Discontinued.</i>			
51	to 55 Phosphorated Oil, 1-10, 1-30, 1-50, 1-60, 1-100 gr.— <i>Discontinued.</i>			
56	Phosphorated Oil Compound.....	1 50	2 70	80
57	Tar, purified, 10 ℥.....	1 20	2 10	60
58	Taraxacine— <i>Discontinued.</i>			
59	Xylol— <i>Discontinued.</i>			
60	to 67. See Extra Sized Capsules.			
68	Nitroglycerin (Glonoin), 1-100 gr.....	1 65	3 00	90
69	Copaiba Resin .....	1 65	3 00	90
70	and 71. See Extra Sized Capsules.			
72	Wintergreen Oil, 10 ℥.....	2 40	4 50	1 40
73	Warburg's Tincture.....	4 00	7 70	2 45
74	Valerian Oil, 2 ℥.....	2 00	3 70	1 15
75	Pennyroyal Oil, 1 ℥— <i>Discontinued.</i>			
76	Pennyroyal Oil, 2 ℥.....	1 65	3 00	90
77	Wintergreen Oil, 5 ℥.....	1 80	3 30	1 00
78	Terebene, 10 ℥.....	2 00	3 70	1 15
79	Cascara Sagrada Extract, 2 grs.....	1 80	3 30	1 00
80	Cascara Sagrada Extract, 3 grs.....	2 00	3 70	1 15
81	Cascara Sagrada Extract, 1 gr.....	1 50	2 70	80
82	Pichi Extract, 5 grs.....	2 10	3 90	1 20
83	Creosote, Beechwood, 1 ℥.....	1 80	3 30	1 00
84	Turpentine Oil, 5 ℥.....	1 20	2 10	60
85	Salol Compound.....	3 75	7 20	2 30
86	Cod Liver Oil and Creosote.....	1 65	3 00	90
87	Liquor Sedans.....	2 10	3 90	1 20
88	Saw Palmetto.....	1 50	2 70	80
89	Santal Oil, East India, 5 ℥.....	2 00	3 70	1 15
90	Tæniafuge.....	4 00	7 70	2 45
91	Saw Palmetto and Santal.....	1 50	2 70	80
92	Salol and Santal Compound.....	4 00	7 70	2 45
93	Phenacetine (Bayer), 5 grs.....	4 00	7 70	2 45
94	Quinine and Capsicum, see Part II.			
95	Salicylic Acid (true), 5 grs.....	2 00	3 70	1 15
96	Warburg's tincture, without Aloes.....	4 00	7 70	2 45
97	See "Extra-Sized Capsules."			
98	See "Extra-Sized Capsules."			
99	Hæminal, 0.25 grm. (see page 223)....	1 20	2 10	60
100	to 121. See Hard Filled Capsules.			

PART  
ONE.*Specify P. D. & Co.'s*

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk per box of one hund'd.
122	to 149. Not yet added.			
150	Apiol, Red, 3 ℥.....	\$ 6 30	\$12 30	\$ 4 00
151	Creosote, Beechwood, 2 ℥.....	2 00	3 70	1 15
152	to 200. Not yet added.			
201	to 205 Quinine sulphate, see Part II.			
206	to 210 Cinchonidine sulphate, 1, 2, 3, 4 and 5 grs.—Discontinued.			
211	Salol, 2 1-2 grs.....	1 65	3 00	.90
212	Salol, 5 grs.....	2 40	4 50	1 40
213	and 214 Quinine hydrochlorate, see Part II.			

*Soluble Elastic Capsules, Filled,  
Extra Sized.*

These capsules are easy to swallow, and present a very pleasant method for administration of Castor and Cod Liver Oils to patients who have an aversion for these substances in an undisguised form. For full-sized illustrations, see page 104.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of ½ doz. each.	B Per doz. boxes of 1 doz. each.
60	Castor Oil, 2 1-2 Gm. size.....	\$ 1 50	\$ 2 70
61	Castor Oil, 5 Gm. size.....	1 80	3 30
62	Castor Oil, 10 Gm. size.....	2 40	4 50
63	Castor Oil, 15 Gm. size.....	3 00	5 70
64	Cod Liver Oil, Norwegian, 2 1-2 Gm. size....	1 50	2 70
65	Cod Liver Oil, Norwegian, 5 Gm. size.....	1 80	3 30
66	Cod Liver Oil, Norwegian, 10 Gm. size.....	2 40	4 50
67	Cod Liver Oil, Norwegian, 15 Gm. size.....	3 00	5 70
70	Male-fern and Castor Oil..... Oleores. Aspidium, 1 Gm. Castor oil, 1 1-2 Gm. (16 ℥.) (25 ℥.)	3 00	5 70
	Mercurial Ointment, U.S.P., 5 Gm.....(97)	2 40	4 50
	Oleate Mercury, 5 Gm.....(98)	3 00	5 70
71	Santonin and Castor Oil—Discontinued.		

# Hard Filled Capsules.

These capsules are prepared from the finest material, and are not surpassed by any brand in use.

All the formulæ mentioned in this list of Hard Filled Capsules will also be found in Soluble Elastic Capsules.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk Per box of one hundred.
100	Apiol, 5 ℥..... With Olive oil, 5 ℥.	\$ 3 30	\$ 6 30	\$ 2 00
101	Castor Oil, 10 ℥.....	1 20	2 10	60
102	Castor Oil and Podophylin..... Castor oil, 10 ℥. Podophyllum resin, 1-8 gr.	1 20	2 10	60
	Chaulmoogra Oil, 5 ℥.....(119)	2 00	3 70	1 15
	Chaulmoogra Oil, 10 ℥.....(120)	2 25	4 20	1 30
103	Cod Liver Oil, Norwegian, 10 ℥.....	1 20	2 10	60
104	Cod Liver Oil and Iron Iodide..... Cod Liver oil, Norwegian, 10 ℥. Ferrous iodide, 1-2 gr.	1 35	2 40	70
105	Copaiba, Para, 10 ℥.....	1 20	2 10	60
106	Copaiba and Iron..... Copaiba, Para, 10 ℥. Iron and Am. cit., (equivalent) 2 grs.	1 35	2 40	70
107	Copaiba and Oleoresin Cubeb..... Copaiba, Para, 7 ℥. Oleoresin Cubeb, 3 ℥.	1 80	3 30	1 00
108	Copaiba and Oil Cubeb (black) .... Copaiba, Para, 7 ℥. Oil Cubeb, 3 ℥.	1 80	3 30	1 00
	Copaiba and Santal.....(114)	2 25	4 20	1 30
	Copaiba, Para, 5 ℥. Oil Santal, East India, 5 ℥.			
	Copaiba, Cubeb and Santal....(115)	2 30	4 30	1 35
	Copaiba, Para, 6 ℥. Oil Cubeb, 2 ℥. Oil Santal, East India, 2 ℥.			
	Eucalyptus Oil, 5 ℥.....(110)	1 35	2 40	70
	With Sweet Almond oil, 5 ℥.			
109	Haarlem Oil, 10 ℥—Discontinued.			
	Male-fern and Kamala.....(111)	3 50	6 70	2 10
	Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥.			
	Santal Oil, East India, 5 ℥....(121)	1 85	3 40	1 05
	Santal Oil, East India, 10 ℥...(112)	3 30	6 30	2 00
	Santal and Cassia.....(113)	3 00	5 70	1 80
	Oil Santal, East India, 9 ℥. Oil Cinnamon, 1 ℥.			
110	Eucalyptus Oil, 5 ℥..... With Sweet Almond oil, 5 ℥.	1 35	2 40	70

PART  
ONE.*Hard Filled Capsules.*

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz. each.	B Per doz. boxes of 2 doz. each.	D Bulk, Per box of one hundred.
111	Male-fern and Kamala..... Oleoresin Aspidium, 7 ℥. Kamala, sifted, 4 grs. Olive oil, 1 ℥.	\$ 3 50	\$ 6 70	\$ 2 10
112	Santal Oil, East India, 10 ℥.....	3 30	6 30	2 00
113	Santal and Cassia..... Oil Santal, East India, 9 ℥. Oil Cinnamon, 1 ℥.	3 00	5 70	1 80
114	Copaiba and Santal..... Copaiba, Para, 5 ℥. Oil Santal, East India, 5 ℥.	2 25	4 20	1 30
115	Copaiba, Cubeb and Santal..... Copaiba, Para, 6 ℥. Oil Cubeb, 2 ℥. Oil Santal, East India, 2 ℥.	2 30	4 30	1 35
116	Turpentine Oil, 10 ℥—Discontinued.			
117	Tar, purified, 10 ℥—Discontinued. See S. E. Capsules.			
118	Xylol, 10 ℥—Discontinued.			
119	Chaulmoogra Oil, 5 ℥.....	2 00	3 70	1 15
120	Chaulmoogra Oil, 10 ℥.....	2 25	4 20	1 30
121	Santal Oil, East India, 5 ℥.....	1 85	3 40	1 05

*SOME ADVANTAGES OF  
Empty Gelatin Capsules.*

Dissolution on contact with the surface of the stomach, and therefore immediate assimilation of the medicament administered.

The medicament may be administered in its most assimilable form (Goose powder), and its nauseous taste still disguised.

Quick returns may be expected from emetics administered in empty capsules.

An eminent physician directs attention to the fact that even fluids may be administered at the bedside of the patient, by dropping the liquid into a capsule with the aid of a pipette and having the patient swallow it at once, before the fluid has had time to dissolve the gelatin. The same doctor secures the best effects from Cascara Sagrada by directing the patient to procure a box of capsules and a pipette and thus administer the bitter fluid extract, at periods prescribed by him.

*Our Hard Empty Gelatin Capsules are unequalled for purity and solubility. The caps fit closely and are readily adjusted.*

FOR PRICES, SEE PAGES 124 AND 125.

# Medicated Lozenges.

We supply lozenges of any formula, shape, color or flavor, and will cheerfully furnish estimates on any desired combination not in the list. Send for descriptive circular containing diagrams of different shapes for special formulæ.

See also Part II, page 131.

	{ For prices in bulk, deduct 3 cents per pound from prices in lb. boxes.	Per lb.	Per doz. in 1 lb. boxes of boxes. 36 each.
Ammonium chloride, 2 grs. (Chocolate).....	round..	\$ 60	\$ 1 10
Bismuth and Charcoal.....	round..	65	1 20
Bismuth subnitrate, 1 gr.                  Charcoal, 1 gr.			
Bronchial.....	small round..	50	75
Ext. Glycyrrhiza, 1 gr.                  Balsam Tolu, 1-20 gr.			
Powd. Cubeb, 3-10 gr.                  Oil Sassafras, 1-40 fl. oz.			
Bronchial—Improved.....	tabular..	50	75
Powd. ext. Glycyrrhiza, 2 grs.                  Balsam Tolu, 1-10 gr.			
Fl. ext. Coltsfoot, 1-10 fl. oz.                  Fl. Ext. Capsicum, 1-100 fl. oz.			
Oleoresin Cubeb, 1-100 fl. oz.                  Oil Anise, 1-15 fl. oz.			
Oil Peppermint, 1-15 fl. oz.			
Carbolic acid, 1 gr.....	large oval..	50	1 00
Charcoal, 4 grs.....	round..	50	90
Cubeb.....	small oval..	60	70
Ext. Glycyrrhiza, 3-4 gr.                  Oil Sassafras, 1-32 fl. oz.			
Oleoresin Cubeb, 1-16 fl. oz.			
Glycyrrhiza Extract, see Liquorice.			
Guaiac, 2 grs.....	large oval..	60	1 10
Ipecac, 1-4 gr.....	small oval..	60	70
Liquorice, uncoated.....	cylindrical..	40	60
Liquorice Powder Compound, see Compressed Tablets, Part II; page 127.			
Marshmallow.....	small oval..	50	75
Powd. Althaea, 1-3 gr.			
Opium and Liquorice, see Wistar's.....		80	90
Pectoral, Dr. Jackson's.....	small oval..	95	1 00
Ipecac, 1-20 gr.                  Morphine hydrochlorate, 1-33 gr.			
Sulphurated Antimony, 1-40 gr.			
Pepsin Aseptic (1-3000), 1 gr.....	large oval..	70	1 50
Potassium chlorate, 2 grs.....	tabular..	40	75
Potassium chlorate, 5 grs.....	tabular..	45	75
Potassium chlorate, 2 grs. (Chocolate).....	tabular..	50	80
Potassium chlorate, 5 grs. (Chocolate).....	tabular..	55	85
Potassium chlorate and Ammonium chlor- ide (Chocolate).....	tabular..	55	1 00
Potassium chlorate, 1 gr.                  Ammonium chloride, 1 gr.			
Quinine sulphate, 1-2 gr. (Chocolate).....	round..	75	1 50
Red Gum, see Specialties, page 137.			
Santonin, 1-2 gr.....	round..	55	1 10
Santonin, 1 gr.....	round..	85	1 35

## PART ONE.

## *Medicated Lozenges.*

{ For prices in bulk deduct 3 cents per pound from prices in lb. boxes.	Per lb. Per doz. in 1 lb. boxes of boxes. 36 each.
Santonin and Calomel (Chocolate).....	round.. \$ 65 \$ 1 00
Santonin, 1-2 gr.	Chocolate, q. s.
Mercurous chloride, mild, 1-2 gr.	
Santonin and Calomel (pink).....	round.. 65 1 00
Santonin, 1-2 gr.	Mercurous chloride, mild, 1-2 gr.
Santonin and Calomel (white).....	round.. 65 1 00
Santonin, 1-2 gr.	Mercurous chloride, mild, 1-2 gr.
Santonin Compound.....	round.. 65 1 10
Santonin, 1-2 gr.	Mercurous chloride, mild, 1-2 gr.
Podophyllum resin, 1-20 gr.	
Santonin and Podophyllin.....	round.. 65 1 20
Santonin, 1-2 gr.	Podophyllum resin, 1-20 gr.
Sulphur Compound.....	large round.. 50 1 00
Sublimed Sulphur, 5 grs.	Potassium bitartrate, 1 gr.
Tar Compound.....	round.. 50 1 00
Pine Tar, 7-48 gr.	Senega, 7-24 gr.
Wild Cherry, 2 1-3 grs.	
Wistar's Cough.....	cylindrical.. 80 90
Powd. Opium, 1-10 gr.	Oil Anise, 1-32 fl.
Ext. Glycyrrhiza, 1 gr.	Tinct. Tolu, 1-16 fl.
Verba Santa Compound.....	cylindrical.. 75 80
Ext. Glycyrrhiza, 1 gr.	Senega, 3-16 gr.
Pine Tar, 1-32 gr.	Wild Cherry, 1-4 gr.
Eriodictyon, 1 gr.	

*We would direct the special attention of Physicians  
and Pharmacists to our*

## *Improved Lofoten Cod-Liver Oil.*

*Superior to any Cod-Liver Oil on the American  
Market.*

*Bland, Palatable, and prepared with the special intention of preserving its Therapeutic Properties.*

*For price, see Specialties, page 127.*

## Oleates.

This class of preparations was first suggested by the introduction of an oleate of mercury, which was proposed by Prof. John Marshall, as a substitute for the ordinary mercurial ointment. The list has been largely contributed to by Dr. John V. Shoemaker, of Philadelphia, who has had a wide experience in the therapeutical application of many of the metallic and alkaloidal oleates. As a result of his clinical investigations in this direction, and the researches of many other eminent members of the medical profession, their superiority from a medical as well as a pharmaceutical point of view, appears to be established.

These oleates are unlike ointments, being *true chemical combinations* and not mechanical mixtures, and we therefore omit the percentage of oxide of metal. Each oleate is a normal or undiluted chemical combination.

The manufacture of these preparations is conducted with the utmost care, and the product handled with a special view to permanency and uniformity.

Descriptive circular supplied on application.

	1 lb. bottles	1 oz. bottles per lb. per oz.
For prices in $\frac{1}{2}$ -lb. and $\frac{1}{4}$ -lb. bottles, add 15 cents and 30 cents respectively to the prices for pound bots.		
<b>Arsenic—Discontinued.</b>		
Bismuth.....	\$4 50	\$ 35
Used undiluted, as a soothing application.		
Copper.....	3 00	25
Employed in the form of ointment, 10 to 20 per cent. oleate, for the treatment of ringworms, etc.		
Iron.....	3 50	30
Readily soluble in fats. Used as a local astringent and general tonic.		
Manganese.....		50
Recommended as an efficient emmenagogue when ap- plied by inunction to the abdomen in the form of a 20-per cent solution.		
Manganese, 20 % solution of the oleate.....		30
Emmenagogue. See preceding note.		
Mercury (precipitated).....	4 50	35
Stable in composition. Produces all the therapeutic effects of the mercury. From this pure oleate, a "20%," "10%," or "5%" oleate can easily be prepared extemporaneously, as fully explained in the circular accompanying each parcel.		
Tin .....	4 50	35
A remedy of considerable value for restoring the luster of diseased nails.		
Zinc .....	3 00	25
An impalpable powder. Dusted over the surface in skin diseases. Also employed in the form of an ointment.		

## Oleates of Alkaloids.

These oleates produce the same proportionate effect as the simple agents. They are of great benefit where the remedies may not be administered in the usual way, or where local action is required.

In fractions of an ounce the price will be increased proportionately.

	PER OZ. AV.
Aconitine, containing 2% alkaloid as an oleate.....	\$ 80
Atropine, containing 2% alkaloid as an oleate.....	65
Cocaine 5%, see <i>Cocaine preparations, Part II.</i>	
Morphine, containing 10% alkaloid as an oleate.....	1 15
Morphine and Mercury.....	70
Containing 5% of morphine alkaloid and 20% of mercuric oxide.	
Quinine, containing 25% alkaloid as an oleate.....	50

---

## Glyceroles.

Each fluidounce of any glycerole represents the quantity of ingredients specified.

	PER PINT.
Hypophosphites.....	\$ 1 00
Calcium hypophosphate, 6 grs. Sodium hypophosphate, 5 grs.	
Potassium hypophosphate, 3 grs.	
Lead subacetate B. P.....	70
Pepsin, concentrated, see <i>Pepsin preparations, Part II.</i>	
Pepsin and Wafer Ash.....	90
Saccharated Pepsin, U. S. P., 1890, 16 grs. Wafer Ash, 30 grs.	
Tar, 30 grs.....	65
Yerbine Compound; for price, see <i>Part II, page 129.</i>	
Eriodictyon, 90 grs. Potassium bromide, 7 1-2 grs.	
Glycyrrhiza, 90 grs. Grindelia, 30 grs.	
Wild Cherry, 30 grs. Pine Tar, 2 3-4 grs.	
Salicylic acid, 2 grs.	

---

## Pepsin.

We invite attention to the superiority of our preparations of Pepsin over those of other manufacturers in regard to

*Strength, Solubility, Permanence,  
Purity and Appearance.*

## Inhalants for Use in Atomizing Inhalers.

[SEE PART 2, PAGE 137, FOR PRICE, AND NOTE 156, FOR DESCRIPTION, OF SEMPLE'S ATOMIZING INHALER.]

Put up in pint, half-pint and quarter-pint bottles. Prices given are for pint bottles. For half-pint bottles an additional charge of 10 cents, and for quarter-pint bottles of 20 cents per pint will be made.

Per  
Pint.

Inhalant No. 1.....	\$ 35
A petroleum product specially adapted for inhalation and for use as a base, or diluent, for inhalants. It is free from irritating properties, on account of which it is much to be preferred to similar preparations from which the sulphuric acid or other objectionable agents, used in process of purification, have been imperfectly removed.	
Inhalant No. 2.....	1 00
Copaiba, 1-2 fl.oz.	Ether, 1 fl.oz.
Inhalant No. 1, sufficient to make 4 fl.ozs.	
Inhalant No. 3.....	1 25
Fl. Ext. Eriodictyon, 1 fl.oz.	Glycerin, 1 fl.oz.
Tinct. Opium, 60 ml.	Alcohol, sufficient to make 3 fl.ozs.
Inhalant No. 4.....	1 25
Fl. Ext. Stramonium seed, 60 ml.	Glycerin, 1 fl.oz.
Fl. Ext. Hyoscyamus, 60 ml.	Alcohol, sufficient to make 3 fl.ozs.
Fl. Ext. Belladonna leaves, 30 ml.	
Inhalant No. 5.....	1 00
Tinct. Benzoin comp., Glycerin, Alcohol, of each 1 fl.oz.	
Inhalant No. 6.....	60
Oil of Tar, 30 ml.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 7.....	1 00
Oil Eucalyptus, 60 ml.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 8.....	1 00
Tinct. Iodine, 90 ml.	Glycerin, 1 fl.oz.
Alcohol, sufficient to make 3 fl.ozs.	
Inhalant No. 9.....	1 00
Fl. Ext. Sanguinaria, 60 ml.	Glycerin, 1 fl.oz.
Fluid Tolu, soluble, 1-2 fl.oz.	Alcohol, sufficient to make 3 fl.ozs.
Inhalant No. 10.....	1 00
Tinct. Iodine, 120 ml.	Fluid Tolu, soluble, 1 fl.oz.
Carbolic acid, 120 grs.	Glycerin, 1 fl.oz.
Alcohol, sufficient to make 3 fl.ozs.	
Inhalant No. 11.....	1 25
Fl. Ext. Cubeb, 60 ml.	Tinct. Camphor, 60 ml.
Fluid Tolu, soluble, 60 ml	Carbolic acid, 60 grs.
Tinct. Iodine, 60 ml.	Glycerin, 1 1-3 fl.ozs.
Alcohol, sufficient to make 4 fl.ozs.	
Inhalant No. 12.....	1 25
Ether, 1 fl.oz.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 13.....	1 00
Tinct. Iodine, 120 ml.	Glycerin, 1 fl.oz.
Water, 1 fl.oz.	
Inhalant No. 14.....	60
Carbolic acid, 10 grs.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 17.....	1 25
Chloroform, 1 fl.oz.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 18.....	1 00
Beechwood Creosote, 30 ml.	Inhalant No. 1, 1 fl.oz.
Inhalant No. 19.....	2 50
Iodoform, 20 grs.	Oil Eucalyptus, 20 ml.
Beechwood Creosote, 10 ml.	Ether, 120 ml.
Oil Sweet Almond, sufficient to make 1 fl.oz.	
Inhalant No. 20.....	5 00
Terebene, 60 ml.	Oil Santal, East India, 60 ml.
Oil Cubeb, 60 ml.	Inhalant No. 1, sufficient to make 1 fl.oz.

## Granular Effervescent Preparations.

These salts will be found equal to the best domestic or imported brands in the market. Each drachm contains the quantity of ingredient specified in its formula.

	For price in pound bottles deduct 60 cents from price for one doz. 4 oz. bottles and divide remainder by 3.	Per doz. 2 oz.	Per doz. 4 oz.
Caffeine, citrated, U. S. P.....		\$3 00	\$4 75
100 Gm. contains 2 Gm. Citrated Caffeine.			
Caffeine and Potassium bromide.....		3 25	5 00
Caffeine, 1 gr. .... Potassium bromide, 5 grs.			
Cerium oxalate, 2 grs.....		4 00	6 00
Congress, 2 drachms salt equals 1 pint natural water..	3 35	4 80	
Crab Orchard, 1 drachm salt equals 1 pint natural water	3 35	4 80	
Lithium benzoate, 2 grs.....		7 25	12 00
Lithium citrate, U. S. P.....		7 25	12 00
100 Gm. contains 7 Gm. Lithium carbonate, equal to 13. 24 Gm. Lithium citrate.			
Magnesium citrate, 24 grs.....		3 45	5 00
Pepsin, Bismuth and Strychnine.....		7 25	12 00
Pepsin aseptic (1-3000), 1 gr. Strychnine, 1-60 gr. Bismuth and Ammonium citrate, 2 grs.			
Potassium bicarbonate, 10 grs.....		3 45	5 00
Vichy, 1 drachm salt equals 1 pint natural water.....		3 45	5 00

## Artificial Mineral Water Salts.

These salts, which should not be confounded with our granular effervescent preparations, are designed for the extemporaneous production at the soda fountain of artificial mineral spring waters. When in solution they are to be charged with carbonic acid gas.

Full descriptive circular sent on application.

SPRINGS.	Quantity of min- eral water 1 lb. of the salt will produce.		Price per lb in one lb bottles.	Price per lb in five lb cans.
Congress .....	11	gallons.	\$ .60	\$ .50
Crab Orchard .....	13	"	.60	.50
Geyser .....	9	"	.50	.40
High Rock .....	13 1-4	"	.65	.55
Selters (Seltzer).....	28	"	.75	.65
Vichy.....	13 1-4	"	.65	.55

# HYDRASTIS (GOLDEN-SEAL)

## And Its Preparations.

The therapeutic value of this important drug is attested by the fact that it has been officially recognized in foreign pharmacopœias, although these authorities are usually tardy in recognizing remedies of American origin. We find, also, that German investigators are at work in developing useful derivatives of the alkaloids already known to exist in the plant. Regarding the principal natural alkaloids, hydrastine and berberine, it may be said that the experience of the medical fraternity has established the fact that to the former may be ascribed the effects on mucous membranes and the latter may be regarded as possessing decided tonic properties.

**HYDRASTIN VS. BERBERINE.**—It is to be regretted that considerable confusion has been produced by the incorrect nomenclature given to the preparations of Golden-seal by certain manufacturers, by whom the yellow alkaloid **BERBERINE** and its salts have been designated as Hydrastine, Hydrastia or Hydrastin.

**Hydrastine** is the white alkaloid of Golden-seal. A preparation has long been marketed under the name of Hydrastin, which is a *concentration* representing the combined active principles of the drug, and if the use of the term Hydrastin could be limited to this concentration alone, much confusion would thereby be avoided. Our customers would confer a favor by ordering

Berberine hydrochlorate instead of Hydrastin muriate.  
Berberine phosphate " " Hydrastin phosphate.  
Berberine sulphate " " Hydrastin sulphate.

**Golden-seal**—We furnish carefully selected drug, pressed, in pounds and ounces. Our *preparations* of Hydrastis may be enumerated as follows:

**Fluid Extract Hydrastis.**—Not miscible with water to a clear solution, as it contains resinous matter.

**Fluid Extract Golden-seal without Alcohol.**—Miscible with water and preferred for certain purposes. By reason of the absence of alcohol, it is largely divested of irritating properties.

**Fluid Golden-seal, Colorless.**—In this, the yellow alkaloid, berberine, is absent, and being intended as a local application for Gonorrhœa, Leucorrhœa, etc., it is free from any tendency to soil the clothing. This preparation contains only the white alkaloid, which is valued for its effect on the mucous tracts.

**Normal Liquid Hydrastis.**—Contains 2.5% hydrastine (white alkaloid) and an average amount of berberine. Not miscible with water.

**Solid Extract Hydrastis.**—Contains the entire active principles of the drug and represents about four parts of the same.

**Powdered Extract Hydrastis.**—Strength same as solid extract. The moisture removed is replaced by powdered Hydrastis.

**Hydrastin (Concentration).**—A powdered preparation containing the white and yellow alkaloids of Hydrastis.

**Pills.**—Berberine hydrochlorate, 1 gr.; Berberine sulphate, 2 grs.; Berberine and Podophyllin; Female, Leucorrhœa; Hydrastin (concentration), 1-20 and 1 gr.; Ox Gall Compound.

**Tablet Triturates of Hydrastine (White Alkaloid).**—1-25, 1-16, 1-8 and 1-4 gr.

**Elixirs.**—Berberine and Iron; Rhubarb and Potassium; Rhubarb and Potassium with Pancreatin.

**White alkaloid Hydrastine.**—Combines readily with acids.

**Hydrastine hydrochlorate, (salt of white alkaloid).**—Freely soluble in water.

**Hydrastinine hydrochlorate**—Distinctly more powerful than Ergot in arresting post-partum hemorrhage. Valuable also in all forms of menorrhagia, whether due to simple atony, fibroids, or even more severe organic disease.

**Hydrastine sulphate, (salt of white alkaloid).**—General properties similar to those of the hydrochlorate.

**Yellow alkaloid Berberine hydrochlorate (Hydrastin muriate).**—Sparingly soluble in water in the proportion of about 1 to 500.

**Yellow alkaloid Berberine phosphate (Hydrastin phosphate).**—Soluble in water in the proportion of about 1 to 10.

**Yellow alkaloid Berberine sulphate (Hydrastin sulph.).**—Freely soluble in water, and to be preferred especially where local or external application is desired.

## Lofoten Cod Liver Oil.

# Improved Lofoten Cod-Liver Oil

—(o)—



We take pleasure in introducing to the notice of Medicine and Pharmacy our

## Improved Lofoten Cod-Liver Oil,

which we claim is superior to any other on the American market.

It is prepared with a special view of ensuring

*Permanency,*

*Palatability and*

*Therapeutic Effect.*

Our LOFOTEN COD-LIVER OIL is "nearly tasteless and odorless, and the many disagreeable effects which in former times followed the use of Cod-Liver Oil are almost entirely avoided."

Its superiority to Emulsions is very marked. "Palatability is the chief advantage possessed by Emulsions, and now that LOFOTEN COD-LIVER OIL has been rendered so palatable there seems to be little occasion to administer mixtures containing acacia, which is itself a calcium salt and has no place among foods."

"Last, but not least, is the question of Permanency. It is a well-known fact that Cod-Liver Oil grows rancid more rapidly in contact with sweetened water, which constitutes the base of nearly all Emulsions, than when preserved pure in closed vessels. LOFOTEN COD-LIVER OIL is prepared with a special view to Permanency."

## PART SECOND

—OF—

Parke, Davis & Co.'s Complete Price List.




## SPECIALTIES AT NET PRICES.

SPECIAL QUOTATIONS FOR QUANTITIES UPON APPLICATION. List Price to  
Price. Trade.

Acid Phosphates, Liquid, in $\frac{1}{2}$ pint bottles .....	per doz..	\$ 2 25	\$ 1 55
see note 2.	in pint bottles.....	per doz..	3 50    2 90
	in $\frac{1}{2}$ gallon bottles.....	per gal..	1 50    1 40
Acid Salicylic, true (from Oil Gaultheria), in oz. vials..	per oz..	60	45
See note 3.			
Aloin, pure, in ounce bottles.....	per bot..	20	16
in $\frac{1}{4}$ -pound bottles.....	per bot..	55	46
in $\frac{1}{2}$ -pound bottles .....	per bot..	95	82
in pound bottles.....	per bot..	1 75	1 50
Alveloz Milk (see note 7),			
in original vials of 6 grammes.....	per vial..	6 00	5 00
Amyl Nitrite Pearls (see note 8),			
2, 3, 4 or 5 minimis, in boxes of 1 doz.....	per box..	40	35
8 or 10 minimis, in boxes of 1 doz.....	per box..	50	45
Anæsthetic Infiltration Tablets, see "Infiltration."			
Anodyne Pine Expectorant, in pint bottles.....	per doz..	7 00	6 00
See note 9.	in 1-2 gallon bottles....	per gal..	4 00    3 50
Antiseptic Liquid, in quart bottles.....	per doz..	5 00	3 75
Antiseptic Soap, Ethereal (Johnston) (Liquid), (see note 13),			
in $\frac{1}{4}$ pint bottles.....	per pint..	95	80
in $\frac{1}{2}$ pint bottles .....	per pint..	85	70
in pint bottles.....	per pint..	75	60
in $\frac{1}{2}$ gallon bottles.....	per gal..	5 00	4 25
Antiseptic Tablets, Bernays ( <i>white</i> )			
{ Mercuric chloride, corrosive, 1 41-50 grs.			
{ Citric acid, 87-100 gr.			
( Tablet Triturate, No. 180.)	per bottle of 100. ....	17	15
	in bots. of 1000 or bots.		
	of 500....per 1000..	1 25	1 10
Antiseptic Tablets, Bernays ( <i>blue</i> ). <span style="float: right;">(Caution—For external use only.)</span>			
Formula and prices same as white.			
( Tablet Triturate, No. 695.)			
Antiseptic Tablets, B "B." ( <i>white</i> )			
{ Mercuric chloride, corrosive, 7 3-10 grs.			
{ Citric acid, 3 4-5 grs.			
( Tablet Triturate, No. 615.)	per bottle of 25.....	18	15
	per bottle of 100.....	50	40
	per bottle of 1 lb.....	2 00	1 50
	per bottle of 1000.....	3 00	2 50
Antiseptic Tablets, B "B." ( <i>blue</i> ). <span style="float: right;">(Caution—For external use only.)</span>			
Formula and prices same as white.			
( Tablet Triturate No. 696.)			
Antiseptic Tablets, B "C." ( <i>green</i> )			
Appears in British list only.			
Antiseptic Tablets, B "D." ( <i>blue</i> )			
{ Mercuric chloride, corrosive, 7 3-10 grs.			
{ Sodium chloride, 7 7-10 grs.			
( Compressed Tablet, No. 117.)	per bottle of 25.....	18	15
For description, etc., see note 14.	per bottle of 100.....	50	40
	per bottle of 1 lb.....	2 00	1 50
	per bottle of 1000 ....	3 00	2 50

## **Capsules, Empty.**

## EMPTY ORAL GELATIN CAPSULES, IMPROVED.




For approximate capacity of empty capsules, see note 31.

In boxes containing 100, any size.....	per doz..	\$ 1 10	\$ 1 10
in gross lots.....	per gross..		11 50
in half-gross lots.....	per gross..		12 00
In boxes containing 1,000.....	per doz..	9 00	9 00
In bulk (boxes of 5,000).....	per 1,000..		70

\* For description see "Food Products," page 222.

*Specialties at Net Prices.*PART  
TWO.

## EMPTY RECTAL SUPPOSITORY CAPSULES.



## NO. 13. SPECIAL SIZE ADAPTED FOR VARIOUS PURPOSES.



Capacity, about 2.75 Cc. or 1-10 ounce

## EMPTY RECTAL SUPPOSITORY CAPSULES, IMPROVED.


List Price to  
Price. Trade.

(A good substitute for cocao-butter suppositories).

In boxes containing 100, any size .....	per doz..	\$ 1 10	\$ 1 10
in gross lots.....	per gross..	II 50	
in half-gross lots.....	per gross..	I2 00	
In boxes containing 1,000.....	per doz..	9 00	9 00
In bulk (boxes of 5,000).....	per 1,000..	70	

No. 13—SPECIAL SIZE—in boxes of 100.....	per doz. boxes..	4 75	4 35
in boxes of 1000.....	per 1000..	3 75	3 50

## EXTRA SIZED EMPTY CAPSULES.



May be filled with absorbent cotton saturated for vaginal medication.  
Also convenient for veterinary use.

Please write for special quotations for these capsules in bulk.

No. 10, large (1 ounce), in boxes of 10.....per doz. boxes.. 2 50 2 30

No. 11, medium (1-2 ounce), in boxes of 10..per doz. boxes.. 2 25 1 95

No. 12, small (1-4 ounce), in boxes of 10.....per doz. boxes.. 2 00 1 80

We supply the medium size in absence of specification.

## Capsule Fillers. (For description and cut, see note 32.)

"Acme," complete with slides for all sizes.....each.. 4 00 3 50

Extra slides.....each.. 20 19

Reymond.....per set of 7 fillers.. 6 50 6 25

Any one size.....each.. 1 25 1 20

Cascara Cordial, in flasks of 12 fluid ounces.....per doz.. 9 00 7 00

For description, etc., see note 36.

Chaulmoogra Oil, in ounce vials.....per oz.. 25 22

See note 43. in pound bottles.....per lb.. 2 50 2 30

*Specify P. D. & Co.'s*

		List Price to Price. Trade.
Chian Turpentine (see note 45),		
in ounce jars.....	per oz..	\$ 50 \$ 45
in $\frac{1}{4}$ -pound jars.....	per lb..	6 20 5 45
in $\frac{1}{2}$ -pound jars.....	per lb..	6 10 5 35
in pound jars.....	per lb..	6 00 5 25
Chlor-Anodyne (see note 46),		
in ounce vials.....	per doz..	3 50 3 00
in $\frac{1}{4}$ -pint bottles.....	per pint..	4 20 3 65
in $\frac{1}{2}$ -pint bottles.....	per pint..	4 10 3 55
in pint bottles.....	per pint..	4 00 3 45
Coca Cordial (see note 50),		
in pint bottles.....	per doz..	9 00 8 50
in $\frac{1}{2}$ -gallon bottles.....	per gal..	6 00 5 00
Cocaine, Salts and Solutions. (See notes 52 and 53.)		
Cocaine alkaloid, pure in crystals,		
in 5 gr. vials.....	per vial..	13 12
in 10 gr. vials.....	per vial..	20 17
in 15 gr. vials.....	per vial..	29 25
Cocaine hydrobromate, pure in crystals,		
in 5 gr. vials.....	per vial..	13 12
in 10 gr. vials.....	per vial..	20 17
in 15 gr. vials.....	per vial..	29 25
Cocaine hydrochlorate, pure, large crystals,		
in 5 gr. vials.....	per vial..	13 12
in 10 gr. vials.....	per vial..	20 17
in 15 gr. vials.....	per vial..	29 25
in 60 gr. vials.....	per vial..	1 05 90
Cocaine hydrochlorate, pure, small crystals,		
in 5 gr. vials.....	per vial..	12 11
in 10 gr. vials.....	per vial..	19 16
in 15 gr. vials.....	per vial..	27 23
in 60 gr. vials.....	per vial..	95 85
Cocaine hydrochlorate Tablets (see note 53).		
1 1-8 grs., in vials of 25.....	per vial..	52 42
in vials of 100.....	per vial..	1 85 1 65
2 1-4 grs., in vials of 12.....	per vial..	50 40
in bottles of 100.....	per bot..	3 50 3 20
3 grs., in vials of 12.....	per vial..	75 62
in bottles of 100.....	per bot..	4 35 3 85
Cocaine hydrochlorate,		
4% solution, in $\frac{1}{8}$ -ounce vials.....	per oz..	60 53
in ounce vials.....	per oz..	50 44
Cocaine oleate, 5%, in $\frac{1}{8}$ -ounce vials.....	per oz..	1 00 85
in ounce vials.....	per oz..	90 75
Cocaine salicylate, 4% solution, in $\frac{1}{8}$ -ounce vials..	per oz..	65 55

*Specialties at Net Prices.*PART  
TWO.

		List Price to Price. Trade.
Cod Liver Oil, Improved Lofoten .....	per doz..	\$ 9 00 \$ 7 00
See page 120.		
Cod Liver Oil, pure, cold-refined, white Norwegian, in pint bottles—1 dozen in a box.....	per doz..	8 00 5 75
Cod Liver Oil Emulsion, with Hypophosphites of Calcium and Sodium (see note 55), in pint bottles.....	per doz..	8 co 6 50
in half-gal. bottles...per bot..		5 00 3 60
Compound Cerebral Sedative (see note 40),		
B "A," in pint bottles.....	per bot..	I 50 I 35
B "B," in pint bottles.....	per bot..	I 25 I 10
<b>Compressed Tablets in Bulk and Special Style for Retailing.</b>		
The number in front of each tablet is that under which it is listed among Compressed tablets.		
For other formulæ, see pages 191 to 215.		
54 Ammonium chloride, 3 grs., in 1 lb. bottles.....	per lb..	60 51
in 10 lb. boxes.....	per lb..	50 43
213 Ammonium chloride, 5 grs., in 1 lb. bottles.....	per lb..	50 43
in 10 lb. boxes.....	per lb..	40 34
58 Borax (sodium borate), 5 grs., in 1 lb. bottles....	per lb..	50 43
in 10 lb. boxes....	per lb..	40 34
59 Brown Mixture, 100 ml., in 1 lb. bottles.....	per lb..	35 30
Brown Mixture and Ammonium chloride, in 1 lb. g.-s. bottles.....	per lb..	35 30
Each tablet represents: Mixture Glycyrrhiza comp., 85 ml. Ammonium chloride, 3 grs.		
66 Digestive, B "A," in bottles of 30.....	per doz..	I 20 I 10
in bottles of 65.....	per doz..	2 00 I 70
See also Compressed Tablets, page 197.		
For description, etc., see "Digestive Ferments," page 221.		
71 Liquorice Powder Compound, 20 grs., in 1 lb. bottles.....	per lb..	35 30
Pepsin and Bismuth, see Compressed Tablets, page 203.		
Peptonizing Tablets, Improved (76) per doz. bots. of 30.	per doz..	I 75 I 50
For description, etc., see "Digestive Ferments, page 221.		
77 Potassium bicarbonate, 5 grs., in 1 lb. bottles....	per lb..	70 60
in 10 lb. boxes....	per lb..	60 51
78 Potassium bromide, 5 grs., in 1 lb. bottles .....	per lb..	95 80
in 10 lb. boxes.....	per lb..	85 72
79 Potassium chlorate, 5 grs., in 1 lb. bottles .....	per lb..	50 43
in 1 lb. pasteboard boxes.....	per lb..	42 36
in 5 lb. pasteboard boxes.....	per lb..	41 35
in 10 lb. pasteboard boxes.....	per lb..	40 34
in bottles of 40 tablets.....	per doz..	90 80
in bottles of 40 tablets.....	per gross..	8 50 8 00

*Specify P., D. & Co.'s*

List Price to Price. Trade.
--------------------------------

**Compressed Tablets—Concluded.**

<b>81</b> Potassium chlorate and Ammonium chloride.				
Potassium chlorate, 3 1-2 grs.				
Ammonium chloride, 1 1-2 grs.				
in pound boxes.....per lb..	\$ 55	\$ 47		
in 10-pound boxes.....per lb..	50	43		
in boxes of 40 tablets.....per doz..	80	68		
in boxes of 40 tablets.....per gross..	8 50	7 25		
<b>80</b> Potassium chlorate and Borax, 2 1/2 grs. each,				
in pound bottles.....per lb..	55	47		
in 10-pound boxes.....per lb..	45	38		
<b>99</b> Soda Mint, in pound bottles.....per lb..	45	38		
in 10-pound tins.....per lb..	40	34		
in bottles of 40 tablets .....	75	65		
in bottles of 40 tablets.....per gross..	8 25	7 00		
<b>100</b> Sodium bicarbonate, 5 grs., in pound bottles....per lb..	40	34		
in 10-pound tins.... per lb..	35	30		
<b>217</b> Sodium bicarbonate, 10 grs., in pound boxes....per lb..	30	26		
in 10-pound tins....per lb..	20	18		
Condurango Wine. See Wines, Part I; also note 58.				
Culture Media (see note 61),				
Per case containing three tubes, any medium, from No. 1 to No. 7 inclusive, or No. 10 to No. 12 inclusive and No. 8 containing two tubes.....	40	34		
Per case containing three empty sterilized tubes No. 9..	30	26		
Boxes of 50 tubes, No. 13 to No. 22 inclusive.....net..	2 50	2 50		
Specify distinctly by number the kind of medium required in each case or box and order number of cases or boxes and not number of tubes.				
Dialyzed Iron, in pint bottles (see note 63).....per bot..	45	40		
Dialyzed Iron, glycerated (see note 63),				
in pint bottles.....per bot..	50	45		
Digestive Tablets, see Compressed Tablets, page 197.				
Diphtheria Antitoxin, see "Antitoxin."				
Disinfectant Powder, in pound cartons.....per doz..	3 00	2 25		
in bulk, containers extra.....per lb..	12	11		
Diurnal Tablet Triturate Case, complete with tablets.....	2 75	2 50		
See note 64.				
Diurnule Case, complete with Diurnules.....	3 00	2 70		
See note 64, and for list of Diurnules, page 82; also Diurnal Tablet Triturates, page 217.				
Dover Powder Tablets, see Compressed Tablets, page 198.				
Emergency Case (see note 68).....	10 00	9 00		
Ergotin (Bonjean), in ounce jars.....per oz..	60	55		
Ergotin, purified, for hypodermatic use (see note 71),				
in ounce vials.....per oz..	1 00	90		

## Specialties at Net Prices.

PART  
TWO.List Price to  
Price. Trade.

Esencia de Calisaya (see note 73),			
in 14-fl.oz. bottles.....	per doz..	\$10 00	\$ 8 00
Esencia de Coca (see notes 51 and 74),			
in 14-fl.oz. bottles.....	per doz..	10 00	8 00
Euthymol (see note 76), in pint bottles.....	per doz..	7 50	6 50
in $\frac{1}{2}$ -gallon bottles.....	per		4 00
Formerly listed as "Eucalyptus and Thymol Antiseptic."			
Euthymol Tablets, in pound bottles.....	per lb..	1 00	90
See note 76. in boxes of 40.....	per doz..	2 00	1 50
Euthymol Tooth Paste, in 2-oz. collapsible tin tubes..	per doz..	2 25	1 75
See note 76.			
Ferratin (Boehringer—B. & S.), in ounce vials.....	per oz..	1 50	1 15
in tablets of 4 grs...per oz..		1 50	1 15
Glonoin, Spirit of, U. S. P.,			
in ounce vials.....	per oz..	14	12
in pint bottles.....	per pint..	1 25	1 10
Nitroglycerin; handle with care—see note 81.			
Glycerin Emollient (formula Dr. E. C. Dudley), (see note 82),			
in 2 oz. collapsible tin tubes.....	per doz. tubes..	2 00	1 70
Glycerin Suppositories, in bottles of $\frac{1}{2}$ doz. each....	per doz..	2 00	1 75
See note 83. in bottles of 1 doz. each....	per doz..	3 50	3 00
Glycerole Pepsin, see <i>Pepsin</i> , page 134.			
Glycerole Yerbine Compound, in pint bottles.....	per doz..	9 50	8 00
See page 116. in $\frac{1}{2}$ -gal. bottles....per gal..		6 00	4 75
Goa Powder, in ounce vials (see note 84).....	per oz..	40	30
Gold solution (Gibbes-Shurly) (see note 160)....per oz. vial..		1 00	75
Gurjun Balsam, in pound bottles.....	per lb..	60	50
Hæminal in $\frac{1}{4}$ -pound bottles (see page 223).....	per lb..	2 80	2 50
in $\frac{1}{2}$ -pound bottles.....	per lb..	2 70	2 40
in pound bottles.....	per lb..	2 60	2 30
Hematic Hypophosphites, in pint bottles.....	per doz..	7 00	6 00
See note 89. in $\frac{1}{2}$ -gallon bottles....per gal..		4 00	3 50
Hoang-Nan ( <i>Strychnos malaccensis</i> , <i>Benth.</i> ) pd. drug, per oz..		1 25	1 15
See note 90; for Tincture, see page 18.			
Hydrastine, white alkaloid of Golden-seal,			
in $\frac{1}{8}$ -ounce vials.....	per oz..	8 50	7 75
Hydrastine hydrochlorate, in $\frac{1}{8}$ -ounce vials.....	per oz..	7 50	6 75
Hydrastine sulphate, in $\frac{1}{8}$ -ounce vials.....	per oz..	7 50	6 75
Hydrastinine hydrochlorate,			
in vials of 15 grs.....	per vial..	75	60
in vials of 1-8 oz.....	per vial..	1 90	1 70
Hypodermatic case, Aluminum, with syringe.....	each..	3 50	3 00
See note 94. without syringe.....	each..	2 25	1 90
For Veterinary Hypodermatic case, see page 138, and note 176.			

## Specify P., D. &amp; Co.'s

		List Price to Price. Trade.
Hypodermatic Syringe Fittings,		
No. 1. Expanding nut.....	each..	10 \$ 8
No. 2. Needle end cap.....	each..	10 8
No. 3. Leather cups.....	per pair..	10 9
No. 4. Rod heads.....	each..	15 12
No. 5. Glass barrels.....	each..	10 8
No. 6. Rod, nuts and washers.....	per set..	35 30
No. 7. Top cap with finger rests.....	each..	25 23
No. 8. Metal barrel.....	each..	50 45
No. 9. Needles (reinforced).....	each..	35 30
No. 10. Syringe without needles.....	each..	1 00 90
Improved Hypodermatic Case (Dr. Elmer Lee), complete with syringe, two needles and thirteen vials of hypo- dermatic tablets (see note 95).....		2 50 2 10
Interchangeable Parts:		
a. Syringe, without needles.....	each..	50 45
b. Needles, large or small gauge.....	each..	25 23
c. Leather covers.....	each..	50 45
d. Glass barrels.....	each..	10 8
e. Rubber bands.....	per pair..	5 4
Infiltration Anæsthetic tablets (Schleich), No. 1 (see note 99).		
in tubes of 12.....	per tube..	1 10 95
in bottles of 100.....	per bot..	8 00 6 75
Infiltration Anæsthetic tablets (Schleich), No. 2 (see note 99).		
in tubes of 12.....	per tube..	60 51
in bottles of 100.....	per bot..	4 50 3 85
Infiltration Anæsthetic tablets (Schleich), No. 3 (see note 99).		
in tubes of 12.....	per tube..	15 12
in bottles of 100.....	per bot..	75 65
Iodine solution (Gibbes-Shurly) (sec note 160). per oz. vial..	1 00	75
Jequirity seed, powdered, in ounce bottles.....	per oz..	25 20
(See note 1). fluid, 12 $\frac{1}{2}$ , in ounce vials.....	per oz..	25 20
Kola Cordial, in pint bottles.....	per doz..	8 00 7 00
Kola Wine, in pint bottles.....	per doz..	8 00 7 00
Labarraque Solution, see Solution Chlorinated Soda.		
Lactophenin, (Boehringer B. & S.).....	per oz..	1 20 1 00
in tablets of 4 grs.....	per oz..	1 20 1 00
Lanolinum purissimum (Liebreich), (original packages),		
in $\frac{1}{4}$ -pound cans.....	per lb..	1 20 1 05
in $\frac{1}{2}$ -pound cans.....	per lb..	1 10 95
in pound cans.....	per lb..	1 00 85
Laudanum, see Opium (tincture, U.S.P.), page 133.		
Lime Juice and Pepsin (see "Digestive Ferments," page 220).		
in pint bottles.....	per doz..	10 00 8 00
in $\frac{1}{2}$ -gallon bottles.....	per gal..	6 00 4 75

*Specialties at Net Prices.*PART  
TWO.

		List Price to Price. Trade.
Liquor Sedans (see note 111), in pint bottles.....	per doz..	\$ 9 00 \$ 7 50
in $\frac{1}{2}$ -gallon bottles..	per gal..	5 50 4 50
Liquor Sedans, R 2 (without sugar), (see note 111),		
in pint bottles.....	per doz..	9 00 7 50
in $\frac{1}{2}$ -gallon bottles.....	per gal..	5 50 4 50
Liquor Tritici (see note 172), in pint bottles .....	per doz..	9 00 7 50
Lithium Citrate Tablets, 3 grs., effervescent (see note 112),		
in screw cap vials of 40.....	per doz..	1 75 1 50
in bottles of 100 .....	per bot..	30 27
Lœffler Solution (for the local treatment of Diphtheria),		
in $\frac{1}{4}$ -pound bottles.....	per lb..	3 20 2 75
in $\frac{1}{2}$ -pound bottles.....	per lb..	3 10 2 65
in pound bottles.....	per lb..	3 00 2 55
See note 113.		

**Lozenges.**

## COMPRESSED FLAVORED LOZENGES.

Extra strong, made from the best obtainable materials and finest flavors. The lozenges are compressed and are put up in 1 lb. decorated tin cans. A reduction of 6 cents per lb. is made for 5 lb. lots bulk, put up in pasteboard boxes. Please address us for quotations in larger quantities. We would call particular attention to the novelty and superiority of these lozenges as compared with similar lines on the market.

Capsicum.....	per lb..	35	30
Cinnamon .....	per lb..	38	33
Clove.....	per lb..	35	30
Coltsfoot.....	per lb..	38	33
Ginger.....	per lb..	35	30
Musk.....	per lb..	35	30
Peppermint.....	per lb..	35	30
Red Gum, see Red Gum, page 137.			
Rose.....	per lb..	42	38
Sassafras .....	per lb..	35	30
Slippery Elm .....	per lb..	35	30
Wintergreen.....	per lb..	35	30

## MEDICATED LOZENGES, in slide boxes for retailing.

In gross lots or more, labels will bear customer's address if desired. For formulæ, see "Medicated Lozenges," Part I, pages 113 and 114.

Bronchial.....	per gross boxes..	7 50	5 50
Bronchial, Improved.....	per gross boxes..	7 50	5 50
Liquorice, uncoated.....	per gross boxes..	7 50	5 00
Potassium chlorate, 2 grs.....	per gross boxes..	7 50	5 50
Potassium chlorate and Ammonium chloride, 1 gr. of each.....	per gross boxes..	8 00	7 00
Santonin, 1-2 gr.....	per gross boxes..	8 50	7 50
Santonin, 1 gr.....	per gross boxes..	10 00	9 00
Santonin Compound.....	per gross boxes..	8 50	7 50
Santonin and Podophyllin.....	per gross boxes..	8 50	7 50
Yerba Santa Compound.....	per gross boxes..	7 50	5 50

*Specify P., D. & Co.'s*

		List Price to Price. Trade.
<b>Maltale, Mosquera's, in barrels of 5 dozen.....</b>	<b>per doz..</b>	<b>\$ 2 50 \$ 2 00</b>
<b>Malt Preparations. (See note 114.)</b>		
Malt Extract (plain), in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 00 3 25
Malt Extract with Beef-peptone, in pint bottles..	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 50 3 75
Beef peptone, 1 part. Malt extract, 9 parts.		
Malt Extract with Cascara Sagrada,		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 50 3 75
Each fluidounce represents Cascara sagrada, 60 grs.		
Malt Extract with Cod Liver Oil, 10% (by volume),		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 00 3 25
Malt Extract with Cod Liver Oil, 40% (by volume),		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 00 3 25
Malt Extract, Ferrated, in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles....	per bot..	4 50 3 75
Each fluidounce represents Ferric pyrophosphate, soluble, 8 grs.		
Malt Extract with Hypophosphites,		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 50 3 75
Each fluidounce represents: Calcium hypophosphate, 1 1-2 grs.; Ferrous hypophosphate, 1-2 gr.; Sodium hypophosphate, 1 1-2 grs.		
Malt Extract with Iron, Quinine and Strychnine,		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 50 3 75
Each fluidounce represents: Ferric phosphate, soluble, 4 grs.; Strychnine, 2-75 gr.; Quinine sulphate, 1 gr.		
Malt Extract with Pepsin and Pancreatin,		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 50 3 75
Each fluidounce represents: Saccharated Pepsin, U.S.P., 1890, 15 grs.; Saccharated Pancreatin, 15 grs.		
Malt Extract with Yerba Santa, (See note 182).		
in pint bottles.....	per doz..	9 00 7 00
in half-gallon bottles.....	per gal..	4 50 3 75
Each fluidounce represents Eriodictyon, 30 grs.		
Materia Medica Cabinet.....	each..	25 00 Net.
Containing 288 specimens of crude drugs of vegetable origin.		
Medicine Dropper and Bottle, Graduated (see note 117)....		30 25
Menthol, in crystals, in ounce vials.....	per oz..	55 50
(See note 118). in pound bottles .....	per lb..	7 50 6 75
Menthol Pencils, each pencil in aluminum case ....	per doz..	2 50 2 25
For description and cut, see note 119.		
Microscopical slides of Disease Germs (see note 122).		
Per case of 10 slides.....	any assortment..	4 25 3 75
Per case of 5 slides.....	any assortment..	2 25 2 00
Single slides.....	per slide..	50 45

## *Specialties at Net Prices.*

PART  
TWO.

\*For description, see "Digestive Ferments," page 221.

*Specify P. D. & Co.'s*

List Price to  
Price. Trade.

**Pepsin.**

Supplied in scales or powder. Scales (1-3000) sent on unspecified orders.

*Pepsin Aseptic, 1-2000, in ounce vials.....	per oz..	\$ 50	\$ 40
in pound bottles.....	per lb..	6 00	5 00
I-3000, U. S. P. in ounce vials.....	per oz..	65	55
in pound bottles.....	per lb..	9 00	7 50
I-4000, in ounce vials.....	per oz..	85	72
in pound bottles.....	per lb..	12 00	10 00

Pepsin Aseptic Tablets (1-3000), sugar-coated, 1 gr.,			
in bottles of 30 each.....	per doz..	3 00	2 25
in bottles of 65 each.....	per doz..	6 00	4 25

See also Compressed Tablets, page 127.

*Pepsin Cordial, in $\frac{1}{2}$ -pint bottles.....	per doz..	8 00	7 00
--	-----------	------	------

*Pepsin, Glycerole conc. (1-300), in 4-fl.-oz. bottles.	per doz..	5 00	4 00
in 8-fl.-oz. bottles.	per doz..	9 00	7 50
in 12-fl.-oz. bottles.	per doz..	13 00	10 50

*Pepsin, Lactated, in ounce vials.....	per oz..	35	30
in $\frac{1}{4}$ -pound bottles.....	per lb..	4 20	3 70
in $\frac{1}{2}$ -pound bottles.....	per lb..	4 10	3 60
in pound bottles.....	per lb..	4 00	3 50

Pepsin, Lactated, Elixir, see Elixirs, page 97.

Pepsin, Liquid, U. S. P., 1880, in pint bottles.....	per doz..	7 50	6 75
in $\frac{1}{2}$ gallon bottles.	per gal..	4 75	4 25

*Pepsin, Saccharated, U. S. P. 1890 (1-300),			
in ounce vials.....	per oz..	16	14
in $\frac{1}{4}$ -pound bottles.....	per lb..	1 45	1 35
in $\frac{1}{2}$ -pound bottles.....	per lb..	1 35	1 25
in pound bottles.....	per lb..	1 25	1 15

Peptonizing Tablets, see Compressed Tablets, page 127.

Petroleum Mass, crude, in ounce bottles.....	per lb..	1 50	1 30
in 1-4 pound bottles.....	per lb..	80	75
in 1-2 pound bottles.....	per lb..	70	65
in pound bottles.....	per lb..	60	55

**Pills in Bulk.** For formulæ, see list of Pills, page 44.

Cathartic Compound, U.S.P., or Improved.

sugar-coated, in pound bottles.....	per lb..	I 20	I 10
gelatin-coated, in pound bottles.....	per lb..	I 75	I 60

See note 38.

Cathartic Compound, Active—

sugar-coated, in pound bottles.....	per lb..	I 00	80
gelatin-coated, in pound bottles.....	per lb..	I 75	I 40

Ferrous carbonate (Blaud).

3 grs., sugar-coated.....	per lb..	I 20	90
3 grs., gelatin-coated.....	per lb..	2 00	I 50
5 grs., sugar-coated.....	per lb..	I 00	80
5 grs., gelatin-coated.....	per lb..	I 75	I 40
Modified, sugar-coated .....	per lb..	I 10	85
Modified, gelatin-coated .....	per lb..	I 75	I 35

\*For description, see "Digestive Ferments," pages 219 and 220.

*Specialties at Net Prices.*PART  
TWO.

PILLS, SUGAR-COATED, IN BOTTLES AND BOXES, with buyer's card, for retailing.

		List Price.	Price to Trade.
{ Bracket figures indicate number pills in each package; for less than half a gross add 50 cents for printing labels.		Per gross glass.	Per gross glass. wood.
Cathartic Compound, Improved..	(25) ..	\$10 00	\$7 50
Cathartic Compound, U. S. P.....	(25) ..	10 00	7 50
Cathartic Compound, Vegetable..	(25) ..	10 00	7 50
Cook.....	(25) ..	8 00	5 50
Liver Improved.....	(25) ..		6 00
Liver Improved, Vegetable.....	(25) ..		6 00

List Price to  
Price. Trade.

Podophyllotoxin, in 1-8 ounce vials.....per oz.. 3 75 3 50  
Pressed Herb Cans (see page 152).....each.. 20 Net.

**Quinine Sulphate, Gelatin Capsules.**

Capsules filled with Quinine sulphate in granulated form. (See page 253).

Quinine sulphate, 2 grs .....	per box of 1000..	2 60	2 40
Quinine sulphate, 3 grs.....	per box of 1000..	3 45	3 20
Quinine sulphate, 5 grs.....	per box of 1000..	5 25	4 85

**Quinine Sulphate Pills, Capsule-shaped.**

1 gr., in boxes of 100.....	per box	18	15
in boxes of 500.....	per box	81	70
in boxes of 1000.....	per box	1 38	1 20
2 gr., in boxes of 100.....	per box	29	25
in boxes of 500.....	per box	1 25	1 10
in boxes of 1000.....	per box	2 30	2 00
3 gr., in boxes of 100.....	per box	39	34
in boxes of 500.....	per box	1 65	1 45
in boxes of 1000.....	per box	3 20	2 80
4 gr., in boxes of 100.....	per box	50	43
in boxes of 500.....	per box	2 05	1 80
in boxes of 1000.....	per box	4 00	3 50
5 gr., in boxes of 100.....	per box	60	52
in boxes of 500.....	per box	2 50	2 20
in boxes of 1000.....	per box	4 75	4 20

**Quinine, Soluble Elastic Capsules.**

Soluble Elastic Capsules filled with Quinine in dry powder.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	A Per doz. boxes of 1 doz.		B Per doz. boxes of 2 doz.		D Bulk per box of 100.
		75	65	1 30	1 15	
201	Quinine sulphate, 1 gr.....	75	65	1 30	1 15	45 36
202	Quinine sulphate, 2 grs.....	80	70	1 45	1 28	50 40
203	Quinine sulphate, 3 grs.....	90	78	1 65	1 45	55 45
204	Quinine sulphate, 4 grs.....	1 05	90	1 85	1 68	65 54
205	Quinine sulphate, 5 grs.....	1 15	1 00	2 10	1 85	70 60
213	Quinine hydrochlor., 2 grs..	1 00	80	1 75	1 45	60 50
214	Quinine hydrochlor., 3 grs..	1 20	95	2 10	1 80	70 58
94	Quinine and Capsicum ....	1 20	1 05	2 20	1 95	75 65
	Quinine sulphate, 5 grs. Capsicum, 1 gr.					

*Specify P. D. & Co.'s*

	List Price.		Price to Trade.	
	Per bot. of 100	Per bot. of 500	Per bot. of 100	Per bot. of 500
<b>Quinine Pills.</b>				
532 Quinine bisulph., 1-4 gr., s.-c. or g.-c.	\$ 15	\$ 55	\$ 11	\$ 40
533 Quinine bisulphate, 1-2 gr. "	16	60	12	45
534 Quinine bisulphate, 1 gr. "	20	75	15	60
535 Quinine bisulphate, 2 grs. "	29	1 20	24	97
536 Quinine bisulphate, 3 grs. "	37	1 60	30	1 35
537 Quinine bisulphate, 4 grs., g.-c. only.	46	2 05	38	1 75
538 Quinine bisulphate, 5 grs. "	55	2 50	47	2 20
557 Quinine sulphate, 1-4 gr., s.-c. or g.-c.	15	55	11	40
558 Quinine sulphate, 1-2 gr. "	16	60	12	45
559 Quinine sulphate, 1 gr.. "	20	75	15	60
560 Quinine sulphate, 2 grs., "	29	1 20	24	97
561 Quinine sulphate, 3 grs., "	37	1 60	30	1 35
562 Quinine sulphate, 4 grs., g.-c. only.	46	2 05	38	1 75
563 Quinine sulphate, 5 grs., "	55	2 50	47	2 20
<b>Quinine Compressed Tablets.</b>				
82 Quinine bisulphate, 1 gr., plain.....	20	75	15	60
83† Quinine bisulphate, 2 grs., " .....	29	1 20	24	97
84 Quinine bisulphate, 3 grs., " .....	37	1 60	30	1 35
85 Quinine bisulphate, 5 grs., " .....	55	2 50	47	2 20
86 Quinine bisulphate, 1 gr., s.-c.....	20	75	15	60
87† Quinine bisulphate, 2 grs., " .....	29	1 20	24	97
88 Quinine bisulphate, 3 grs., " .....	37	1 60	30	1 35
89 Quinine bisulphate, 5 grs., " .....	55	2 50	47	2 20
218 Quinine sulphate, ½ gr., plain.....	16	60	12	45
90 Quinine sulphate, 1 gr., " .....	20	75	15	60
91† Quinine sulphate, 2 grs., " .....	29	1 20	24	97
92 Quinine sulphate, 3 grs., " .....	37	1 60	30	1 35
220 Quinine sulphate, 4 grs., " .....	46	2 05	38	1 75
93 Quinine sulphate, 5 grs., " .....	55	2 50	47	2 20
219 Quinine sulphate, ½ gr., s.-c.....	16	60	12	45
94 Quinine sulphate, 1 gr., " .....	20	75	15	60
95† Quinine sulphate, 2 grs., " .....	29	1 20	24	97
96 Quinine sulphate, 3 grs., " .....	37	1 60	30	1 35
221 Quinine sulphate, 4 grs., " .....	46	2 05	38	1 75
97 Quinine sulphate, 5 grs., " .....	55	2 50	47	2 20

		List Price to Price. Trade.
Quinine Tannate, 1 gr. (with chocolate).....	(258)..per lb.	\$ 1 10 \$ 95
in boxes of 25.....	per doz..	80 68
Quinine Tannate, 2 grs. (with chocolate)....	(303)..per lb..	1 10 95
in boxes of 25.....	per doz..	1 00 85

*Specialties at Net Prices.*PART  
TWO.

		List Price to Price. Trade.
Reagent Case, Physician's Pocket, with complete set of urin- ary test tablets, leather case.....	each..	\$ 2 00 \$ 1 70
For full description and cut, see note 143.		
For Urinary Test Tablets, see page 138.		
Red Gum lozenges, compressed, in pound bottles.....	per lb...	1 50 1 20
in boxes of 4 dozen.....	per doz. boxes..	2 00 1 60
Rennin, in ounce vials (see note 142).....	per oz..	70 60
Rennin Tablets, see Tablet Triturates, page 172.		
Rhubarb Fingers, in pound boxes.....	per lb..	1 50 1 00
See note 146.		
Saccharin Tablets, see Tablet Triturates, page 172.		
Sanguis Bovinus Exsiccatus, superseded by Haeminal, see page 223.		
Semple Atomizing Inhaler, complete.....	each..	4 00 3 25
For description and cut, see note 156.		
For Inhalants, see Part I, page 117.		
Solution Chlorinated Soda (Labarraque Solution), in quart bottles.....	per doz..	2 50 2 00
Solution Iron and Manganese (aromatic), in pint bottles.....	per doz..	7 00 6 00
See note 98.		
Spirit of Glonoin, U. S. P., see Glonoin, Spirit of.		
Strophanthus Tincture Tablets, see Tablet Triturates, page 173.		
Sulphur Torches (1 lb. of sulphur each) (see n. 164). per doz..	2 25	1 75
Supra-renal Glands, saccharated, P., D. & Co., in ounce vials.....	per oz..	2 00 1 70
in bottles of 100 compressed tablets.....	per bot..	1 50 1 25
in bottles of 100 capsules.....	per bot..	1 50 1 25
See note 165.		
<b>Syrups.</b>		
Hydriodic Acid, one per cent, in pint bots.....	per bot..	80 65
Hydriodic Acid, two per cent. (double strength), in pint bots.....	per bot..	1 25 1 00
For description, etc., see note 93.		
Iron Chloride (Weld), in pint bottles.....	per doz..	9 00 7 50
(See note 100.) in ½-gallon bottles.....	per gal..	5 50 4 50
Iron Iodide, (10% ferrous iodide by weight), in pound bottles (12-fl.oz.).....	per lb..	70 65
Trifolium Compound, in pint bottles.....	per doz..	9 00 7 50
in ½-gallon bottles.....	per gal..	5 50 4 30
For formula, etc., see note 171.		
Yerba Santa aromatic, in pint bottles.....	per doz..	7 00 6 00
(See note 183) in ½-gallon bottles.....	per gal..	4 00 3 50
Tablet Triturate Cases, see pages 215 and 216.		

## Specify P. D. &amp; Co.'s

		List Price to Price. Trade.
<b>TAKA-DIASTASE,</b> (See note 168).		
in 1-4 ounce vials.....	per vial..	\$ 60 \$ 50
in 1-2 ounce vials.....	per vial..	1 05 .90
in ounce vials.....	per vial..	2 00 1 70
Capsules, containing 2 $\frac{1}{2}$ grs. diastase each,		
in bottles of 25.....	per bot..	35 .30
in bottles of 100.....	per bot..	1 35 1 15
in bottles of 500.....	per bot..	6 50 5 50
Taro Flour, in sacks of 5 pounds each.....	per sack..	1 00 .95
<b>Terebene,</b>		
in ounce vials.....	per oz..	15 .13
in 1-4 pint bottles.....	per pint..	1 35 1 20
in 1-2 pint bottles .....	per pint..	1 25 1 10
in pint bottles.....	per pint..	1 15 1 00
Thyroids, in ounce vials.....	per oz..	1 20 1 00
Thyroid Capsules, in bottles of 100.....	per bot..	80 .70
Thyroid Tablets, in bottles of 100.....	per bot..	70 .60
Each capsule or tablet represents 5 grains of fresh Thyroid glands from sheep. See note 169.		
<b>Triticum, see Liquor Tritici.</b>		
<b>Troches, see Aromatic Troches, page 124; also Compressed Tablets, page 127.</b>		
Ureometer, apparatus complete in pasteboard box....each..		1 00 .80
For description and cut, see note 173.		
<b>Urinary Test Tablets,</b>		
any test in tubes of 25 each.....	per tube..	15 .11
any test in tubes of 25 each.....	per 100 tablets..	50 .35
We furnish the following tests: Citric acid; Indigo and Sodium carbonate; Picric acid; Potassium ferrocyanide; Potassio-mercuric iodide; Sodium carbonate; Sodium tungstate; Lead oxide; Litmus Paper.		
<b>Urinary Test Tablets, Bismuth subnitrate (see note 174),</b>		
in tubes of 25 each.....	per tube..	20 .15
in tubes of 25 each.....	per 100 tablets..	70 .50
<b>Veterinary case,</b>		
complete with tablets, trocar and syringe.....each..		12 50 11 00
complete, but without tablets.....each..		6 00 5 25
hypodermatic syringe.....each..		2 50 2 40
hypodermatic needle .....	each..	60 .50
hypodermatic trocar needle.....	each..	75 .65
trocar.....	each..	80 .75
For description and contents, see note 176.		
<b>Vinegar Opium, see Opium, vinegar.</b>		
<b>Warburg Tincture,</b>		
in ounce vials.....	per doz..	2 10 1 75
in $\frac{1}{2}$ -pint bottles.....	per pint..	2 30 1 95
in $\frac{1}{2}$ -pint bottles.....	per pint..	2 20 1 85
in pint bottles.....	per pint..	2 10 1 75

*Specialties at Net Prices.*PART  
TWO.

List Price to Price. Trade.
--------------------------------

Warburg Tincture, without Aloes, prices same as *Warburg Tincture (with Aloes)*, before.

Warburg's Tincture, *special* (see note 178),

in ounce vials.....	per doz..	\$ 1 60	\$ 1 45
in $\frac{1}{4}$ -pint bottles.....	per pint..	1 70	1 55
in $\frac{1}{2}$ -pint bottles.....	per pint..	1 60	1 45
in pint bottles.....	per pint..	1 50	1 35

Witch Hazel, concentrated distilled extract (see note 180),

in $\frac{1}{2}$ -pint bottles.....	per doz..	2 00	I 80
in pint bottles.....	per doz..	3 50	3 30
in $\frac{1}{2}$ -gallon bottles.....	per gal..	1 40	I 30
in 1 gallon jugs.....	per gal..	1 30	I 20

Woodbridge Treatment of Typhoid Fever,

Complete case.....		3 75	3 20
Formula No. 1 Tablets.....	per 100..	34	30
" " "	per 1000..	3 00	2 55
" No. 2 Tablets.....	per 100..	70	60
" " "	per 1000..	6 00	5 10
" No. 3 Capsules .....	per doz. boxes..	4 00	3 40
" " "	per 100..	2 40	2 10
" No. 4 Tablets (for children).....	per 100..	50	42
" " " "	per 1000..	4 50	3 85
" No. 5 Capsules (for children), per doz. boxes..	I 10	95	
" " " "	per 100..	65	55

For formulae and description, see note 181.

Yerbine Compound, see *Glycerole Yerbine Compound*.

## *Euthymol Tooth Paste.*

A Combined Detergent for the Teeth and  
Harmless Germicide for the Mouth.

If an antiseptic ingredient can be incorporated in tooth paste which is daily used, without rendering it distasteful, the mouth and throat may be kept free from disease-producing germs.

Euthymol Tooth Paste possesses the powerful antiseptic properties peculiar to Parke, Davis & Co.'s "Euthymol," combined with detergents and aromatics, which render it superior to any similar preparation on the market.

---

For Prices, see page 129.

COMPLETE PRICE AND REFERENCE LIST OF  
**PRESSED HERBS,**  
 —INCLUDING A FULL SELECTION OF—  
**HERBS, LEAVES, FLOWERS, BARKS AND ROOTS**  
**FOR DRUGGISTS' USE.**

We pay particular attention to the quality and identity of the drugs; our facilities for securing supplies are superior; we exercise great care in garbling, and our packages are specimens of neatness and security.

**Please Notice.**—We call attention to an important improvement in our packages of pressed herbs, consisting in the use of an impervious paper to cover all drugs depending for their activity on a volatile constituent. Drugs which otherwise would deteriorate rapidly, retain their strength unimpaired in these packages. The inconvenience and liability to error which invariably attend the handling of loose bulky herbs are reduced to a minimum by the adoption of these compact and neatly labeled packages.

**Nomenclature.**—We have adopted the common vernacular names, and in each case have endeavored to choose the correct one. To avoid confusion, please do not order by the reference names which are printed in *italics*.

A List of Synonyms will be found at page 254.

When distinctly specified, barks and roots can be supplied in *ounces* at five cents per pound more than price quoted.

**Prices Subject to Change without Notice.—Strictly NET, Not Subject to Any Discount.**

For barks and roots in ounces, add 5c. per lb., and specify ounces.	Style of Pack'ge	Per lb.
<b>Abscess-root.....</b> Polemonium reptans....	lbs.	\$ 27
<i>Absinthium.....</i> See Wormwood.....	ozs.	29
<b>Aconite leaves.....</b> Aconitum Napellus....	lbs.	24
<b>Aconite root.....</b> " " .....	ozs.	40
<b>Adder's-tongue leaves..</b> Erythronium americanum.	ozs.	23
<b>Agrimony herb.....</b> Agrimonia Eupatoria...	lbs.	25
<i>Alder bark.....</i> See Black and Tag Alder.	ozs.	22
<b>Alkanet root.....</b> Alkanna tinctoria.....	lbs.	22
<i>Althaea.....</i> See Marshmallow.....	ozs.	30
<b>American Centaury herb.</b> Sabatia angularis....	lbs.	22
<b>American Columbo root..</b> Frasera carolinensis....	lbs.	22
<b>American Hellebore root.</b> Veratrum viride.....	lbs.	22

## Pressed Herbs.

PART  
TWO.For barks and roots in ounces, add 5c. per lb.,  
and specify ounces.

	Style of Pack'ge	Per lb.
American Ivy, bark of root. <i>Vitis quinquefolia</i> .....	lbs.	\$ 24
<i>American Saffron</i> ..... See <i>Safflower</i> .....		
American Sarsaparilla r't. <i>Aralia nudicaulis</i> .....	lbs.	24
<i>American White Ash</i> ..... See <i>White Ash bark</i> .....		
Angelica leaves..... <i>Angelica atropurpurea</i> ..	ozs.	25
Angelica root..... <i>Angelica Archangelica</i> ..	lbs.	20
<i>Apocynum</i> ..... See <i>Canadian Hemp</i> ....		
Apple-tree bark..... <i>Pyrus Malus</i> .....	lbs.	20
Arbor vitæ leaves..... <i>Thuya occidentalis</i> .....	ozs.	24
Arnica flowers..... <i>Arnica montana</i> .....	ozs.	29
Arnica root..... " " .....	lbs.	30
<i>Asclepias</i> ..... See <i>Pleurisy root</i> .....		
<i>Ash bark</i> ..... See <i>White, Black and Prickly Ash</i> .....		
Asparagus root..... <i>Asparagus officinalis</i> ....	lbs.	33
<i>Aspidium</i> ..... See <i>Male-fern</i> .....		
<i>Avens root</i> ..... See <i>Water Avens</i> .....		
Balmony leaves..... <i>Chelone glabra</i> .....	ozs.	27
Balsam leaves, Sweet..... See <i>Life everlasting</i> ....		
<i>Baneberry root, White</i> ..... See <i>White Cohosh</i> .....		
Barberry bark..... <i>Berberis vulgaris</i> .....	lbs.	27
Basswood bark..... <i>Tilia americana</i> .....	lbs.	18
Bayberry bark..... <i>Myrica cerifera</i> .....	lbs.	23
Bay Laurel leaves..... <i>Laurus nobilis</i> .....	lbs.	20
Bearsfoot root ..... <i>Polymnia Uvedalia</i> .....	lbs.	30
Beech bark..... <i>Fagus ferruginea</i> .....	lbs.	20
Beech leaves..... " " .....	ozs.	25
Beech-drop..... <i>Epiphegus virginiana</i> ....	lbs.	20
Belladonna leaves..... <i>Atropa Belladonna</i> .....	ozs.	30
Belladonna root..... " " .....	lbs.	30
Benne leaves..... <i>Sesamum indicum</i> .....	ozs.	55
Beth-root..... <i>Trillium erectum</i> .....	lbs.	30
<i>Birch bark</i> ..... See <i>Black Birch</i> .....		
Bitter Bugleweed herb... <i>Lycopus europæus</i> .....	ozs.	28
Bitter-root..... <i>Apocynum androsæmifolium</i>	lbs.	28
<i>Bittersweet bark, False</i> ..... See <i>False Bittersweet</i> ....		
Bittersweet leaves..... <i>Solanum Dulcamara</i> ....	ozs.	45
Bittersweet twigs..... " " .....	lbs.	25
Black Alder bark..... <i>Ilex verticillata</i> .....	lbs.	22
Black Ash bark..... <i>Fraxinus sambucifolia</i> ...	lbs.	20
Blackberry, bark of root.. <i>Rubus villosus</i> .....	lbs.	18
Blackberry root..... <i>Rubus villosus</i> .....	lbs.	15

P  
ART  
TWO.

## Specify P., D. & Co.'s

For barks and roots in ounces, add 5c. per lb., and specify ounces.		Style of Pack'ge	Per lb.
Black Birch bark .....	Betula lenta.....	lbs.	\$ 24
Black Cohosh root.....	Cimicifuga racemosa....	lbs.	15
Black Haw, bark of root...	Viburnum prunifolium...	lbs.	25
Black Hellebore root.....	Helleborus niger.....	lbs.	20
<i>Black Indian Hemp root.</i> See Canadian Hemp....			
Black Oak bark.....	Quercus tinctoria.....	lbs.	14
<i>Black-root.</i> See Culver's-root.....			
Black Walnut bark.....	Juglans nigra.....	lbs.	20
Black Walnut leaves.....	" " .....	ozs.	27
Black Willow bark.....	Salix nigra.....	lbs.	19
Blessed Thistle herb.....	Carbenia benedicta....	ozs.	32
Blood-root.....	Sanguinaria canadensis.	lbs.	16
Blue Cardinal leaves.....	Lobelia syphilitica.....	ozs.	30
Blue Cohosh root.....	Caulophyllum thalictroides	lbs.	18
Blue Flag root.....	Iris versicolor.....	lbs.	25
Blue Gentian root.....	Gentiana puberula.....	lbs.	26
Blue Vervain herb .....	Verbena hastata.....	ozs.	23
Blue Vervain root .....	" " .....	lbs.	24
Boneset leaves and tops..	Eupatorium perfoliatum.	ozs.	20
Borage leaves.....	Borago officinalis.....	ozs.	30
<i>Boxwood bark.</i> See Dogwood.....			
<i>Boxwood flowers.</i> See Dogwood.....			
Broom tops.....	Cytisus Scoparius.....	lbs.	24
<i>Bryony root.</i> See White Bryony.....			
Buckbean leaves.....	Menyanthes trifoliata...	ozs.	30
Buckbean root.....	" " .....	lbs.	30
Buckhorn Brake root .....	Osmunda regalis.....	lbs.	24
Buckthorn bark.....	Rhamnus Frangula.....	lbs.	19
Bugle-weed herb.....	Lycopus virginicus.....	ozs.	25
Burdock leaves.....	Arctium Lappa.....	ozs.	25
Burdock root .....	" " .....	lbs.	18
Butternut, bark of root..	Juglans cinerea.....	lbs.	16
Butternut leaves.....	" " .....	ozs.	25
Button Snake-root.....	Liatris spicata.....	lbs.	25
<i>Calamus root.</i> See Sweet Flag.....			
<i>Calendula flowers.</i> See Marigold.....			
Calumba root (foreign)....	Jateorhiza palmata.....	lbs.	25
Canada Snake-root.....	Asarum canadense.....	lbs.	40
Canada Thistle root.....	Cnicus arvensis.....	lbs.	23
Canadian Hemp root.....	Apocynum cannabinum.	lbs.	30
<i>Cancer-root</i> ..... See Beech-drop.....			
<i>Cannabis Indica</i> .....	See Indian Cannabis.....		

## Pressed Herbs.

PART  
TWO.For barks and roots in ounces, add 5c. per lb.,  
and specify ounces.

	Style of Pack'ge	Per lb.
<i>Cardinal leaves, Blue</i> .....See Blue Cardinal.....		
Carpenter's-square herb...Scrophularia nodosa.....	ozs.	\$ 36
<i>Carrion-flower</i> .....See Jacob's-ladder.....		
Cascarilla bark.....Croton Elutetia.....	lbs.	22
Castanea.....See Chestnut.....		
Castor leaves.....Ricinus communis.....	ozs.	30
Catnep leaves.....Nepeta Cataria.....	ozs.	20
<i>Caulophyllum</i> .....See Blue Cohosh.....		
<i>Celandine leaves, Garden</i> . See Garden Celandine...		
<i>Celandine leaves, Wild</i> ....See Wild Celandine.....		
<i>Centaury, Amer., or Red</i> ..See American Centaury.		
<i>Centaury herb, European</i> .See European Centaury.		
Chamomile, Roman,.....Anthemis nobilis.....	ozs.	40
<i>Checkerberry leaves</i> .....See Wintergreen.....		
Chestnut leaves.....Castanea dentata.....	ozs.	22
Chickweed herb.....Stellaria media.....	ozs.	25
<i>Chimaphila</i> .....See Pipsissewa.....		
<i>Cimicifuga</i> .....See Black Cohosh.....		
Cinquefoil herb.....Potentilla canadensis...	ozs.	28
Cleavers herb.....Galium Aparine.....	ozs.	24
<i>Clover tops, Red</i> .....See Red Clover.....		
<i>Clover tops, White</i> .....See White Clover.....		
Coca leaves.....Erythroxylon Coca.....	ozs.	65
<i>Cohosh, Black</i> .....See Black Cohosh.....		
<i>Cohosh, Blue</i> .....See Blue Cohosh.....		
<i>Cohosh, White</i> .....See White Cohosh.....		
Colchicum root.....Colchicum autumnale...	lbs.	30
Coltsfoot leaves.....Tussilago Farfara.....	ozs.	24
Coltsfoot root....." " .....	lbs.	30
<i>Columbo, American</i> .....See American Columbo..		
<i>Columbo (foreign)</i> .....See Calumba.....		
Comfrey root.....Symphytum officinale...	lbs.	20
Condurango bark.....Gonolobus Condurango..	lbs.	50
Conium leaves.....Conium maculatum....	ozs.	25
Coolwort herb.....Mitella nuda.....	ozs.	35
Cotton-root bark.....Gossypium herbaceum...	lbs.	21
Couch-grass.....Agropyrum repens.....	ozs.	27
Cramp-bark .....Viburnum Opulus.....	lbs.	19
Cranesbill root.....Geranium maculatum...	lbs.	20
Crawley root.....Corallorrhiza odontorhiza	lbs.	45
Culver's-root.....Veronica virginica.....	lbs.	25
<i>Cypripedium</i> .....See Ladies'-slipper.....		

PART  
TWO.

## Specify P. D. &amp; Co.'s

For barks and roots in ounces, add 5c. per lb.,  
and specify ounces.

		Style of Pack'ge	Per lb.
Dandelion herb.....	Taraxacum officinale....	ozs.	\$ 25
Dandelion root.....	" " ....	lbs.	25
Deer-tongue leaves.....	Trilisa odoratissima....	ozs.	32
Digitalis.....	See Foxglove.....		
Dittany herb.....	Cunila mariana.....	ozs.	25
Dogwood bark, Round leaved. See Green Osier.....			
Dogwood bark, Swamp..... See Red Osier.....			
Dogwood bark.....	Cornus florida.....	lbs.	15
Dogwood flowers .....	" " .....	ozs.	24
Dragon-root.....	See Indian Turnip.....		
Dwarf Elder .....	Aralia hispida.....	lbs.	38
Elder bark.....	Sambucus canadensis....	lbs.	18
Elder flowers.....	" " .....	ozs.	20
Elecampane root.....	Inula Helenium .....	lbs.	15
Elm bark, powdered.....	Ulmus fulva.....	1-8 lb.	23
Eupatorium.....	See Boneset.....		
Euonymus.....	See Wahoo.....		
European Centaury herb..	Erythræa Centaurium....	ozs.	40
Evening Primrose herb....	Oenothera biennis.....	ozs.	28
Eyebright herb.....	Euphrasia officinalis....	ozs.	38
False Bittersweet, bark of r't..	Celastrus scandens..	lbs.	30
False Unicorn root.....	See Helonias.....		
Fern-bush .....	See Sweet Fern.....		
Feverbush leaves.....	Lindera Benzoin.....	ozs.	23
Feverfew herb.....	Chrysanthemum Parthenium	ozs.	37
Figwort .....	See Carpenter's-square...		
Fireweed leaves.....	Erechtites hieracifolia..	ozs.	24
Fit-root plant.....	Monotropa uniflora .....	ozs.	38
Fleabane leaves.....	Erigeron canadense.....	ozs.	28
Foxglove leaves.....	Digitalis purpurea....	ozs.	27
Frangula .....	See Buckthorn .....		
Fringe-tree, bark of r't....	Chionanthus virginica....	lbs.	26
Frostwort herb.....	Helianthemum canadense	ozs.	28
Galangal root.....	Alpinia officinarum .....	lbs.	20
Garden Celandine herb....	Chelidonium majus.....	ozs.	30
Garden Lettuce leaves...	Lactuca sativa.....	ozs.	30
Garget.....	See Poke root.....		
Gaultheria.....	See Wintergreen.....		
Gelsemium root.....	Gelsemium sempervirens	lbs.	21
Gentian root .....	Gentiana lutea.....	lbs.	18
Gentian, Blue.....	See Blue Gentian.....		
Geranium .....	See Cranesbill.....		

## Pressed Herbs.

PART  
TWO.For barks and roots in ounces, add 5c. per lb.,  
and specify ounces.

		Style of Pack'ge	Per lb.
Golden-rod leaves.....	<i>Solidago odora</i> .....	ozs.	\$ 24
Golden-seal root.....	<i>Hydrastis canadensis</i> ....	lbs.	40
Gold-thread herb.....	<i>Coptis trifolia</i> .....	ozs.	60
Gravel-plant leaves.....	<i>Epigaea repens</i> .....	ozs.	23
Green Osier bark.....	<i>Cornus circinata</i> .....	lbs.	25
Ground Ivy herb.....	<i>Nepeta Glechoma</i> .....	ozs.	25
Hairecap moss .....	<i>Polytrichum juniperinum</i>	ozs.	28
<i>Hamamelis</i> .....	See Witch Hazel.....		
Hardhack leaves.....	<i>Spiraea tomentosa</i> .....	ozs.	30
<i>Heartsease</i> .....	See Pansy.....		
<i>Hedeoma</i> .....	See Pennyroyal.....		
<i>Hellebore</i> .....	See American, Black and White Hellebore		
Helonias root.....	<i>Chamælirium luteum</i> ....	lbs.	35
Hemlock Spruce bark....	<i>Tsuga canadensis</i> .....	lbs.	15
Hemlock leaves.....	See Conium leaves .....		
Henbane leaves.....	See <i>Hyoscyamus</i> .....		
High Cranberry.....	See Cramp bark.....		
Hollyhock flowers.....	<i>Althæa rosea</i> .....	ozs.	30
Hops, new crop.....	<i>Humulus Lupulus</i> .....	ozs.	35
Hops, new crop.....	" " .....	I-4&I-2	32
Horehound, young herb..	<i>Marrubium vulgare</i> .....	ozs.	24
Horsemint leaves.....	<i>Monarda punctata</i> .....	ozs.	25
Horse-radish leaves.....	<i>Nasturtium Armoracia</i> ...	ozs.	27
Horse-radish root.....	" " .....	lbs.	26
Hound's-tongue leaves...	<i>Cynoglossum officinale</i> ..	ozs.	40
Hydrangea root.....	<i>Hydrangea arborescens</i> .	lbs.	20
<i>Hydrastis</i> .....	See Golden-seal.....		
Hyoscyamus leaves.....	<i>Hyoscyamus niger</i> .....	ozs.	30
Hyssop leaves.....	<i>Hyssopus officinalis</i> ....	ozs.	30
Indian Cannabis tops....	<i>Cannabis sativa</i> .....	ozs.	30
Indian Hemp, foreign.....	See Indian Cannabis.....		
Indian Physic, root.....	<i>Gillenia trifoliata</i> .....	lbs.	24
Indian Turnip root.....	<i>Arisæma triphyllum</i> ....	lbs.	25
<i>Inula</i> .....	See Elecampane.....		
<i>Iris</i> .....	See Blue Flag.....		
<i>Ivy, American</i> .....	See American Ivy.....		
Jacob's-ladder herb.....	<i>Smilax herbacea</i> .....	ozs.	30
Famestown-weed.....	See <i>Stramonium</i> .....		
Jersey Tea root .....	<i>Ceanothus americanus</i> ...	lbs.	30
Jerusalem Oak leaves .....	<i>Chenopodium Botrys</i> ....	ozs.	60
<i>Jewel-weed</i> .....	See Wild Celandine.....		

PART  
TWO.

## Specify P., D. &amp; Co.'s

For barks and roots in ounces, add 5c. per lb., and specify ounces.		Style of Pack'ge	Per lb.
Johnswort herb.....	Hypericum perforatum..	ozs.	\$ 24
Juglans.....	See Butternut.....		
Krameria.....	See Rhatany.....		
Labrador Tea leaves.....	Ledum latifolium.....	ozs.	50
Ladies'-slipper root.....	Cypripedium pubescens.	lbs.	30
Lappa.....	See Burdock.....		
Larch bark.....	See Tamarac.....		
Laurel leaves.....	See Bay Laurel.....		
Lavender flowers.....	Lavandula spica.....	ozs.	24
Lemon Balm leaves.....	Melissa officinalis.....	ozs.	40
See note 166.			
Leptandra .....	See Culver's-root.....		
Lettuce, Garden.....	See Garden Lettuce.....		
Lettuce, Wild.....	See Wild Lettuce.....		
Life-everlasting herb.....	Gnaphalium polycephalum.	ozs.	20
Life-root herb.....	Senecio aureus.....	ozs.	23
Liverwort leaves.....	Anemone Hepatica,....	ozs.	25
Lobelia herb.....	Lobelia inflata.....	ozs.	20
Lobelia, Blue.....	See Blue Cardinal.....		
Lovage leaves.....	Levisticum officinale....	ozs.	33
Lovage root.....	" " ....	lbs.	45
Low Mallow leaves.....	Malva rotundifolia.....	ozs.	30
Lungmoss .....	Sticta pulmonaria.....	ozs.	30
Lungwort leaves.....	Pulmonaria officinalis...	ozs.	30
Magnolia bark.....	Magnolia glauca.....	lbs.	30
Maiden-hair herb.....	Adiantum pedatum.....	ozs.	25
Male-fern root.....	Dryopteris Filix-mas....	lbs.	29
Mandrake root.....	Podophyllum peltatum..	lbs.	18
Man-root .....	Ipomoea pandurata.....	lbs.	30
Maple, Red .....	See Red Maple bark....		
Marigold flowers.....	Calendula officinalis....	ozs.	42
Marjoram, Sweet.....	See Sweet Marjoram....		
Marrubium.....	See Horehound.....		
Marshmallow flowers.....	Althaea officinalis.....	ozs.	55
Marshmallow leaves.....	" " ....	ozs.	28
Marshmallow root.....	" " ....	lbs.	30
Marsh-rosemary root.....	Statice Limonium, var. caroliniana	lbs.	34
Masterwort leaves.....	Heracleum lanatum.....	ozs.	33
Masterwort root.....	" " ....	lbs.	33
Matico leaves.....	Piper angustifolium.....	ozs.	40
Mayflower .....	See Gravel plant.....		

## Pressed Herbs.

PART  
TWO.For barks and roots in ounces, add 5c. per lb.,  
and specify ounces.

		Style of Pack'ge	Per lb.
Mayweed herb.....	Anthemis Cotula.....	ozs.	\$ 25
Mezereum bark.....	Daphne Mezereum.....	lbs.	28
Milkweed.....	See Silkweed.....		
Mistletoe.....	Phoradendron flavescens	lbs.	24
Motherwort herb.....	Leonurus Cardiaca.....	ozs.	30
Mountain Ash bark.....	Pyrus americana.....	lbs.	24
Mountain Mint leaves...	Pycnanthemum montanum	ozs.	30
Mountain Sage.....	Artemisia frigida .....	ozs.	35
Mugwort herb.....	Artemisia vulgaris.....	ozs.	30
Mullein leaves.....	Verbascum Thapsus.....	ozs.	19
Nettle flowers .....	Urtica dioica.....	ozs.	1 25
Nettle leaves.....	" " .....	ozs.	30
Nettle root.....	" " .....	lbs.	28
<i>Nightshade, Deadly</i> .....	See Belladonna.....		
<i>Oily-grain</i> .....	See Benne leaves.....		
Pansy herb.....	Viola tricolor.....	ozs.	30
Pareira brava root.....	Chondodendron tomentosum	lbs.	25
Parsley leaves.....	Carum Petroselinum .....	ozs.	40
Parsley-root.....	" " .....	lbs.	30
Partridge-berry.....	See Squaw-vine.....		
Peach bark.....	Prunus persica.....	lbs.	28
Peach leaves.....	" " .....	ozs.	30
Pellitory root.....	Anacyclus Pyrethrum...	lbs.	35
Pennyroyal leaves.....	Hedeoma pulegioides...	ozs.	20
Peony root.....	Paeonia officinalis.....	lbs.	65
Peppermint leaves.....	Mentha piperita.....	ozs.	24
Persimmon bark.....	Diospyros virginiana....	lbs.	24
Phytolacca .....	See Poke-root.....		
Pimpinella.....	See Saxifrage .....		
Pink-root.....	Spigelia marilandica...	lbs.	40
Pipsissewa leaves.....	Chimaphila umbellata...	ozs.	23
Pitcher-plant root.....	Sarracenia purpurea....	lbs.	35
Plantain leaves.....	Plantago major.....	ozs.	30
Pleurisy-root.....	Asclepias tuberosa.....	lbs.	25
Podophyllum.....	See Mandrake.....		
Poison Ivy.....	See Poison Oak.....		
Poison Oak leaves.....	Rhus radicans.....	ozs.	30
Poke-root .....	Phytolacca decandra...	lbs.	15
Polypody leaves.....	Polypodium vulgare....	ozs.	30
Pomegranate, bark of rt...	Punica Granatum.....	lbs.	32
Poppy leaves.....	Papaver somniferum....	ozs.	30

PART  
TWO.

## Specify P., D. &amp; Co.'s

For barks and roots in ounces, add 5c. per lb.,  
and specify ounces.

		Style of Pack'ge	Per lb.
Prickly Ash bark.....	Xanthoxylum americanum	lbs.	\$ 25
<i>Princes' Pine</i> .....	<i>See Pipsissewa</i> .....		
Privet leaves.....	Ligustrum vulgare.....	ozs.	30
Pulsatilla herb.....	Anemone Pulsatilla.....	ozs.	35
<b>Queen-of-the-meadow lvs.</b>	Eupatorium purpureum.	ozs.	20
<b>Queen-of-the-meadow rt.</b> .....	" " .....	lbs.	19
<i>Queen's-root</i> .....	<i>See Stillingia</i> .....		
Ragweed herb.....	Ambrosia artemisiæfolia.	ozs.	30
Raspberry leaves.....	Rubus strigosus.....	ozs.	25
<i>Red Centaury</i> .....	<i>See American Centaury</i> .		
Red Clover blossoms.....	Trifolium pratense.....	ozs.	28
Red Maple bark.....	Acer rubrum.....	lbs.	20
Red Oak bark.....	Quercus rubra.....	lbs.	15
Red Osier bark.....	Cornus sericea.....	lbs.	28
Red Poppy flowers.....	Papaver Rhoeas.....	ozs.	65
<i>Red-root</i> .....	<i>See Jersey Tea</i> .....		
Rhatany root.....	Krameria Ixina.....	lbs.	24
<i>Rhus Toxicodendron</i> .....	<i>See Poison Oak</i> .....		
Rose petals, pale.....	Rosa centifolia.....	ozs.	45
<i>Rose Willow</i> .....	<i>See Red Osier</i> .....		
Rosemary flowers.....	Rosmarinus officinalis..	ozs.	40
Rosemary leaves.....	" " .....	ozs.	23
Rosin-weed leaves.....	Silphium laciniatum....	ozs.	30
Rosin-weed root.....	" " .....	lbs.	25
<i>Roundwood tree</i> .....	<i>See Mountain Ash</i> .....		
<i>Rubus</i> .....	<i>See Blackberry root</i> .....		
Rue herb.....	Ruta graveolens.....	ozs.	35
<i>Rumex</i> .....	<i>See Yellow Dock</i> .....		
<i>Safflower</i> .....	Carthamus tinctorius....	ozs.	65
Sage leaves, Italian.....	Salvia officinalis.....	ozs.	22
Sage leaves, Italian.....	" " .....	I-4&I-2	15
Sage leaves, domestic....	" " .....	ozs.	30
Sage leaves, domestic....	" " .....	I-4&I-2	27
Sampson Snake-root.....	Gentiana ochroleuca....	lbs.	38
<i>Sanguinaria</i> .....	<i>See Bloodroot</i> .....		
<i>Sarsaparilla, American</i> ..	<i>See American Sarsaparilla</i>		
Sarsaparilla, Honduras....	Smilax officinalis.....	lbs.	45
Sarsaparilla, Mexican....	Smilax medica.....	lbs.	23
Sassafras root bark.....	Sassafras variifolium....	lbs.	14
Savine tops.....	Juniperus Sabina.....	ozs.	25
Saxifrage root.....	Pimpinella Saxifraga....	lbs.	30
<i>Scrofula plant</i> .....	<i>See Carpenter's-square</i> ..		

*Pressed Herbs.*PART  
TWO.

For barks and roots in ounces, add 5c. per lb., and specify ounces.	Style of Pack'ge	Per lb.
Scullcap leaves..... <i>Scutellaria lateriflora</i> .....	ozs.	\$ .40
<i>Scutellaria</i> ..... <i>See Scullcap</i> .....		
Senega root..... <i>Polygala Senega</i> .....	lbs.	.50
<i>Serpentaria</i> ..... <i>See Virginia Snake-root</i> .		
<i>Sheep Laurel</i> ..... <i>See Mountain mint</i> .....		
Sheep Sorrel herb..... <i>Rumex Acetosella</i> .....	ozs.	.28
<i>Side-saddle plant</i> ..... <i>See Pitcher plant</i> .....		
<i>Sierra Salvia</i> ..... <i>See Mountain Sage</i> .....		
Silkweed root..... <i>Asclepias syriaca</i> .....	lbs.	.28
Skunk Cabbage root..... <i>Symplocarpus foetidus</i> ..	lbs.	.30
<i>Sloe</i> ..... <i>See Black Haw</i> .....		
<i>Smart-weed</i> ..... <i>See Water-pepper</i> .....		
<i>Snake-root, Black</i> ..... <i>See Black Cohosh</i> .....		
<i>Snake-root, Button</i> ..... <i>See Button Snake-root</i> ..		
<i>Snake-root, Canada</i> ..... <i>See Canada Snake-root</i> ..		
<i>Snake-root, Sampson</i> ..... <i>See Sampson Snake-root</i>		
<i>Snake-root, Virginia</i> ..... <i>See Virginia Snake-root</i> .		
<i>Snake-root, White</i> ..... <i>See White Snake-root</i> ...		
Soap-tree bark..... <i>Quillaja Saponaria</i> .....	lbs.	.28
Soapwort leaves..... <i>Saponaria officinalis</i> .....	ozs.	.34
Soapwort root.....“ “ .....	lbs.	.30
Solomon's-seal root..... <i>Polygonatum officinale</i> ..	lbs.	.24
Southern-wood herb..... <i>Artemisia Abrotanum</i> ..	ozs.	.40
Spearmint leaves..... <i>Mentha viridis</i> .....	ozs.	.25
Speedwell herb..... <i>Veronica officinalis</i> .....	ozs.	.30
<i>Spice-bush</i> ..... <i>See Fever bush</i> .....		
<i>Spigelia</i> ..... <i>See Pink-root</i> .....		
Spikenard root..... <i>Aralia racemosa</i> .....	lbs.	.22
Squaw-vine herb..... <i>Mitchella repens</i> .....	ozs.	.30
Star-grass..... <i>Aletris farinosa</i> .....	lbs.	.40
Stillingia root..... <i>Stillingia sylvatica</i> .....	lbs.	.25
Stone-root..... <i>Collinsonia canadensis</i> ..	lbs.	.21
Stramonium leaves..... <i>Datura Stramonium</i> ....	ozs.	.23
Strawberry leaves..... <i>Fragaria vesca</i> .....	ozs.	.25
Sumach bark..... <i>Rhus glabra</i> .....	lbs.	.21
Sumach leaves.....“ “ .....	ozs.	.30
Summer-savory leaves..... <i>Satureia hortensis</i> ....	ozs.	.24
<i>Sweet Balm</i> ..... <i>See Lemon Balm</i> .....		
<i>Sweet Balsam</i> ..... <i>See Life-everlasting</i> .....		
Sweet Basil herb..... <i>Ocimum Basilicum</i> .....	ozs.	.34
<i>Sweet Birch</i> ..... <i>See Black Birch</i> .....		
Sweet Cicely root..... <i>Osmorrhiza longistylis</i> ..	lbs.	.40

PART  
TWO.*Specify P., D. & Co.'s*

For barks and roots in ounces, add 5c. per lb., and specify ounces.	Style of Pack'ge	Per lb.
Sweet Clover herb..... <i>Melilotus officinalis</i> .....	ozs.	\$ 30
Sweet Fern leaves..... <i>Myrica asplenifolia</i> .....	ozs.	22
Sweet Flag root..... <i>Acorus Calamus</i> .....	lbs.	25
Sweet-gum bark..... <i>Liquidambar styraciflua</i> .	lbs.	25
Sweet Marjoram leaves... <i>Origanum Majorana</i> ....	ozs.	30
Tag Alder bark..... <i>Alnus serrulata</i> .....	lbs.	20
Tamarac bark..... <i>Larix americana</i> .....	lbs.	16
Tansy leaves..... <i>Tanacetum vulgare</i> .....	ozs.	22
<i>Taraxacum</i> ..... <i>See Dandelion</i> .....		
Thimble-weed herb..... <i>Rudbeckia laciniata</i> ....	ozs.	28
<i>Thoroughwort</i> ..... <i>See Boneset</i> .....		
<i>Thorn Apple</i> ..... <i>See Stramonium</i> .....		
Thyme leaves..... <i>Thymus vulgaris</i> .....	ozs.	24
Tormentilla root..... <i>Potentilla Tormentilla</i> ..	lbs.	30
Touch-me-not..... <i>See Wild Celandine</i> .....		
Trailing Arbutus..... <i>See Gravel-plant</i> .....		
<i>Triticum</i> ..... <i>See Couch-grass</i> .....		
Tulip-tree bark..... <i>Liriodendron tulipifera</i> ..	lbs.	18
Turkey-corn root..... <i>Dicentra canadensis</i> ....	lbs.	20
Twin-leaf root..... <i>Jeffersonia diphylla</i> ....	lbs.	25
Unicorn-root..... <i>See Star-grass</i> .....		
Unicorn-root, false..... <i>See Helonias</i> .....		
Valerian root..... <i>Valeriana officinalis</i> ....	lbs.	24
<i>Vanilla leaf</i> ..... <i>See Deer-tongue</i> .....		
<i>Veratrum viride</i> ..... <i>See American Hellebore</i>		
<i>Vervain</i> ..... <i>See Blue Vervain</i> .....		,
<i>Viburnum Opulus</i> ..... <i>See Cramp-bark</i> .....		
<i>Viburnum Prunifolium</i> .... <i>See Black Haw</i> .....		
Virginia Snake-root..... <i>Aristolochia Serpentaria</i> .	lbs.	55
<b>Wafer Ash</b> , bark of root.. <i>Ptelea trifoliata</i> .....	lbs.	27
Wahoo bark of root..... <i>Euonymus atropurpureus</i>	lbs.	40
Wahoo, bark of tree.....“ “ “	lbs.	25
<i>Walnut</i> ..... <i>See Black Walnut</i> .....		
Water Avens root..... <i>Geum rivale</i> .....	lbs.	30
Water Eryngo root..... <i>Eryngium aquaticum</i> ..	lbs.	40
Water-pepper herb..... <i>Polygonum punctatum</i> ..	ozs.	25
<i>Wax Myrtle</i> ..... <i>See Bayberry</i> .....		
White Ash bark..... <i>Fraxinus americana</i> ....	lbs.	20
White Bryony root..... <i>Bryonia alba</i> .....	lbs.	27
<i>White Cedar</i> ..... <i>See Arbor vitæ</i> .....		
White Clover blossoms... <i>Trifolium repens</i> .....	ozs.	27
White Cohosh root..... <i>Actaea alba</i> .....	lbs.	37


*Pressed Herbs.*PART  
TWO.

For barks and roots in ounces, add 5c. per lb., and specify ounces.	Style of Pack'ge	Per lb.
White Hellebore root.... <i>Veratrum album</i> .....	lbs.	\$ 20
White Indian Hemp root.. <i>Asclepias incarnata</i> .....	lbs.	25
White Oak bark..... <i>Quercus alba</i> .....	lbs.	15
White Pine bark..... <i>Pinus Strobus</i> .....	lbs.	20
White Pond-lily root.... <i>Castalia odorata</i> .....	lbs.	30
White Poplar bark..... <i>Populus tremuloides</i> .....	lbs.	12
White Snake-root..... <i>Eupatorium aromaticum</i>	lbs.	32
White Willow bark..... <i>Salix alba</i> .....	lbs.	20
<i>White-root</i> ..... <i>See Pleurisy-root</i> .....		
<i>Wickup</i> ..... <i>See Willow-herb</i> .....		
Wild Carrot leaves..... <i>Daucus Carota</i> .....	ozs.	30
Wild Celandine herb.... <i>Impatiens pallida</i> .....	ozs.	30
Wild Cherry bark..... <i>Prunus serotina</i> .....	lbs.	15
<i>Wild Ginger</i> ..... <i>See Canada Snake-root</i> ..		
Wild Indigo root..... <i>Baptisia tinctoria</i> .....	lbs.	22
Wild Lettuce leaves..... <i>Lactuca canadensis</i> .....	ozs.	30
<i>Wild Potato</i> ..... <i>See Man-root</i> .....		
Wild Yam root..... <i>Dioscorea villosa</i> .....	lbs.	20
Willow-herb..... <i>Epilobium spicatum</i> .....	ozs.	35
Wintergreen leaves..... <i>Gaultheria procumbens</i> ..	ozs.	23
Witch Hazel bark..... <i>Hamamelis virginiana</i> ..	lbs.	18
Witch Hazel leaves..... " "	ozs.	22
Wood Betony leaves..... <i>Stachys Betonica</i> .....	ozs.	43
Wormwood leaves..... <i>Artemisia Absinthium</i> ...	ozs.	24
<i>Xanthoxylum</i> ..... <i>See Prickly Ash</i> .....		
Yarrow herb..... <i>Achillea Millefolium</i> ....	ozs.	30
Yellow Dock root..... <i>Rumex crispus</i> .....	lbs.	25
<i>Yellow Jessamine</i> ..... <i>See Gelsemium</i> .....		
Yellow Parilla root..... <i>Menispermum canadense</i>	lbs.	22
Yellow Pond-lily root.... <i>Nymphaea advena</i> .....	lbs.	26
<i>Yellow Poplar</i> ..... <i>See Tulip-tree bark</i> .....		

**SYNONYMS.**

On pages 254 to 263 will be found a list of botanical, vernacular and pharmacopœial synonyms, which will prove of great convenience for reference. Our Fluid Extracts, Pressed Herbs, etc., are, for the most part, listed under the vernacular name, except in the case of official preparations, which appear in accordance with the statement on nomenclature on page 3. The vernacular name, if not known, can be readily found by consulting the list of Synonyms under the botanical name of the drug.

# Decorated Tin Pressed Herb Cans.



*For Price, See Page 135.*

We now furnish neat decorated tin cans for our pressed herbs at the manufacturer's price.

Each can will hold 2 one-pound, or 32 one-ounce packages and makes a very presentable container for the druggist's shelf.

These cans protect the pressed drugs from the injurious effects of light, and the ravages of vernin.

They are provided with interchangeable tin labels, both on the top and front, so that the druggist may place them on end or side to suit his shelving.

DIMENSIONS: height, 9 inches; width, 4½ inches; depth, 3¾ inches.

PROPERTIES.—Horehound has some reputation as a stimulant, tonic, expectorant and diuretic. It is used in the treatment of coughs, colds, etc. Dose, a wineglassful (60 c. o.) of an ounce to the pint infusion.

## HOREHOUND.

(*Marrubium vulgare* Linn.)

PARKE, DAVIS & CO.,

DETROIT, MICH.,

U. S. A.

SYNONYMS.—Hoehorn, Horehound, Marrubie Blane, Fr.; Andornkraut, Weissor Andorn, Ger.  
PART EMPLOYED—The young herb.  
NATURAL ORDER—Labiatae.  
HABITAT—Europe; naturalized in the United States.

THE ABOVE REPRESENTS A SAMPLE LABEL FOR PRESS'D HERBS.

## Tablet Triturates.

---

Particular attention is directed to the list of Tablet Triturates given in the following pages, comprising over 600 formulæ.

Formulae not mentioned here we are prepared to supply upon special order, provided the nature of the material will permit of presentation in this form, and the number required will enable us to manufacture to order at a satisfactory price. Correspondence solicited.

Tablet Triturates must not be confounded with compressed tablets. Tablet Triturates are made with a special view to exhibiting the medicaments in as soluble a form as possible, and one which enables the physician to subdivide the tablets readily, by cutting them in two or four equal parts. This cannot readily be done with the *compressed* tablets.

Only the purest materials are used in the manufacture of these triturations, while all processes are the best approved, thus securing the highest standards of permanency, solubility, and therapeutic efficiency.

See also Compressed Tablets, page 191.

### SPECIAL NOTICE.

In the following list each formula appears both in its alphabetical and numerical order, the alphabetical arrangement appearing on pages 155 to 174 and the numerical arrangement on pages 174 to 190. This method of listing these tablets will accommodate patrons seeking formulæ by number, as well as busy physicians wishing to consult the list to ascertain whether a particular drug is offered in triturate form. By referring to the alphabetical list appearing on pages 155 to 174, which comprises all the Tablet Triturates which we manufacture, the doctor may learn at a glance all the available formulæ of the drug he is looking for and the proper number of the triturate being given as well as the prices thereof, he can then order of his druggist "by number and letter." On the other hand the numerical arrangement will be of great convenience to invoice-clerks, order-clerks, stock-keepers, etc.

### INSTRUCTIONS FOR ORDERING.

[SEE ALSO SPECIAL INSTRUCTIONS ON PAGE 154.]

These Tablet Triturates are put up in bottles of 1,000, 500, and 100, which are designated in the following list by the letters "M," "D," and "C" respectively.

In ordering please designate by number the formulæ, and by letter the container desired, thus: "500 T. T., No. 10, C," will mean 500 Tablet Triturates of Aloin, 1-10 gr., in bottles of 100; "2,000 T. T., No. 10, M," will mean 2,000 Tablet Triturates of Aloin, 1-10 gr., in bottles of 1,000; "2,000 T. T., No. 10, D," will mean 2,000 Tablet Triturates of Aloin, 1-10 gr., in bottles of 500.

---

For Compressed Tablets, see page 191.

For description and prices of Tablet Triturate Cases, see pp. 215, 216.

## SPECIAL NOTICE.

*We desire to call particular attention to the absolute necessity of specifying whether Tablet Triturates, abbreviated as "T. T.'s," Compressed Tablets, abbreviated as "C. T.'s," or Hypodermatic Tablets, abbreviated as "H. T.'s, are wanted, when ordering either by name or by number, because some of the numbers apply to Tablet Triturates as well as to Compressed Tablets.*

Please be advised we have transferred our general lists of Tablet Triturates and Compressed Tablets from Part I to Part II of our list. Prices are therefore strictly net, subject to the fluctuations of the market without previous notice. As we cannot control sudden changes in such articles as quinine, morphine, cocaine, etc., it will readily be seen that we cannot be held responsible therefor, and hence cannot under any consideration allow claims for rebate on stock on hand of tablets containing such ingredients.

On account of the low prices which we have adopted for many of the cheaper tablets, at which stock packages of 500 tablets can be purchased at a trifle, we do not price tablets in bottles of 100 where they are listed lower than 75 cents per 1000, but can supply them when desired at the uniform price of 10 cents per bottle.

New formulæ will constantly be added as circumstances warrant.

Special quotations for quantities in bulk upon application. Terms the same as those applicable to all articles in Part II of our Price List, viz: strictly net, 30 days, f. o. b. Detroit, New York or Kansas City.

Please notice that the titles under which these tablets are listed do not always correspond exactly to those adopted by competition. It is therefore necessary to compare the formula and to order by number rather than by name or title. Some tablets which we quote as "Recipe A" may be quoted by competition as "Recipe 1 or 2," and *vice versa*, and it is therefore advisable to remember to order by number, rather than by formula or title.

Our Tablet Triturates must not be confounded with the compressed tablet triturates found upon the market. Tablet Triturates are made with a special view to exhibiting the medicaments in as soluble a form as possible, and one which enables the physician to subdivide the tablets readily, by cutting them in two or four equal parts. This cannot readily be done with the so-called *compressed* tablet triturates.

PARKE, DAVIS & CO.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

		M Per 1000	D Per 500	C Per 100
Acetanilid, 1 gr.....	No. 239..	\$ 40	\$ 23	\$ ..
Aconite root, fluid extract, 1-10 ml.....	5..	40	23	..
†Aconite root, fluid extract, 1-2 ml.....	253..	40	23	..
Aconite root, fluid extract, 1 ml.....	6..	40	23	..
Aconite, tincture, 1-4 ml.....	254..	35	20	..
Aconite, tincture, 1-2 ml.....	255..	35	20	..
Aconite, tincture, 3-4 ml.....	256..	35	20	..
†Aconite, tincture, 1 ml.....	257..	40	23	..
Aconite, tincture, 2 ml.....	258..	45	25	..
Aconite and Belladonna.....	705..	45	25	10
Tincture Aconite, 1 min.				
Tincture Belladonna leaves, 1 min.				
Aconitine, crystals, 1-500 gr*.....	7..	30	18	..
†Aconitine, crystals, 1-200 gr*.....	8..	45	25	..
Aconitine, crystals, 1-100 gr*.....	259..	60	33	..
Agaricin, 1-20 gr.....	9..	50	28	..
Aloin, 1-100 gr.....	664..	35	20	..
Aloin, 1-10 gr.....	10..	35	20	..
Aloin, 1-5 gr.....	260..	40	23	..
†Aloin, 1-4 gr.....	11..	40	23	..
Aloin, 1-2 gr.....	12..	50	28	..
†Aloin and Belladonna Comp., B "A".....	181..	50	28	..
Aloin, 1-5 gr.				
Ext. Belladonna lvs., 1-8 gr.				
Strychnine sulphate, 1-60 gr.				
Aloin and Belladonna Comp., B "B".....	201..	50	28	..
Aloin, 1-5 gr.				
Ext. Belladonna lvs., 1-8 gr.				
Strychnine sulphate, 1-120 gr.				
Aloin, Belladonna and Nux Vomica.....	218..	50	28	..
Aloin, 1-5 gr.				
Ext. Nux vomica, 1-6 gr.				
Ext. Belladonna lvs., 1-8 gr.				
Aloin, Belladonna and Podophyllin .....	220..	50	28	..
Aloin, 1-8 gr.				
Podophyllum resin, 1-8 gr.				
Ext. Belladonna lvs., 1-8 gr.				
Aloin, Belladonna, Podophyllin & Nux Vomica..	221..	45	25	..
Aloin, 1-10 gr.				
Podophyllum resin, 1-10 gr.				
Ext. Belladonna lvs., 1-10 gr.				
Ext. Nux vomica, 1-10 gr.				
Aloin, Belladonna, Strychnine and Cascara Sagrada .....	222..	60	33	..
Aloin, 1-5 gr.				
Ext. Belladonna lvs., 1-8 gr.				
Strychnine, 1-120 gr.				
Ext. Cascara sagrada, 1-2 gr.				
Aloin, Belladonna, Strychnine and Ipecac.....	219..	55	30	..
Aloin, 1-5 gr.				
Ext. Belladonna lvs., 1-8 gr.				
Strychnine, 1-60 gr.				
Powd. Ipecac, 1-16 gr.				

†See note at head of page 44. \*See note 4.

PART  
TWO.*Specify P., D. & Co.'s.*

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. }	M Per 1000	D Per 500	C Per 100
PLEASE ORDER BY NUMBER AND LETTER.			
Aloin and Cascarin Comp. (Dr. Duncan)...No. 687..	\$ 60	\$ 33	\$ ..
Aloin, 1-5 gr.    Ext. Belladonna lvs., 1-8 gr.			
Cascarin, 1-4 gr.    Strychnine sulphate, 1-60 gr.			
Aloin and Cascarin Comp., B 2 (Dr. Duncan)..688..	65	35	..
Aloin, 1-4 gr.    Podophyllum resin, 1-4 gr.			
Cascarin, 1-4 gr.    Ext. Belladonna lvs., 1-8 gr.			
†Aloin Comp., B "A".....	217..	40	23
Aloin, 1-8 gr.    Podophyllum resin, 1-8 gr.			
Aloin Comp., B "B".....	261..	55	30
Aloin, 1-4 gr.    Podophyllum resin, 1-4 gr.			
Alum, 1-10 gr.....	262..	35	20
†Alum, 1-5 gr. ....	263..	40	23
Ammonium chloride, 1-10 gr .....	264..	35	20
†Ammonium chloride, 1-2 gr.....	265..	35	20
Ammonium chloride, 1 gr.....	18..	35	20
Ammonium chloride Compound.....	182..	40	23
Ammonium chloride, 1-4 gr.			
Ext. Glycyrrhiza, 1-10 gr.			
Powd. Cubeb, 1-8 gr.			
Ammonium chloride and Codeine Comp.....	266..	95	50
Ammonium chloride, 1-4 gr.			
Ext. Glycyrrhiza, 1-10 gr.			
Powdered Cubeb, 1-3 gr.			
Codeine, 1-25 gr.			
Ammonium chloride and Hyoscyamus Comp...267..	50	28	..
Ammonium chloride, 1 gr.			
Ext. Hyoscyamus, 1-6 gr.			
Antimony and Potassium tartrate, 1-24 gr.			
Antimony Comp. (Plummer), 1-10 gr.....193..	40	23	..
Sulphurated Antimony, 1-40 gr.			
Powd. Guaiac, 1-20 gr.			
Mercurous chloride, mild, 1-40 gr.			
Antiseptic Tablets ( <i>for external use only</i> ). See Specialties, page 123.			
Apomorphine hydrochlorate, 1-100 gr.....14..	65	35	..
Apomorphine hydrochlorate, 1-50 gr.....15..	95	50	13
Apomorphine hydrochlorate, 1-20 gr.....268..	1 75	90	21
†Apomorphine hydrochlorate, 1-10 gr.....269..	2 40	1 23	27
Arsenic bromide, 1-1000 gr.....666..	30	18	..
Arsenic bromide, 1-200 gr.....270..	35	20	..
†Arsenic bromide, 1-100 gr.....271..	35	20	..
Arsenic bromide, 1-60 gr.....272..	35	20	..
Arsenic bromide, 1-50 gr.....702..	30	18	..
Arsenic bromide, 1-40 gr.....703..	30	18	..
Arsenic bromide, 1-30 gr.....273..	40	23	..
Arsenic bromide, 1-20 gr.....704..	40	23	..
Arsenic iodide, 1-1000 gr.....667..	30	18	..
Arsenic iodide, 1-200 gr.....274..	35	20	..
Arsenic iodide, 1-100 gr.....16..	35	20	..
†Arsenic iodide, 1-50 gr.....275..	35	20	..
Arsenic iodide, 1-35 gr.....276..	35	20	..

\*See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100	
Arsenic iodide, 1-20 gr.....	No. 277..	\$ 40	\$ 23	\$ ..
Arsenic sulphide, 1-1000 gr.....	668..	30	18	..
+Arsenic sulphide, 1-100 gr.....	278..	35	20	..
Arsenic sulphide, 1-80 gr.....	89..	35	20	..
Arsenous acid, 1-200 gr.....	187..	30	18	..
+Arsenous acid, 1-100 gr.....	1..	30	18	..
Arsenous acid, 1-60 gr.....	240..	35	20	..
Arsenous acid, 1-50 gr.....	2..	35	20	..
Arsenous acid, 1-40 gr.....	241..	35	20	..
Arsenous acid, 1-30 gr.....	3..	35	20	..
Arsenous acid, 1-20 gr.....	4..	35	20	..
Arsenous acid and Iron, B 1, see <i>Iron and Arsenic,</i> R "C".....	415..	40	23	..
Atropine sulphate, 1-500 gr.....	17..	35	20	..
Atropine sulphate, 1-200 gr.....	18..	35	20	..
+Atropine sulphate, 1-100 gr.....	19..	45	25	..
Atropine sulphate, 1-50 gr.....	279..	60	33	..
Baptisia, tincture, 1 fl.oz.....	206..	45	25	..
Belladonna leaves, fluid extract, 1-2 fl.oz.....	20..	35	20	..
+Belladonna leaves, fluid extract, 1 fl.oz.....	21..	40	23	..
Belladonna leaves, extract, 1-8 gr.....	231..	45	25	..
Belladonna leaves, extract, 1-6 gr.....	232..	50	28	..
+Belladonna leaves, extract, 1-4 gr.....	233..	55	30	..
Belladonna leaves, tincture, 1-2 fl.oz.....	280..	35	20	..
+Belladonna leaves, tincture, 1 fl.oz.....	281..	40	23	..
Belladonna leaves, tincture, 2 fl.oz.....	282..	45	25	..
Belladonna leaves, tincture, 5 fl.oz.....	288..	45	25	..
Benzoic acid, 1-10 gr.....	242..	35	20	..
+Benzoic acid, 1-4 gr.....	243..	40	23	..
Benzoic acid, 1-2 gr.....	244..	45	25	..
Benzoic acid, 1 gr.....	245..	50	28	..
Bismuth subcarbonate, 1 gr.....	284..	90	48	12
+Bismuth subcarbonate, 2 grs.....	22..	1 55	80	19
Bismuth subnitrate, 1 gr.....	285..	80	43	11
+Bismuth subnitrate, 2 grs.....	28..	1 40	73	17
Bismuth and Calomel Compound.....	655..	85	45	12
Bismuth subnitrate, 1 gr. Powd. Ipecac, 1-60 gr.				
Mercurous chloride, mild, 1-40 gr.				
Bismuth and Cerium oxalate.....	487..	85	45	12
Bismuth subnitrate, 1 gr.				
Cerium oxalate, 1-2 gr.				
Bismuth Compound.....	625..	65	35	..
Bismuth subnitrate, 1-2 gr.				
Cerium oxalate, 1-2 gr.				
Blood-root, see <i>Sanguinaria</i> .				
Blue Mass, 1-4 gr.....	290..	40	23	..
(Mass of Mercury.)				
Blue Mass, 1-2 gr.....	291..	40	23	..

†See note at head of page 44.

Alphabetical Arrangement; for Numerical Arrangement, see pages 174 to 188.

PART  
TWO.

## Specify P. D. &amp; Co.'s

		M Per 1000	D Per 500	C Per 100
{ Tablets not priced in bottles of 100 are sup-				
plied at 10 cents per bottle.				
PLEASE ORDER BY NUMBER AND LETTER.				
†Blue Mass, 1 gr.....	No. 292..	\$ 45	\$ 25	\$ ..
Blue Mass Compound.....	293..	55	30	..
Mass of Mercury, 1-2 gr. Powd. Ipecac, 1-8 gr.				
Powd. Opium, 1-8 gr.				
Boric acid, 1-10 gr.....	246..	35	20	..
Boric acid, 1-5 gr.....	247..	40	23	..
†Boric acid, 1-2 gr.....	248..	40	23	..
Boric acid, 1 gr.....	249..	40	23	..
Bronchitis.....	693..	40	23	..
Tr. Aconite, 1-5 ℥.				
Tr. Bryonia, 1-10 ℥.				
Tr. Belladonna lvs., 1-10 ℥.				
Sulphurated Antimony, 1-100 gr.				
Potassium bichromate, 1-100 gr.				
Bronchitis (Dr. Delafield).....	707..	75	40	11
Extract Belladonna leaves, 1-40 gr.				
Ipecac and Opium Powder, 1-10 gr.				
Powd. Ipecac, 1-20 gr.				
Quinine sulphate, 1-4 gr.				
Brown Mixture, 30 ℥.....	294..	35	20	..
Ext. Glycyrrhiza, 9-10 gr.				
Benzoic acid, 3-200 gr.				
Antim. and Potass. tartr., 3-400 gr.				
Powd. Opium, 3-200 gr.				
Camphor, 3-200 gr.				
Oil Anise, 3-200 ℥.				
†Brown Mixture, 60 ℥.....	295..	40	23	..
Ext. Glycyrrhiza, 53-80 gr.				
Benzoic acid, 3-100 gr.				
Antim. and Potass. tartr., 3-200 gr.				
Powd. Opium, 3-100 gr.				
Camphor, 3-100 gr.				
Oil Anise, 3-100 ℥.				
Bryonia, tincture, 1-2 ℥.....	296..	40	23	..
†Bryonia, tincture, 1 ℥.....	297..	40	23	..
Bryonia, tincture, 2 ℥.....	298..	45	25	..
Bryonia, tincture, 5 ℥.....	188..	50	28	..
Cactus grandiflorus, see <i>Cereus grandiflorus</i> .				
Caffeine, 1-2 gr .....	24..	1 65	85	20
†Caffeine, 1 gr.....	25..	3 10	1 58	34
Caffeine, citrated, 1-10 gr.....	299..	65	35	..
†Caffeine, citrated, 1-2 gr.....	26..	1 10	58	14
Caffeine, citrated, 1 gr.....	27..	1 85	95	22
Caffeine Compound.....	300..	1 85	95	22
Citrated Caffeine, 1 gr.				
Glonoin (Nitroglycerin), 1-200 gr.				
†Calabar bean, tincture, 1 ℥.....	301..	35	20	..
(Tinct. Physostigma.)				
Calabar bean, tincture, 2 ℥.....	302..	45	25	..
Calcium sulphide, 1-1000 gr.....	669..	80	18	..
Calcium sulphide, 1-20 gr.....	303..	35	20	..
Calcium sulphide, 1-10 gr.....	28..	35	20	..
Calcium sulphide, 1-8 gr.....	304..	35	20	..

†See note at head of page 44.

## Tablet Triturates.

PART  
TWO.

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
†Calcium sulphide, 1-4 gr.....	No. 29..	\$ 35	\$ 20
Calcium sulphide, 1-2 gr.....	30..	85	20
Calcium sulphide, 1 gr.....	305..	40	23
Calomel, 1-100 gr.....	31..	35	20
(Mercurous chloride, mild.)			
Calomel, 1-50 gr.....	306..	35	20
Calomel, 1-20 gr.....	288..	35	20
†Calomel, 1-10 gr.....	32..	35	20
Calomel, 1-8 gr.....	307..	35	20
Calomel, 1-6 gr.....	308..	35	20
Calomel, 1-4 gr.....	33..	35	20
Calomel, 1-2 gr.....	34..	40	23
Calomel, 1 gr.....	35..	45	25
Calomel, 2 grs.....	204..	75	40
†Calomel and Dover Powder, B "A".....	309..	50	28
Mercurous chloride, mild, 1-4 gr.			
Ipecac and Opium powder, 1 gr.			
Calomel and Dover Powder, B "B".....	229..	50	28
Mercurous chloride, mild, 1-2 gr.			
Ipecac and Opium powder, 1 gr.			
†Calomel and Ipecac, B "A".....	310..	40	23
Mercurous chloride, mild, 1-8 gr.			
Powd. Ipecac, 1-8 gr.			
Calomel and Ipecac, B "B".....	211..	50	28
Mercurous chloride, mild, 1-4 gr.			
Powd. Ipecac, 1-4 gr.			
Calomel, Ipecac and Sodium bicarbonate.....	195..	50	28
Mercurous chloride, mild, 1-5 gr.			
Powd. Ipecac, 1-10 gr.			
Sodium bicarbonate, 1 gr.			
†Calomel and Sodium bicarbonate, B "A".....	216..	35	20
Mercurous chloride, mild, 1-10 gr.			
Sodium bicarbonate, 1 gr.			
Calomel and Sodium bicarbonate, B "B".....	311..	35	20
Mercurous chloride, mild, 1-4 gr.			
Sodium bicarbonate, 1 gr.			
Calomel and Sodium bicarbonate, B "C".....	312..	45	25
Mercurous chloride, mild, 1 gr.			
Sodium bicarbonate, 1 gr.			
Calomel and Sodium bicarbonate, B "D".....	649..	40	23
Mercurous chloride, mild, 1-2 gr.			
Sodium bicarbonate, 1-2 gr.			
Calomel and Sodium bicarbonate, B "E".....	711..	35	20
Mercurous chloride, mild, 1-4 gr.			
Sodium bicarbonate, 1-4 gr.			
Calomel and Sodium bicarbonate Compound.....	313..	45	25
Mercurous chloride, mild, 1-2 gr.			
Sodium bicarbonate, 1-2 gr.			
Podophyllum resin, 1-12 gr.			
†Calomel and Sodium bicarb. Comp., B "B".....	626..	40	23
Mercurous chloride, mild, 1-4 gr.			
Sodium bicarbonate, 1-2 gr.			
Podophyllum resin, 1-12 gr.			
Camphor monobromated, 1-10 gr.....	646..	35	20
†Camphor monobromated, 1 gr.....	314..	65	35

†See note at head of page 44.

PART  
TWO.

## Specify P. D. &amp; Co.'s

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C	
	Per 1000	Per 500	Per 100	
Cannabis Indica, extract, 1-20 gr..... (Indian Cannabis, extract.)	No. 36..	\$ 40	\$ 23	\$ ..
Cannabis Indica, extract, 1-10 gr.....	37..	40	23	..
+Cannabis Indica, extract, 1-8 gr.....	315..	40	23	..
Cannabis Indica, extract, 1-4 gr.....	316..	45	25	..
Cannabis Indica, tincture, 1-2 fl.oz.....	317..	40	23	..
+Cannabis Indica, tincture, 1 fl.oz.....	318..	40	23	..
Cannabis Indica, tincture, 2 fl.oz.....	319..	45	25	..
Cannabis Indica, Arsenic and Iron..... Ext. Indian Cannabis, 1-6 gr. Arsenous acid, 1-60 gr. Reduced Iron, 1 gr.	616..	75	40	11
Cannabis Indica, Digitalis and Iron..... Ext. Indian Cannabis, 1-6 gr. Fl. ext. Digitalis, 1-2 fl.oz. Reduced Iron, 2 grs.	617..	80	43	11
Capsicum, 1 gr.....	38..	45	25	..
Carbolic acid, 1-10 gr.....	250..	40	23	..
Cardiac (Dr. Waldstein)..... Sparteine sulphate, 1-10 gr. Tinet. Strophanthus, 3 fl.oz. Citrated Caffeine, 1-2 gr. Codeine, 1-20 gr.	699..	1 85	95	22
Cardiac Compound (Dr. Chas. L. Kerr)..... Caffeine hydrobromate, 1 gr. Glonoin (Nitroglycerin), 1-100 gr. Tr. Digitalis, 2 fl.oz. Tr. Strophanthus, 2 fl.oz.	647..	4 50	2 28	48
Carminative (Fothergill)..... Strychnine, 1-40 gr. Powd. Ipecac, 1-3 gr. Powd. Black Pepper, 1-3 gr. Powd. Gentian, 1-2 gr. Oleoresin Capsicum, 1-8 fl.oz.	650..	60	33	..
Cascara Sagrada, extract, 1 gr.....	620..	90	48	12
Cathartic, Active..... Aloin, 1-10 gr. Ext. Nux vomica, 1-10 gr. Podophyllum resin, 1-5 gr. Oleores. Capsicum, 1-120 fl.oz. Ext. Colocynth comp., 1-10 gr. Oleum Tiglii, 1-15 fl.oz.	627..	45	25	..
Cathartic Comp., Improved, 1-10 gr..... Ext. Coloc. comp., 1-30 gr. Ext. Jalap, 1-60 gr. Podophyllum resin, 1-120 gr. Ext. Gentian, 1-60 gr. Leptandrin, 1-120 gr. Ext. Hyoscyamus, 1-120 gr. Oil Peppermint, q. s.	320..	40	23	..
Cathartic Comp., Improved, 1-5 gr..... Ext. Coloc. comp., 1-15 gr. Ext. Jalap, 1-30 gr. Podophyllum resin, 1-60 gr. Ext. Gentian, 1-30 gr. Leptandrin, 1-60 gr. Ext. Hyoscyamus, 1-60 gr. Oil Peppermint, q. s.	321..	45	25	..

†See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100	
†Cathartic Comp., Improved, 1 gr.....	No. 322..	\$ 45	\$ 25	\$ ..
Ext. Coloc. comp., 1-3 gr.				
Ext. Jalap, 1-6 gr.				
Podophyllum resin, 1-12 gr.				
Ext. Gentian, 1-6 gr.				
Leptandrin, 1-12 gr.				
Ext. Hyoscyamus, 1-12 gr.				
Oil Peppermint, q. s.				
Cathartic Comp. (U. S. P. mass), 1-10 gr.....	323..	40	23	..
Ext. Coloc. comp., 1-24 gr.				
Mercurous chloride, mild, 1-30 gr.				
Ext. Jalap, 1-60 gr.				
Powd. Gamboge, 1-120 gr.				
Cathartic Comp. (U. S. P. mass), 1-5 gr.....	324..	45	25	..
Ext. Coloc. comp., 1-12 gr.				
Mercurous chloride, mild, 1-15 gr.				
Ext. Jalap, 1-30 gr.				
Powd. Gamboge, 1-60 gr.				
†Cathartic Comp. (U. S. P. mass), 1 gr.....	325..	60	33	..
Ext. Coloc. comp., 5-12 gr.				
Mercurous chloride, mild, 1-3 gr.				
Ext. Jalap, 1-6 gr.				
Powd. Gamboge, 1-12 gr.				
Cathartic Comp., Vegetable, 1-10 gr.....	326..	40	23	..
Ext. Cologynth, 2-145 gr.				
Podophyllum resin, 3-290 gr.				
Powd. Scammony resin, 2-145 gr.				
Powd. Soap, 3-580 gr.				
Powd. Cardamom, 3-580 gr.				
Purified Aloes, 3-58 gr.				
Cathartic Comp., Vegetable, 1-5 gr.....	327..	40	23	..
Ext. Cologynth, 4-145 gr.				
Podophyllum resin, 3-145 gr.				
Powd. Scammony resin, 4-145 gr.				
Powd. Soap, 3-290 gr.				
Powd. Cardamom, 3-290 gr.				
Purified Aloes, 3-29 gr.				
†Cathartic Comp., Vegetable, 1 gr.....	328..	60	33	..
Ext. Cologynth, 4-29 gr.				
Podophyllum resin, 3-29 gr.				
Powd. Scammony resin, 4-29 gr.				
Powd. Soap, 3-58 gr.				
Powd. Cardamom, 3-58 gr.				
Purified Aloes, 15-29 gr.				
Caulophylin, 1-10 gr.....	329..	40	23	..
Cereus grandiflorus, fluid extract, 1 fl.oz.....	677..	50	28	..
Cerium oxalate, 1-2 gr.....	330..	45	25	..
†Cerium oxalate, 1 gr.....	40..	60	33	..
Cimicifuga, tincture, 1 fl.oz.....	207..	40	23	..
Coca, fluid extract, 1-2 fl.oz.....	331..	40	23	..
†Coca, fluid extract, 1 fl.oz.....	332..	45	25	..
Cocaine hydrobromate, 1-16 gr.....	41..	1 60	83	19
†Cocaine hydrobromate, 1-8 gr.....	42..	2 90	1 48	32
Cocaine hydrochlorate, 1-100 gr.....	333..	60	33	..
Cocaine hydrochlorate, 1-50 gr.....	334..	75	40	11

†See note at head of page 44.

PART  
TWO.

## Specify P., D. &amp; Co.'s

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
	Per 1000	Per 500	Per 100
Cocaine hydrochlorate, 1-20 gr.....	No. 335.. \$ 1 40	\$ 73	\$ 17
+Cocaine hydrochlorate, 1-16 gr.....	43.. 1 60	83	19
Cocaine hydrochlorate, 1-10 gr.....	336.. 2 40	1 23	27
Cocaine hydrochlorate, 1-8 gr.....	44.. 2 90	1 48	32
Cocaine hydrochlorate, 1-5 gr.....	337.. 4 40	2 23	47
Cocaine, 1½, 2¼ and 3 grs.; see Specialties, page 126.			
Codeine, 1-8 gr.....	338.. 2 20	1 13	25
Codeine, 1-5 gr.....	339.. 3 80	1 93	41
+Codeine, 1-4 gr.....	45.. 4 45	2 25	48
Codeine, 1-2 gr.....	46.. 8 40	4 23	87
+Colchicine, 1-100 gr.....	47.. 60	33	..
Colchicine, 1-50 gr.....	48.. 1 30	68	16
Colchicum root, fluid extract, 1-2 ℥.....	340.. 40	23	..
+Colchicum root, fluid extract, 1 ℥.....	341.. 45	25	..
+Colchicum seed, tincture, 1 ℥.....	342.. 40	23	..
Colchicum seed, tincture, 2 ℥.....	343.. 45	25	..
Colchicum seed, tincture, 3 ℥.....	344.. 45	25	..
Colchicum seed, tincture, 5 ℥.....	345.. 50	28	..
Cold and Fever (Dr. Evan F. Smith).....	706.. 40	23	10
Camphor monobromated, 1-10 gr.			
Tincture Gelsemium, 1-4 ℥.			
Tincture Aconite, 1-4 ℥.			
Tincture Eupatorium, 1-4 ℥.			
Tincture Bryonia, 1-4 ℥.			
+Colocynth Comp., extract, 1-4 gr.....	346.. 40	23	..
Colocynth Comp., extract, 1-2 gr.....	347.. 45	25	..
Colocynthin, 1-20 gr.....	49.. 2 65	1 35	30
Coniine hydrobromate, 1-20 gr.....	50.. 1 15	60	15
+Coniine hydrobromate, 1-10 gr.....	51.. 1 95	1 00	23
Coniine hydrochlorate, 1-20 gr.....	52.. 1 20	63	15
+Coniine hydrochlorate, 1-10 gr.....	53.. 2 00	1 08	23
Conium Compound.....	348.. 50	28	..
Ext. Conium fruit, 1-30 gr.			
Ext. Glycyrrhiza, 1-10 gr.			
Ext. Cubeb, 1-10 gr.			
Conium, tincture, 1 ℥.....	349.. 35	20	..
Convallamarin, 1-50 gr.....	54.. 40	23	..
Copper arsenite, 1-5000 gr.....	215.. 35	20	..
+Copper arsenite, 1-100 gr.....	212.. 35	20	..
Copper and Opium.....	205.. 40	23	..
Copper sulphate, 1-30 gr.			
Tinct. Opium deodorized, 1-4 ℥.			
Corrosive sublimate, 1-1000 gr.....	55.. 35	20	..
(Mercuric chloride, corrosive.)			
Corrosive sublimate, 1-500 gr.....	56.. 35	20	..
Corrosive sublimate, 1-200 gr.....	350.. 35	20	..
+Corrosive sublimate, 1-100 gr.....	57.. 35	20	..
Corrosive sublimate, 1-60 gr.....	351.. 35	20	..
Corrosive sublimate, 1-50 gr.....	58.. 35	20	..

†See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are sup-	{	M	D	C
plied at 10 cents per bottle.		Per	Per	Per
PLEASE ORDER BY NUMBER AND LETTER.		1000	500	100
Corrosive sublimate, 1-40 gr.....	No. 352..	\$ 35	\$ 20	\$ ..
Corrosive sublimate, 1-30 gr.....	353..	40	23	..
Corrosive sublimate, 1-20 gr.....	59..	40	23	..
Corrosive sublimate, 1-16 gr.....	60..	40	23	..
Corrosive sublimate, 1-12 gr.....	354..	40	23	..
Corrosive sublimate, 1-10 gr.....	355..	40	23	..
Creosote, Beechwood, 1-10 fl.oz.....	614..	35	20	..
Cubeb, fluid extract, 1-2 fl.oz.....	223..	40	23	..
†Cubeb, fluid extract, 1 fl.oz.....	224..	50	28	..
Damiana, fluid extract, 1-2 fl.oz.....	356..	40	23	..
†Damiana, fluid extract, 1 fl.oz.....	357..	50	28	..
Dermatol (Subgallate of Bismuth), 1 gr.....	685..	1 50	78	18
Diarrhoea.....	628..	85	45	12
Mercurous chloride, mild, 1-8 gr.				
Powd. Ipecac, 1-32 gr.				
Morphine sulphate, 1-16 gr.				
Camphor, 1-16 gr.				
Powd. Capsicum, 1-16 gr.				
Diarrhoea, B 3, (Dr. Sullivan).....	678..	65	35	..
Powd. Opium, $\frac{1}{4}$ gr.				
Camphor, $\frac{1}{4}$ gr.				
Powd. Ipecac, $\frac{1}{8}$ gr.				
Lead acetate, 1-6 gr.				
Digitalin, pure, 1-500 gr.....	358..	35	20	..
Digitalin, pure, 1-200 gr.....	359..	40	23	..
†Digitalin, pure, 1-100 gr.....	61..	45	25	..
Digitalin, pure, 1-75 gr.....	62..	45	25	..
Digitalin, pure, 1-60 gr.....	360..	45	25	..
Digitalin, pure, 1-50 gr.....	63..	50	28	..
Digitalis, fluid extract, 1-10 fl.oz.....	64..	35	20	..
Digitalis, fluid extract, 1-2 fl.oz.....	65..	40	23	..
†Digitalis, fluid extract, 1 fl.oz.....	66..	45	25	..
Digitalis, tincture, 1-2 fl.oz.....	361..	80	18	..
†Digitalis, tincture, 1 fl.oz.....	362..	85	20	..
Digitalis, tincture, 3 fl.oz.....	363..	45	25	..
Digitalis, tincture, 5 fl.oz.....	364..	45	25	..
Digitalis and Aconite.....	670..	45	25	..
Fl. Ext. Aconite root, $\frac{1}{2}$ fl.oz.				
Fl. Ext. Digitalis, $\frac{1}{2}$ fl.oz.				
Digitalis and Strophanthus.....	365..	55	30	..
Tinct. Digitalis, 3 fl.oz.				
Tinct. Strophanthus, 2 fl.oz.				
Dover Powder, 1-4 gr.....	67..	35	20	..
(Ipecac and Opium powder.)				
Dover Powder, 1-2 gr.....	366..	40	23	..
†Dover Powder, 1 gr.....	68..	45	25	..
Dover Powder, 1 1-4 grs.....	367..	45	25	..
Dover Powder, 2 1-2 grs.....	202..	65	35	..
Dover Powder, 3 1-3 grs.....	368..	70	38	..

†See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C	
	Per 1000	Per 500	Per 100	
Dyspeptic (Dr. E. B. Haworth).....	No. 629..	\$ 50	\$ 28	\$ ..
Strychnine sulphate, 1-40 gr.				
Powd. Ipecac, 1-8 gr.				
Powd. Rhubarb, 1-4 gr.				
Powd. Capsicum, 1-8 gr.				
Elaterin, 1-40 gr.....	69..	1 85	70	17
+Elaterin, 1-20 gr.....	70..	2 50	1 28	28
Elaterin, 1-10 gr.....	71..	5 95	3 00	63
Elaterium (Clutterbuck), 1-32 gr .....	369..	45	25	..
Elaterium (Clutterbuck), 1-16 gr .....	370..	55	30	..
Elaterium (Clutterbuck), 1-10 gr .....	371..	70	38	..
+Elaterium (Clutterbuck), 1-8 gr.....	372..	75	40	11
Enteritis (Dr. C. N. Haskell).....	663..	45	25	..
Copper arsenite, 1-100 gr.				
Mercuric chloride, corrosive, 1-100 gr.				
Morphine sulphate, 1-100 gr.				
Ergot, extract, 1 gr .....	621..	95	50	13
Ergot, fluid extract, 1-2 fl. oz.....	378..	40	23	..
+Ergot, fluid extract, 1 fl. oz.....	374..	45	25	..
Ergotin (Bonjean), 1-10 gr .....	72..	40	23	..
+Ergotin (Bonjean), 1-4 gr .....	73..	55	30	..
Eucalyptus, fl. ext., 1-2 fl. oz.....	375..	35	20	..
+Eucalyptus, fl. ext., 1 fl. oz.....	376..	40	23	..
Euonymin, brown, 1-10 gr.....	377..	45	25	..
Euonymin, brown, 1-8 gr.....	378..	55	30	..
+Euonymin, brown, 1-4 gr.....	379..	65	35	..
Euonymin, brown, 1-2 gr.....	380..	85	45	12
Euonymin, brown, 1 gr.....	381..	1 30	68	16
Ferratin (Boehringer,—B. & S.), see <i>Specialties</i> , page 129.				
Ferric pyrophosphate, soluble, see <i>Iron pyrophosphate</i> .				
Fever.....	623..	70	38	..
Tinct. Aconite, 1 fl. oz.				
Morphine sulphate, 1-20 gr.				
Antimony and Potassium tartrate, 1-50 gr.				
Fever (Dr. T. G. Davis).....	630..	40	23	..
Tinct. Aconite, 1-5 fl. oz.				
Tinct. Bryonia, 1-10 fl. oz.				
Tinct. Belladonna leaves, 1-10 fl. oz.				
+Fever (Dr. H. J. Kenyon).....	382..	80	43	11
Tinct. Aconite, 1 fl. oz.				
Antimony and Potass. tartrate, 1-50 gr.				
Powd. Ipecac, 1-8 gr.				
Morphine sulphate, 1-20 gr.				
Fowler Solution, see <i>Potassium Arsenite Solution</i> .				
Gallic acid, 1 gr.....	251..	45	25	..
Gelsemin, see <i>Gelsemperin</i> .				
+Gelsemium, tincture, 1 fl. oz.....	197..	35	20	..
Gelsemium, tincture, 3 fl. oz.....	387..	45	25	..
Gelsemium, tincture, 5 fl. oz.....	388..	45	25	..
Gelsemperin, 1-16 gr.....	383..	50	28	..
(Gelsemin, concentration.)				

†See note at head of page 44.

## Tablet Triturates.

PART  
TWO.

{ Tablets not priced in bottles of 100 are sup-		M Per 1000	D Per 500	C Per 100
plied at 10 cents per bottle.	PLEASE ORDER BY NUMBER AND LETTER.			
Gelsemperin, 1-10 gr.....	No. 384..	55	\$ 30	\$ ..
†Gelsemperin, 1-8 gr.....	385..	55	30	..
Gelsemperin, 1-4 gr.....	386..	60	33	..
Glonoin, see Nitroglycerin.				
Heart Tonic, No. 2, see Nitroglycerin Comp., R "B."				
†Hepatic.....	394..	50	28	..
Mass of Mercury, 1-2 gr.				
Ext. Colocynth comp., 1-2 gr.				
Ext. Hyoscyamus, 1-8 gr.				
Hepatic (Dr. H. J. Kenyon).....	395..	60	33	..
Euonymin, brown, 1-8 gr.				
Powd. Ipecac, 1-8 gr.				
Podophyllum resin, 1-20 gr.				
Aloin, 1-12 gr.				
Mercurous chloride, mild, 1-8 gr.				
Hydrastin (concentration), 1-20 gr.....	396..	50	28	..
Hydrastin Compound.....	631..	65	35	..
Podophyllum resin, 1-20 gr.				
Hydrastin, concentration, 1-10 gr.				
Hydrastine (white alkaloid), 1-25 gr.....	74..	95	50	13
Hydrastine (white alkaloid), 1-16 gr.....	75..	1 25	65	16
†Hydrastine (white alkaloid), 1-8 gr.....	76..	2 30	1 18	26
Hydrastine (white alkaloid), 1-4 gr.....	77..	4 25	2 15	46
†Hydrastis, tincture, 1 ℥.....	397..	40	23	..
Hydrastis, tincture, 2 ℥.....	398..	45	25	..
Hydrastis, tincture, 3 ℥.....	399..	45	25	..
Hyoscine hydrobromate, 1-200 gr.....	658..	95	50	13
Hyoscyamine crystals, 1-200 gr.....	78..	60	33	..
†Hyoscyamine crystals, 1-100 gr.....	79..	1 00	53	13
Hyoscyamine crystals, 1-50 gr.....	400..	1 30	68	16
Hyoscyamus, fluid extract, 1-2 ℥.....	225..	35	20	..
†Hyoscyamus, fluid extract, 1 ℥.....	226..	40	23	..
Hyoscyamus, extract, 1-6 gr.....	389..	45	25	..
†Hyoscyamus, extract, 1-4 gr.....	234..	45	25	..
Hyoscyamus, extract, 1-2 gr.....	235..	50	28	..
†Hyoscyamus, tincture, 1 ℥.....	390..	40	23	..
Hyoscyamus, tincture, 2 ℥.....	391..	45	25	..
Hyoscyamus, tincture, 3 ℥.....	392..	45	25	..
Hyoscyamus, tincture, 5 ℥.....	393..	45	25	..
Ignatia, 1-100 gr.....	401..	35	20	..
†Ignatia, 1-20 gr.....	80..	35	20	..
Ignatia, 1-10 gr.....	81..	35	20	..
†Ignatia, extract, 1-4 gr.....	402..	40	23	..
Ignatia, extract, 1-2 gr.....	403..	50	28	..
†Ignatia, tincture, 1 ℥.....	404..	40	23	..
Ignatia, tincture, 3 ℥.....	405..	45	25	..
Ignatia, tincture, 5 ℥.....	406..	45	25	..
Ipecac, fluid extract, 1-2 ℥.....	409..	70	38	..
†Ipecac, fluid extract, 1 ℥.....	410..	90	48	12

†See note at head of page 44.

Alphabetical Arrangement; for Numerical Arrangement, see pages 174 to 188.

PART  
TWO.

## Specify P. D. &amp; Co.'s

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
Ipecac and Opium, <i>see Dover Powder.</i>			
Ipecac, powdered, 1-100 gr..... No. 407..	\$ 35	\$ 20	\$ ..
Ipecac, powdered, 1-50 gr..... 408..	40	23	..
+Ipecac, powdered, 1-10 gr..... 82..	40	23	..
Ipecac, powdered, 1-4 gr..... 83..	50	28	..
Ipecac, powdered, 1-2 gr..... 84..	65	35	..
Iron arsenate, 1-16 gr..... 189..	35	20	..
+Iron arsenate, 1-10 gr..... 87..	40	23	..
Iron arsenate, 1-8 gr..... 411..	40	23	..
Iron arsenate, 1-4 gr..... 412..	40	23	..
+Iron and Arsenic, B "A"..... 413..	45	25	..
Reduced Iron, 1 gr.      Arsenous acid, 1-100 gr.			
Iron and Arsenic, B "B"..... 414..	45	25	..
Reduced Iron, 1 gr.      Arsenous acid, 1-60 gr.			
Iron and Arsenic, B "C"..... 415..	45	25	..
Reduced Iron, 1 gr.      Arsenous acid, 1-30 gr.			
Iron and Arsenic Compound..... 183..	50	28	..
Reduced Iron, 1 gr.      Arsenous acid, 1-100 gr.			
Powd. Ignatia, 1-40 gr.			
+Iron, Arsenic and Strychnine, B "A"..... 203..	50	28	..
Reduced Iron, 1 gr.      Arsenous acid, 1-100 gr.			
Strychnine sulphate, 1-60 gr.			
Iron, Arsenic and Strychnine, B "B"..... 416..	50	28	..
Reduced Iron, 1 gr.      Arsenous acid, 1-50 gr.			
Strychnine sulphate, 1-60 gr.			
Iron, Arsenic and Strychnine, B "C"..... 622..	45	25	..
Reduced Iron, 1 gr.      Arsenous acid, 1-50 gr.			
Strychnine sulphate, 1-120 gr.			
Iron by hydrogen, 1-2 gr..... 85..	40	23	..
(Reduced Iron.)			
+Iron by hydrogen, 1 gr..... 86..	45	25	..
Iron citrate, 1 gr. (Ferric citrate)..... 417..	45	25	..
Iron lactate, 1 gr. (Ferrous lactate)..... 198..	45	25	..
Iron pyrophosphate, 1 gr..... 418..	45	25	..
(Soluble Ferric pyrophosphate.)			
Iron and Quinine citrate, soluble, 1-4 gr..... 88..	40	23	..
+Iron and Quinine citrate, soluble, 1-2 gr..... 89..	45	25	..
Iron and Quinine citrate, soluble, 1 gr..... 90..	60	33	..
Iron and Quinine..... 230..	90	48	12
Reduced Iron, 1-2 gr.      Quinine sulphate, 1-2 gr.			
Iron, Quinine and Arsenic..... 419..	80	48	11
Reduced Iron, 1-2 gr.      Quinine sulphate, 1-2 gr.			
Arsenous acid, 1-100 gr.			
Iron, Quinine and Strychnine..... 184..	85	45	12
Reduced Iron, 1-2 gr.      Quinine sulphate, 1-2 gr.			
Strychnine sulphate, 1-120 gr.			
Iron and Strychnine citrate, 1-4 gr..... 91..	45	25	..
+Iron and Strychnine citrate, 1-2 gr..... 92..	55	30	..
Iron and Strychnine citrate, 1 gr..... 93..	80	48	11

†See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100	
Iron and Strychnine Compound .....	No. 185..	\$ 85	\$ 45	\$ 12
Reduced Iron, 1-2 gr.				
Arsenous acid, 1-100 gr.				
Strychnine sulphate, 1-120 gr.				
Quinine sulphate, 1-2 gr.				
†Jaborandi, fluid extract, 1-2 ℥.....	420..	35	20	
Jaborandi, fluid extract, 1 ℥.....	421..	40	23	
Leptandrin, 1-16 gr.....	94..	40	23	
Leptandrin, 1-8 gr.....	422..	45	25	
†Leptandrin, 1-4 gr.....	423..	50	28	
Leptandrin, 1-2 gr.....	424..	55	30	
Lime sulphurated, see <i>Calcium sulphide</i> .				
Lithium carbonate, 1-2 gr.....	425..	60	33	
†Lithium carbonate, 1 gr.....	95..	65	35	
Lithium carbonate and Sodium arsenate.....	426..	85	45	12
Lithium carbonate, 1 gr.				
Sodium arsenate, 1-30 gr.				
†Lobelia, tincture, 1 ℥.....	427..	40	23	
Lobelia, tincture, 2 ℥.....	428..	45	25	
Lobelia, tincture, 3 ℥.....	429..	45	25	
Lupulin, fluid extract, 1-2 ℥.....	430..	35	20	
†Lupulin, fluid extract, 1 ℥.....	431..	45	25	
Manganese dioxide, 1-2 gr.....	96..	35	20	
†Manganese dioxide, 1 gr.....	97..	35	20	
Mercuric iodide, red, 1-1000 gr .....	671..	30	18	
Mercuric iodide, red, 1-100 gr .....	101..	30	18	
Mercuric iodide, red, 1-50 gr .....	190..	30	18	
Mercuric iodide, red, 1-30 gr .....	432..	35	20	
†Mercuric iodide, red, 1-25 gr .....	433..	35	20	
Mercuric iodide, red 1-20 gr .....	434..	40	23	
Mercuric iodide, red, 1-16 gr .....	102..	40	23	
Mercuric iodide, red, 1-12 gr .....	435..	40	23	
Mercuric iodide, red, 1-8 gr .....	103..	40	23	
†Mercuric oxide, yellow, 1-200 gr*.....	191..	35	20	
Mercuric oxide, yellow, 1-100 gr*.....	442..	35	20	
Mercurous iodide, yellow, 1-1000 gr.....	633..	35	20	
Mercurous iodide, yellow, 1-500 gr .....	634..	35	20	
Mercurous iodide, yellow, 1-200 gr .....	635..	35	20	
Mercurous iodide, yellow, 1-100 gr .....	104..	45	25	
Mercurous iodide, yellow, 1-50 gr .....	105..	45	25	
Mercurous iodide, yellow, 1-25 gr .....	436..	45	25	
Mercurous iodide, yellow, 1-20 gr .....	437..	45	25	
Mercurous iodide, yellow, 1-16 gr .....	106..	45	25	
Mercurous iodide, yellow, 1-10 gr .....	438..	45	25	
†Mercurous iodide, yellow, 1-8 gr .....	107..	45	25	
Mercurous iodide, yellow, 1-6 gr .....	108..	45	25	
Mercurous iodide, yellow, 1-5 gr .....	439..	45	25	

†See note at head of page 44. \*See note 121.

PART  
TWO.*Specify P. D. & Co.'s*

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
	Per 1000	Per 500	Per 100
Mercurous iodide, yellow, 1-4 gr.....	No. 109.. \$ 50	\$ 28	\$ ..
Mercurous iodide, yellow, 1-3 gr.....	440.. 60	33	..
Mercurous iodide, yellow, 1-2 gr.....	110.. 70	38	..
Mercurous iodide, yellow, 1 gr.....	111.. 95	50	13
Mercurous iodide and Opium .....	632.. 50	28	..
Mercurous iodide, yellow, 1-5 gr. Powd. Opium, 1-12 gr.			
Mercury with chalk, 1-10 gr.....	98.. 35	20	..
+Mercury with chalk, 1-5 gr.....	99.. 35	20	..
Mercury with chalk, 1-3 gr .....	441.. 35	20	..
Mercury with chalk, 1 gr.....	100.. 35	20	..
Mercury with chalk and Dover Powder.....	652.. 50	28	..
Mercury with chalk, 1 gr. Powd. Ipecac, 1-10 gr. Powd. Opium, 1-10 gr.			
Mercury and Iron .....	700.. 65	35	..
Mercurous iodide, yellow, 1-4 gr. Reduced Iron, 1 gr.			
Mercury protiodide, see <i>Mercurous iodide, yellow.</i>			
+Morphine acetate, 1-8 gr.....	447.. 1 20	63	15
Morphine acetate, 1-4 gr .....	448.. 2 10	1 08	24
+Morphine hydrochlorate, 1-8 gr.....	114.. 1 20	63	15
Morphine hydrochlorate, 1-4 gr.....	115.. 2 10	1 08	24
Morphine sulphate, 1-50 gr.....	450.. 60	33	..
Morphine sulphate, 1-20 gr.....	116.. 65	35	..
Morphine sulphate, 1-16 gr.....	117.. 70	38	..
Morphine sulphate, 1-10 gr.....	451.. 1 05	55	14
Morphine sulphate, 1-8 gr.....	118.. 1 20	63	15
Morphine sulphate, 1-6 gr.....	119.. 1 50	78	18
+Morphine sulphate, 1-4 gr.....	120.. 2 10	1 08	24
Morphine sulphate, 1-3 gr.....	452.. 2 75	1 40	31
Morphine sulphate, 1-2 gr.....	121.. 3 85	1 95	42
Morphine and Aconite.....	443.. 60	33	..
Morphine sulphate, 1-32 gr. Tinct. Aconite, 1 fl.			
Morphine and Atropine, B "A".....	444.. 1 25	65	16
Morphine sulphate, 1-8 gr. Atropine sulphate, 1-200 gr.			
Morphine and Atropine, B "B".....	112.. 1 30	68	16
Morphine sulphate, 1-8 gr. Atropine sulphate, 1-150 gr.			
Morphine and Atropine, B "C".....	445.. 1 65	85	20
Morphine sulphate, 1-6 gr. Atropine sulphate, 1-180 gr.			
+Morphine and Atropine, B "D".....	446.. 2 20	1 13	25
Morphine sulphate, 1-4 gr. Atropine sulphate, 1-150 gr.			
Morphine and Atropine, B "E".....	113.. 2 20	1 13	25
Morphine sulphate, 1-4 gr. Atropine sulphate, 1-120 gr.			

†See note at head of page 44.

## Tablet Triturates.

PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.		M Per 1000	D Per 500	C Per 100
Morphine and Belladonna.....	No. 694..	\$ 1 40	\$ 73	\$ 17
Morphine sulphate, 1-8 gr.				
Ext. Belladonna lvs., 1-4 gr.				
†Nerve Tonic, No. 1 (Dr. Westbrook).....	636..	60	33	..
Zinc phosphide, 1-10 gr.				
Reduced Iron, 1 gr.				
Ext. Nux vomica, 1-4 gr.				
Nerve Tonic, No. 5.....	637..	55	30	..
Zinc phosphide, 1-10 gr.				
Ext. Ind. Cannabis, 1-8 gr.				
Hyoscyamine, 1-400 gr.				
Neuralgic (Dr. Dunlap).....	453..	95	50	13
Quinine sulphate, 1-2 gr.				
Morphine sulphate, 1-80 gr.				
Strychnine sulphate, 1-120 gr.				
Arsenous acid, 1-80 gr.				
Ext. Aconite root, 1-8 gr.				
†Neuralgic (Dr. H. J. Kenyon) .....	454..	50	28	..
Zinc phosphide, 1-16 gr.				
Strychnine, 1-60 gr.				
Ext. Indian Cannabis, 1-8 gr.				
Sodium arsenate, 1-20 gr.				
Aconitine, 1-400 gr.				
Nitroglycerin, 1-1000 gr.....	672..	30	18	..
(Glonoin.)				
Nitroglycerin, 1-200 gr.....	455..	35	20	..
Nitroglycerin, 1-150 gr.....	456..	40	23	..
†Nitroglycerin, 1-100 gr.....	122..	40	23	..
Nitroglycerin, 1-50 gr.....	123..	40	23	..
Nitroglycerin, 1-25 gr.....	457..	40	23	..
Nitroglycerin, 1-20 gr.....	458..	40	23	..
†Nitroglycerin Compound.....	618..	50	28	..
Glonoin (Nitroglycerin), 1-100 gr.				
Tr. Strophanthus, 2 ℥.				
Tinct. Digitalis, 2 ℥.				
Tr. Belladonna lvs., 1-4 ℥.				
Nitroglycerin Comp., B "B".....	619..	85	45	12
Glonoin (Nitroglycerin), 1-200 gr.				
Strychnine, 1-60 gr.				
Fl. Ext. Digitalis, 1 ℥.				
Reduced Iron, 1 gr.				
Tinct. Strophanthus, 3 ℥.				
Nitroglycerin Comp., B "C".....	638..	45	25	..
Glonoin (Nitroglycerin), 1-100 gr.				
Tr. Digitalis, 2 ℥.				
Nitroglycerin Comp., B "D".....	639..	50	28	..
Glonoin (Nitroglycerin), 1-100 gr.				
Tr. Strophanthus, 2 ℥.				
Nitroglycerin Comp., B "E".....	680..	65	35	..
Glonoin (Nitroglycerin), 1-100 gr.				
Tr. Digitalis, 3 ℥.				
Tr. Strophanthus, 2 ℥.				
Nux Vomica, powdered, 1-100 gr.....	124..	25	20	..
Nux Vomica, powdered, 1-50 gr.....	125..	40	23	..
Nux Vomica, powdered, 1-20 gr.....	459..	40	23	..

†See note at head of page 44.

Alphabetical Arrangement; for Numerical Arrangement, see pages 174 to 188.

PART  
TWO.

## Specify P. D. &amp; Co.'s

		M Per 1000	D Per 500	C Per 100
{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.				
PLEASE ORDER BY NUMBER AND LETTER.				
Nux Vomica, powdered, 1-10 gr.....	No. 126..	\$ 40	\$ 23	\$ ..
+Nux Vomica, powdered, 1-4 gr.....	127..	40	23	..
Nux Vomica, extract, 1-8 gr.....	460..	40	23	..
+Nux Vomica, extract, 1-4 gr.....	461..	45	25	..
Nux Vomica, extract, 1-2 gr.....	462..	50	28	..
Nux Vomica, tincture, 1 ℥.....	463..	40	23	..
+Nux Vomica, tincture, 2 ℥.....	464 ..	45	25	..
Nux Vomica, tincture, 3 ℥ .....	465..	45	25	..
Nux Vomica and Pepsin (Dr. Skiff).....	640..	50	28	..
Powd. Nux vomica, 1-100 gr.				
*Pepsin aseptic, (1:3000) 1-10 gr.				
Nux Vomica and Pepsin, B 2.....	697..	1 15	60	15
Ext. Nux vomica, 1-10 gr.				
*Pepsin aseptic (1:3000), 1 gr.				
Opium, powdered, 1-8 gr.....	466..	45	25	..
+Opium, powdered, 1-4 gr.....	128..	55	30	..
Opium, powdered, 1-2 gr.....	129..	75	40	11
Opium, powdered, 1 gr.....	659..	1 00	53	13
+Opium, tincture, assayed, 2 ℥ .....	467..	50	28	..
Opium, tincture, assayed, 3 ℥ .....	468..	60	33	..
Opium camphorated, tincture, 2 ℥ .....	469..	45	25	..
+Opium camphorated, tincture, 5 ℥ .....	470..	45	25	..
Opium camphorated, tincture, 10 ℥ .....	471..	50	28	..
+Opium and Lead acetate.....	236..	95	50	13
Powdered Opium, 1-2 gr.				
Lead acetate, 1 gr.				
Opium and Lead acetate, B "B" .....	624..	60	33	..
Powdered Opium, 1-4 gr.				
Lead acetate, 3-4 gr.				
Ox Gall, pure, 1 gr.....	472..	40	23	..
Paregoric Compound.....	648..	50	28	..
Tr. Opium, camphorated, 10 ℥ .....				
Powd. Squill, 1-25 gr.				
Powd. Ipecac, 1-50 gr.				
Pepsin Aseptic (1:3000) 1-4 gr*	130..	40	23	..
Pepsin Aseptic (1:3000) 1-2 gr*	131..	50	28	..
+Pepsin Aseptic (1:3000) 1 gr*	182..	1 10	58	14
Pepsin, Lactated, 1 gr.....	194..	90	48	12
Pepsin and Capsicum Compound.....	682..	60	33	..
*Pepsin aseptic (1:3000), 1-8 gr.				
Ext. Nux vomica, 1-10 gr.				
Powd. Capsicum, 1-10 gr.				
Powd. Ipecac, 1-20 gr.				
Pepsin and Nux Vomica, see <i>Nux Vomica and Pepsin</i> .				
Pepsin and Pancreatin .....	641..	65	35	..
*Pepsin aseptic, (1:3000) 1-4 gr.				
Pancreatin, pure, 1-4 gr.				
Pepsin, Saccharated, U. S. P., 1890, 1 gr.....	473..	40	23	..
Physostigma, see <i>Calabar Bean</i> .				
Physostigmine salicylate, 1-500 gr.....	133..	60	33	..

\*See note at head of page 44.

\*One gr. equals 60 grs. Saccharated Pepsin, U. S. P., 1890, or 10 grs. U. S. P., 1890.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
Physostigmine salicylate, 1-400 gr.....	No. 134..	\$ 65	\$ 35
Physostigmine salicylate, 1-300 gr.....	135..	75	40
Physostigmine salicylate, 1-200 gr.....	136..	85	45
+Physostigmine salicylate, 1-100 gr.....	137..	1 30	68
+Physostigmine sulphate, 1-100 gr.....	474..	1 10	58
Physostigmine sulphate, 1-50 gr.....	642..	1 65	85
Picrotoxin and Belladonna.....	643..	60	33
Picrotoxin, 1-60 gr.			
Ext. Belladonna lvs., 1-6 gr.			
Pilocarpine hydrochlorate, 1-100 gr.....	475..		
Pilocarpine hydrochlorate, 1-50 gr.....	476..		
Pilocarpine hydrochlorate, 1-20 gr.....	477..		
+Pilocarpine hydrochlorate, 1-10 gr.....	478..		
Pilocarpine hydrochlorate, 1-5 gr.....	479..		Fluctuating.
Pilocarpine nitrate, 1-100 gr.....	138..		
Pilocarpine nitrate, 1-50 gr.....	139..		
Pilocarpine nitrate, 1-25 gr.....	140..		
+Pilocarpine nitrate, 1-10 gr.....	141..		
Pilocarpus, fluid extract; see Jaborandi, fl. ext.			
Podophyllin, 1-20 gr.....	480..	30	18
(Podophyllum resin.)			
Podophyllin, 1-16 gr.....	142..	30	18
Podophyllin, 1-10 gr.....	481..	35	20
Podophyllin, 1-8 gr.....	143..	35	20
+Podophyllin, 1-4 gr.....	144..	40	23
Podophyllin, 1-2 gr.....	145..	50	28
Podophyllin Compound.....	683..	55	30
Podophyllum resin, $\frac{1}{2}$ gr.			
Ext. Nux vomica, 1-16 gr.			
Ext. Hyoscyamus, $\frac{1}{2}$ gr.			
Podophyllin and Leptandrin.....	698..	55	30
Podophyllum resin, 1-8 gr.   Leptandrin, 1-4 gr.			
Potassium arsenate, 1-20 gr.....	483..	35	20
Potassium arsenite Solution (Fowler Sol.), 1 $\text{fl. oz.}$ .....	689.	40	23
Potassium arsenite Solution (Fowler Sol.), 2 $\text{fl. oz.}$ .....	690.	40	23
Potassium arsenite Solution (Fowler Sol.), 3 $\text{fl. oz.}$ .....	691.	45	25
Potassium arsenite Solution (Fowler Sol.), 5 $\text{fl. oz.}$ .....	692.	45	25
Potassium bichromate, 1-10 gr.....	674..	30	18
Potassium bichromate, 1-2 gr.....	657..	30	18
Pulsatilla, tincture, 1 $\text{fl. oz.}$ .....	208..	40	23
Quinine and aconite.....	712..	1 50	78
Quinine sulphate, 1 gr.   Tr. Aconite, 1 $\text{fl. oz.}$			18
Quinine and Digitalis Comp. (Dr. Fowler).....	701..	95	50
Quinine sulphate, 1-2 gr.   Powd. Digitalis, 1-2 gr.			13
Strychnine sulphate, 1-100 gr.   Reduced Iron, 1-2 gr.			
Quinine bisulphate, 1-10 gr.....	484..	45	25
Quinine bisulphate, 1-4 gr.....	146..	70	38
+Quinine bisulphate, 1-2 gr.....	147..	85	45
Quinine bisulphate, 1 gr.....	148..	1 35	70
Quinine sulphate, 1-10 gr.....	485..	45	25

†See note at head of page 44.

PART  
ONE.

## Specify P., D. &amp; Co.'s

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.		M Per 1000	D Per 500	C Per 100
Quinine sulphate, 1-4 gr .....	No. 149..	\$ 70	\$ 38	\$ ..
+Quinine sulphate, 1-2 gr .....	150..	85	45	12
Quinine sulphate, 1 gr .....	151..	1 35	70	17
Reduced Iron, see Iron by hydrogen.				
Rennin, 1 gr. (See note 142).....	482..	70	38	..
Rhinitis (half strength, Dr. Lincoln) .....	644..	80	43	11
Powd. Camphor, 1-4 gr.				
Quinine sulphate, 1-4 gr.				
Fl. ext. Belladonna root, 1-8 fl.oz.				
Rhubarb, fluid extract, 1-2 fl.oz.....	227..	35	20	..
+Rhubarb, fluid extract, 1 fl.oz.....	228..	40	23	..
Rhubarb Compound.....	486..	45	25	..
Powd. Rhubarb, 5-23 gr.				
Powd. Myrrh, 5-46 gr.				
Powd. Aloes, 15-92 gr.				
Oil Peppermint, 1-92 fl.oz.				
Rhus Toxicodendron, fl. ext., 1 fl.oz.....	708..	40	23	..
Rhus Toxicodendron, tincture, 1 fl.oz.....	199..	40	23	..
+Saccharin, 25 milligrammes*.....	488..	1 65	85	20
With Sodium bicarbonate, q. s.				
Saccharin, 65 milligrammes*.....	489..	4 20	2 13	45
With Sodium bicarbonate, q. s.				
Saccharin, 1-2 gr*.....	651..	2 20	1 13	25
With Sodium bicarbonate, q. s.				
Salicin, 1 gr.....	490..	70	38	..
Salicylic acid, 1-4 gr.....	152..	40	23	..
Salicylic acid, 1-2 gr.....	153..	45	25	..
+Salicylic acid, 1 gr.....	491..	60	33	..
Salol, 1-10 gr.....	214..	45	25	..
Salol, 1-2 gr.....	492..	85	45	12
+Salol, 1 gr.....	213..	1 30	68	16
Salol Compound.....	684..	1 55	80	19
Salol, 1 gr.	Bismuth subnitrate, 1 gr.			
Powd. Opium, 1-40 gr.	Powd. Camphor, 1-80 gr.			
Oil Peppermint, 1-40 fl.oz.				
+Sanguinaria tincture, 1 fl.oz.....	286..	40	23	..
Sanguinaria tincture, 2 fl.oz.....	287..	45	25	..
Sanguinaria tincture, 3 fl.oz.....	288..	45	25	..
Sanguinaria tincture, 5 fl.oz.....	289..	45	25	..
Santonin, 1-2 gr.....	154..	85	45	12
+Santonin, 1 gr.....	155..	1 20	63	15
Santonin and Calomel.....	156..	90	48	12
Santonin, 1-2 gr.				
Mercerous chloride, mild, 1-2 gr.				
Sciatica (Dr. John T. Metcalf).....	681..	50	28	..
Tr. Aconite, $\frac{3}{4}$ fl.oz.				
Tr. Belladonna lvs., $\frac{3}{4}$ fl.oz.				
Tr. Colchicum seed, $\frac{3}{4}$ fl.oz.				
Tr. Cimicifuga, $\frac{3}{4}$ fl.oz.				
Sodium arsenate, 1-100 gr.....	493..	35	20	..
+Sodium arsenate, 1-25 gr.....	157..	35	20	..

†See note at head of page 44. \*See note 148.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

		M Per 1000	D Per 500	C Per 100
Sodium arsenate, 1-15 gr.....	No. 158..	\$ 35	\$ 20	\$ ..
Sodium arsenate, 1-10 gr .....	159..	40	23	..
Sodium salicylate, 1-2 gr.....	494..	45	25	..
†Sodium salicylate, 1 gr .....	186..	60	33	..
Sparteine sulphate, 1-50 gr.....	495..	50	28	..
†Sparteine sulphate, 1-20 gr.....	496..	60	33	..
Sparteine sulphate, 1-10 gr.....	497..	90	48	12
Sparteine sulphate, 1-4 gr.....	498..	1 60	83	19
Squill, tincture, 1 ℥.....	499..	35	20	..
†Squill, tincture, 2 ℥.....	600..	40	23	..
Stomachic (Dr. North).....	675..	50	28	..
Pepsin aseptic (1:3000), $\frac{1}{4}$ gr.				
Ext. Nux vomica, $\frac{1}{4}$ gr.				
Powdered Charcoal, $\frac{1}{4}$ gr.				
Powd. Capsicum, $\frac{1}{4}$ gr.				
Stramonium leaves, tincture, 1 ℥.....	601..	35	20	..
†Strophanthus, tincture, 1 ℥.....	602..	40	23	..
Strophanthus, tincture, 2 ℥.....	449..	50	28	..
Strophanthus, tincture, 5 ℥.....	676..	55	30	..
Strychnine arsenite, 1-100 gr.....	710..	40	23	..
Strychnine nitrate, 1-100 gr.....	661..	35	20	..
†Strychnine nitrate, 1-50 gr.....	660..	35	20	..
Strychnine sulphate, 1-1000 gr.....	673..	30	18	..
Strychnine sulphate, 1-200 gr.....	603..	35	20	..
Strychnine sulphate, 1-100 gr.....	160..	35	20	..
†Strychnine sulphate, 1-60 gr.....	161..	40	23	..
Strychnine sulphate, 1-50 gr.....	162..	40	23	..
Strychnine sulphate, 1-40 gr.....	163..	40	23	..
Strychnine sulphate, 1-30 gr.....	164..	45	25	..
Strychnine sulphate, 1-20 gr.....	165..	50	28	..
Strychnine sulphate, 1-16 gr.....	166..	60	33	..
Tannic acid, 1 gr.....	252..	40	23	..
Tartar emetic, 1-1000 gr.....	665..	30	18	..
(Antimony and Potassium tartrate.)				
Tartar emetic, 1-100 gr.....	167..	35	20	..
Tartar emetic, 1-50 gr.....	168..	40	23	..
Tartar emetic, 1-25 gr.....	169..	40	23	..
†Tartar emetic, 1-20 gr.....	604..	40	23	..
Tartar emetic, 1-16 gr.....	170..	40	23	..
Tartar emetic, 1-10 gr.....	605..	40	23	..
Tartar emetic, 1-8 gr.....	171..	40	23	..
Tartar emetic, 1-4 gr.....	172..	45	25	..
Tartar emetic and Ipecac.....	606..	35	20	..
Antimony and Potass. tart., 1-100 gr.				
Powd. Ipecac, 1-100 gr.				
Three Iodides .....	654..	40	23	..
Mercuric iodide, red, 1-30 gr.				
Arsenic iodide, 1-40 gr.				
Ferrous iodide, 1-12 gr.				

†See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

M Per 1000	D Per 500	C Per 100
------------------	-----------------	-----------------

Throat (Dr. Quinlan) .....	No. 653..	\$ 55	\$ 30	\$ ..
Benzoic acid, 1-5 gr.				
Tr. Belladonna lvs., 1 ml.				
Tr. Opium camphorated, 10 ml.				
Ext. Glycyrrhiza, q. s.				
Thyreoid. See Part II, page 138.				
Tonsillitis.....	645..	40	23	..
Tinct. Aconite, 1-5 ml.				
Tr. Belladonna lvs., 1-10 ml.				
Mercuric iodide, red, 1-100 gr.				
Tr. Bryonia, 1-10 ml.				
Tully Powder, 1 gr.....	607..	45	25	..
+Veratrine, 1-32 gr.....	173..	45	25	..
Veratrine, 1-12 gr.....	174..	65	35	..
+Veratrine sulphate, 1-20 gr.....	608..	55	30	..
Veratrine sulphate, 1-10 gr.....	609..	85	45	12
Veratrum album, tincture, 1 ml.....	209..	40	23	..
+Veratrum viride, tincture, 1 ml.....	210..	40	23	..
Veratrum viride, tincture, 2 ml.....	610..	45	25	..
Zinc phosphide, 1-100 gr.....	611..	35	20	..
Zinc phosphide, 1-50 gr.....	612..	35	20	..
Zinc phosphide, 1-25 gr.....	613..	35	20	..
Zinc phosphide, 1-20 gr.....	192..	40	23	..
+Zinc phosphide, 1-10 gr.....	175..	40	23	..
Zinc phosphide, 1-8 gr.....	176..	45	25	..
Zinc phosphide, 1-6 gr.....	177..	50	28	..
Zinc phosphide, 1-4 gr.....	178..	75	40	11
Zinc phosphide, 1-2 gr.....	179..	90	48	12
Zinc phosphide and Nux Vomica .....	237..	50	28	..
Zinc phosphide, 1-10 gr.				
Ext. Nux vomica, 1-4 gr.				
Zinc sulphocarbolate, 1-6 gr.....	200..	35	20	..
+Zinc sulphocarbolate, 1-4 gr.....	662..	35	20	..
Zinc sulphocarbolate, 1 gr.....	679..	50	28	..
Zinc sulphocarbolate and Aloin .....	686..	55	30	..
Zinc sulphocarbolate, 1 gr.				
Aloin, $\frac{1}{8}$ gr.				

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

*Numerical Arrangement.*

1+Arsenous acid, 1-100 gr.....	\$ 30	ml 18	..
2 Arsenous acid, 1-50 gr.....	35	20	..
3 Arsenous acid, 1-30 gr.....	35	20	..
4 Arsenous acid, 1-20 gr.....	35	20	..
5 Aconite root, fluid extract, 1-10 ml.....	40	23	..
6 Aconite root, fluid extract, 1 ml.....	40	23	..
7 Aconitine crystals, 1-500 gr.....	30	18	..
8+ Aconitine crystals, 1-200 gr.....	45	25	..

+See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
9 Agaricin, 1-20 gr.....	\$ 50	\$ 28	\$ ..
10 Aloin, 1-10 gr.....	35	20	..
11† Aloin, 1-4 gr.....	40	23	..
12 Aloin, 1-2 gr.....	50	28	..
13 Ammonium chloride, 1 gr.....	35	20	..
14 Apomorphine hydrochlorate, 1-100 gr.....	65	35	..
15 Apomorphine hydrochlorate, 1-50 gr.....	95	50	13
16 Arsenic iodide, 1-100 gr.....	35	20	..
17 Atropine sulphate, 1-500 gr.....	35	20	..
18 Atropine sulphate, 1-200 gr.....	35	20	..
19† Atropine sulphate, 1-100 gr.....	45	25	..
20 Belladonna leaves, fluid extract, 1-2 ℥.....	35	20	..
21† Belladonna leaves, fluid extract, 1 ℥.....	40	23	..
22† Bismuth subcarbonate, 2 grs.....	1 55	80	19
23† Bismuth subnitrate, 2 grs.....	1 40	73	17
24 Caffeine, 1-2 gr.....	1 65	85	20
25† Caffeine, 1 gr.....	3 10	1 58	34
26† Caffeine, citrated, 1-2 gr.....	1 10	58	14
27 Caffeine, citrated, 1 gr.....	1 85	95	22
28 Calcium sulphide, 1-10 gr.....	35	20	..
29† Calcium sulphide, 1-4 gr.....	35	20	..
30 Calcium sulphide, 1-2 gr.....	35	20	..
31 Calomel, 1-100 gr..... (Mercurous chloride, mild.)	35	20	..
32† Calomel, 1-10 gr.....	35	20	..
33 Calomel, 1-4 gr.....	35	20	..
34 Calomel, 1-2 gr.....	40	23	..
35 Calomel, 1 gr.....	45	25	..
36 Cannabis Indica, extract, 1-20 gr.....	40	23	..
37 Cannabis Indica, extract, 1-10 gr.....	40	23	..
38 Capsicum, 1 gr.....	45	25	..
39 Arsenic sulphide, 1-30 gr.....	35	20	..
40† Cerium oxalate, 1 gr.....	60	33	..
41 Cocaine hydrobromate, 1-16 gr.....	1 60	83	19
42† Cocaine hydrobromate, 1-8 gr.....	2 90	1 48	32
43† Cocaine hydrochlorate, 1-16 gr.....	1 60	83	19
44 Cocaine hydrochlorate, 1-8 gr.....	2 90	1 48	32
45† Codeine, 1-4 gr.....	4 45	2 25	48
46 Codeine, 1-2 gr.....	8 40	4 23	87
47† Colchicine, 1-100 gr.....	60	33	..
48 Colchicine, 1-50 gr.....	1 30	68	16
49 Colocynthin, 1-20 gr.....	2 65	1 35	30
50 Coniine hydrobromate, 1-20 gr.....	1 15	60	15
51† Coniine hydrobromate, 1-10 gr.....	1 95	1 00	23
52 Coniine hydrochlorate, 1-20 gr.....	1 20	63	15
53† Coniine hydrochlorate, 1-10 gr.....	2 00	1 03	23

†See note at head of page 44.

PART  
TWO.*Specify P., D. & Co.'s*

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
	Per 1000	Per 500	Per 100
54 Convallamarin, 1-50 gr.....	\$ 40	\$ 23	\$ ..
55 Corrosive sublimate, 1-1000 gr..... (Mercuric chloride, corrosive.)	35	20	..
56 Corrosive sublimate, 1-500 gr.....	35	20	..
57†Corrosive sublimate, 1-100 gr.....	35	20	..
58 Corrosive sublimate, 1-50 gr.....	35	20	..
59 Corrosive sublimate, 1-20 gr.....	40	23	..
60 Corrosive sublimate, 1-16 gr.....	40	23	..
61†Digitalin, pure, 1-100 gr.....	45	25	..
62 Digitalin, pure, 1-75 gr.....	45	25	..
63 Digitalin, pure, 1-50 gr.....	50	28	..
64 Digitalis, fluid extract, 1-10 fl. ....	35	20	..
65 Digitalis, fluid extract, 1-2 fl. ....	40	23	..
66†Digitalis, fluid extract, 1 fl. ....	45	25	..
67 Dover Powder, 1-4 gr.....	35	20	..
68†Dover Powder, 1 gr.....	45	25	..
69 Elaterin, 1-40 gr.....	1 35	70	17
70†Elaterin, 1-20 gr.....	2 50	1 28	28
71 Elaterin, 1-10 gr.....	5 95	3 00	63
72 Ergotin (Bonjean), 1-10 gr.....	40	23	..
73†Ergotin (Bonjean), 1-4 gr.....	55	30	..
74 Hydrastine [white alkaloid], 1-25 gr.....	95	50	13
75 Hydrastine [white alkaloid], 1-16 gr.....	1 25	65	16
76†Hydrastine [white alkaloid], 1-8 gr.....	2 30	1 18	26
77 Hydrastine [white alkaloid], 1-4 gr.....	4 25	2 15	46
78 Hyoscyamine, crystals, 1-200 gr.....	60	33	..
79†Hyoscyamine, crystals, 1-100 gr.....	1 00	53	13
80†Ignatia, 1-20 gr.....	35	20	..
81 Ignatia, 1-10 gr.....	35	20	..
82†Ipecac powdered, 1-10 gr.....	40	23	..
83 Ipecac powdered, 1-4 gr.....	50	28	..
84 Ipecac powdered, 1-2 gr.....	65	35	..
85 Iron by hydrogen, 1-2 gr. (Reduced Iron.)	40	23	..
86†Iron by hydrogen, 1 gr.....	45	25	..
87†Iron arsenate, 1-10 gr.....	40	23	..
88 Iron and Quinine citrate, soluble, 1-4 gr.....	40	23	..
89†Iron and Quinine citrate, soluble, 1-2 gr.....	45	25	..
90 Iron and Quinine citrate, soluble, 1 gr.....	60	33	..
91 Iron and Strychnine citrate, 1-4 gr.....	45	25	..
92†Iron and Strychnine citrate, 1-2 gr.....	55	30	..
93 Iron and Strychnine citrate, 1 gr.....	80	43	11
94 Leptandrin, 1-16 gr.....	40	23	..
95†Lithium carbonate, 1 gr.....	65	35	..
96 Manganese dioxide, 1-2 gr.....	35	20	..
97†Manganese dioxide, 1 gr.....	35	20	..
98 Mercury with chalk, 1-10 gr.....	35	20	..

†See note at head of page.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100	
99†Mercury with chalk, 1-5 gr.....	\$ 35	\$ 20	\$ ..	
100 Mercury with chalk, 1 gr.....	35	20	..	
101 Mercuric iodide, red, 1-100 gr.....	30	18	..	
102 Mercuric iodide, red, 1-16 gr.....	40	23	..	
103 Mercuric iodide, red, 1-8 gr.....	40	23	..	
104 Mercurous iodide, yellow, 1-100 gr.....	45	25	..	
105 Mercurous iodide, yellow, 1-50 gr.....	45	25	..	
106 Mercurous iodide, yellow, 1-16 gr.....	45	25	..	
107†Mercurous iodide, yellow, 1-8 gr.....	45	25	..	
108 Mercurous iodide, yellow, 1-6 gr.....	45	25	..	
109 Mercurous iodide, yellow, 1-4 gr.....	50	28	..	
110 Mercurous iodide, yellow, 1-2 gr.....	70	38	..	
111 Mercurous iodide, yellow, 1 gr.....	95	50	13	
112 Morphine and Atropine, B "B".....	1 30	68	16	
113 Morphine and Atropine, B "E".....	2 20	1 13	25	
114†Morphine hydrochlorate, 1-8 gr.....	1 20	63	15	
115 Morphine hydrochlorate, 1-4 gr.....	2 10	1 08	24	
116 Morphine sulphate, 1-20 gr.....	65	35	..	
117 Morphine sulphate, 1-16 gr.....	70	38	..	
118 Morphine sulphate, 1-8 gr.....	1 20	63	15	
119 Morphine sulphate, 1-6 gr.....	1 50	78	18	
120†Morphine sulphate, 1-4 gr.....	2 10	1 08	24	
121 Morphine sulphate, 1-2 gr.....	3 85	1 95	42	
122†Nitroglycerin, 1-100 gr. (Glonoin.)	40	23	..	
123 Nitroglycerin, 1-50 gr .....	40	23	..	
124 Nux Vomica, powdered, 1-100 gr.....	35	20	..	
125 Nux Vomica, powdered, 1-50 gr.....	40	23	..	
126 Nux Vomica, powdered, 1-10 gr.....	40	23	..	
127†Nux Vomica, powdered, 1-4 gr.....	40	23	..	
128†Opium powdered, 1-4 gr.....	55	30	..	
129 Opium powdered, 1-2 gr.....	75	40	11	
130 Pepsin Aseptic (1-3000), 1-4 gr .....	40	23	..	
131 Pepsin Aseptic (1-3000), 1-2 gr .....	50	28	..	
132†Pepsin Aseptic (1-3000), 1 gr.....	1 10	58	14	
133 Physostigmine salicylate, 1-500 gr.....	60	33	..	
134 Physostigmine salicylate, 1-400 gr.....	65	35	..	
135 Physostigmine salicylate, 1-300 gr.....	75	40	11	
136 Physostigmine salicylate, 1-200 gr.....	85	45	12	
137†Physostigmine salicylate, 1-100 gr.....	1 30	68	16	
138 Pilocarpine nitrate, 1-100 gr.....				
139 Pilocarpine nitrate, 1-50 gr.....				
140 Pilocarpine nitrate, 1-25 gr.....				
141†Pilocarpine nitrate, 1-10 gr.....				
142 Podophyllin, 1-16 gr..... (Podophyllum resin.)	30	18	..	
143 Podophyllin, 1-8 gr.....	35	20	..	

†See note at head of page 44.

Numerical Arrangement; for Alphabetical Arrangement, see pages 155 to 174.

PART  
TWO.*Specify P. D. & Co.'s*

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.	M Per 1000	D Per 500	C Per 100
PLEASE ORDER BY NUMBER AND LETTER.			
144†Podophyllin, 1-4 gr.....	\$ 40	\$ 23	\$ ..
145 Podophyllin, 1-2 gr.....	50	28	..
146 Quinine bisulphate, 1-4 gr.....	70	38	..
147†Quinine bisulphate, 1-2 gr.....	85	45	12
148 Quinine bisulphate, 1 gr.....	1 35	70	17
149 Quinine sulphate, 1-4 gr.....	70	38	..
150†Quinine sulphate, 1-2 gr.....	85	45	12
151 Quinine sulphate, 1 gr.....	1 35	70	17
152 Salicylic acid, 1-4 gr.....	40	23	..
153 Salicylic acid, 1-2 gr.....	45	25	..
154 Santonin, 1-2 gr.....	85	45	12
155†Santonin, 1 gr.....	1 20	63	15
156 Santonin and Calomel.....	90	48	12
157†Sodium arsenate, 1-25 gr.....	35	20	..
158 Sodium arsenate, 1-15 gr.....	35	20	..
159 Sodium arsenate, 1-10 gr.....	40	23	..
160 Strychnine sulphate, 1-100 gr.....	35	20	..
161†Strychnine sulphate, 1-60 gr.....	40	23	..
162 Strychnine sulphate, 1-50 gr.....	40	23	..
163 Strychnine sulphate, 1-40 gr.....	40	23	..
164 Strychnine sulphate, 1-30 gr.....	45	25	..
165 Strychnine sulphate, 1-20 gr.....	50	28	..
166 Strychnine sulphate, 1-16 gr.....	60	33	..
167 Tartar emetic, 1-100 gr..... (Antimony and Potassium tartrate.)	35	20	..
168 Tartar emetic, 1-50 gr.....	40	23	..
169 Tartar emetic, 1-25 gr.....	40	23	..
170 Tartar emetic, 1-16 gr.....	40	23	..
171 Tartar emetic, 1-8 gr.....	40	23	..
172 Tartar emetic, 1-4 gr.....	45	25	..
173†Veratrine, 1-32 gr.....	45	25	..
174 Veratrine, 1-12 gr.....	65	35	..
175†Zinc phosphide, 1-10 gr.....	40	23	..
176 Zinc phosphide, 1-8 gr.....	45	25	..
177 Zinc phosphide, 1-6 gr.....	50	28	..
178 Zinc phosphide, 1-4 gr.....	75	40	11
179 Zinc phosphide, 1-2 gr.....	90	48	12
180†Antiseptic, Bernays (white), (for external use only). See Specialties, page 123.			
181†Aloin and Belladonna Comp., B "A".....	50	28	..
182 Ammonium chloride Compound.....	40	23	..
183 Iron and Arsenic Compound.....	50	28	..
184 Iron, Quinine and Strychnine.....	85	45	12
185 Iron and Strychnine Compound.....	85	45	12
186†Sodium salicylate, 1 gr.....	60	33	..
187 Arsenous acid, 1-200 gr.....	30	18	..

†See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100
188 Bryonia, tincture, 5 ℥.....	\$ 50	\$ 28	\$ ..
189 Iron arsenate, 1-16 gr.....	35	20	..
190 Mercuric iodide, red, 1-50 gr.....	30	18	..
191†Mercuric oxide, yellow, 1-200 gr.....	35	20	..
192 Zinc phosphide, 1-20 gr.....	40	23	..
193 Antimony Comp. (Plummer), 1-10 gr.....	40	23	..
194 Pepsin, Lactated, 1 gr.....	90	48	12
195 Calomel, Ipecac and Sodium bicarbonate .....	50	28	..
196 Chamomile tincture— <i>Discontinued.</i>			
197†Gelsemium, tincture, 1 ℥.....	35	20	..
198 Iron lactate (Ferrous lactate), 1 gr.....	45	25	..
199 Rhus Toxicodendron, tincture, 1 ℥.....	40	23	..
200 Zinc sulphocarbolate, 1-6 gr.....	35	20	..
201 Aloin and Belladonna Comp., B "B".....	50	28	..
202 Dover Powder, 2 1-2 grs.....	65	35	..
203†Iron, Arsenic and Strychnine, R "A".....	50	28	..
204 Calomel, 2 grs.....	75	40	11
205 Copper and Opium.....	40	23	..
206 Baptisia, tincture, 1 ℥.....	45	25	..
207 Cimicifuga, tincture, 1 ℥.....	40	23	..
208 Pulsatilla, tincture, 1 ℥.....	40	23	..
209 Veratrum album, tincture, 1 ℥.....	40	23	..
210†Veratrum viride, tincture, 1 ℥.....	40	23	..
211 Calomel and Ipecac, B "B".....	50	28	..
212†Copper arsenite, 1-100 gr.....	35	20	..
213†Salol, 1 gr.....	1 30	68	16
214 Salol, 1-10 gr.....	45	25	..
215 Copper arsenite, 1-5000 gr.....	35	20	..
216†Calomel and Sodium bicarbonate, B "A".....	35	20	..
217†Aloin Comp., B "A".....	40	23	..
218 Aloin, Belladonna and Nux Vomica.....	50	28	..
219 Aloin, Belladonna, Strychnine and Ipecac.....	55	30	..
220 Aloin, Belladonna and Podophyllin.....	50	28	..
221 Aloin, Belladonna, Podophyllin and Nux Vomica	45	25	..
222 Aloin, Belladonna, Strychnine & Cascara Sagrada	60	33	..
223 Cubeb, fluid extract, 1-2 ℥ .....	40	23	..
224†Cubeb, fluid extract, 1 ℥.....	50	28	..
225 Hyoscyamus, fluid extract, 1-2 ℥.....	35	20	..
226†Hyoscyamus, fluid extract, 1 ℥.....	40	23	..
227 Rhubarb, fluid extract, 1-2 ℥.....	35	20	..
228†Rhubarb, fluid extract, 1 ℥.....	40	23	..
229 Calomel and Dover Powder, B "B".....	50	28	..
230 Iron and Quinine.....	90	48	12
231 Belladonna leaves, extract, 1-8 gr.....	45	25	..
232 Belladonna leaves, extract, 1-6 gr.....	50	28	..
233†Belladonna leaves, extract, 1-4 gr.....	55	30	..

†See note at head of page 44.

PART  
ONE.*Specify P. D. & Co.'s*

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
234† Hyoscyamus, extract, 1-4 gr.....	\$ 45	\$ 25	\$ ..
235 Hyoscyamus, extract, 1-2 gr.....	50	28	..
236† Opium and Lead acetate.....	95	50	13
237 Zinc phosphide and Nux Vomica.....	50	28	..
238 Calomel (Mercurous chloride, mild), 1-20 gr.....	35	20	..
239 Acetanilid, 1 gr.....	40	23	..
240 Arsenous acid, 1-60 gr.....	35	20	..
241 Arsenous acid, 1-40 gr.....	35	20	..
242 Benzoic acid, 1-10 gr.....	35	20	..
243† Benzoic acid, 1-4 gr.....	40	23	..
244 Benzoic acid, 1-2 gr.....	45	25	..
245 Benzoic acid, 1 gr.....	50	28	..
246 Boric acid, 1-10 gr.....	35	20	..
247 Boric acid, 1-5 gr.....	40	23	..
248† Boric acid, 1-2 gr.....	40	23	..
249 Boric acid, 1 gr.....	40	23	..
250 Carbolic acid, 1-10 gr.....	40	23	..
251 Gallic acid, 1 gr.....	45	25	..
252 Tannic acid, 1 gr.....	40	23	..
253† Aconite root, fluid extract, 1-2 fl.oz.....	40	23	..
254 Aconite, tincture, 1-4 fl.oz.....	35	20	..
255 Aconite, tincture, 1-2 fl.oz.....	35	20	..
256 Aconite, tincture, 3-4 fl.oz.....	35	20	..
257† Aconite, tincture, 1 fl.oz.....	40	23	..
258 Aconite, tincture, 2 fl.oz.....	45	25	..
259 Aconitine crystals, 1-100 gr*.....	60	33	..
260 Aloin, 1-5 gr.....	40	23	..
261 Aloin Comp., B "B".....	55	30	..
262 Alum, 1-10 gr.....	35	20	..
263† Alum, 1-5 gr.....	40	23	..
264 Ammonium chloride, 1-10 gr.....	35	20	..
265† Ammonium chloride, 1-2 gr.....	35	20	..
266 Ammonium chloride and Codeine Compound ..	95	50	13
267 Ammonium chloride and Hyoscyamus Comp..	50	28	..
268 Apomorphine hydrochlorate, 1-20 gr.....	1 75	90	21
269† Apomorphine hydrochlorate, 1-10 gr.....	2 40	1 23	27
270 Arsenic bromide, 1-200 gr.....	35	20	..
271† Arsenic bromide, 1-100 gr.....	35	20	..
272 Arsenic bromide, 1-60 gr.....	35	20	..
273 Arsenic bromide, 1-30 gr.....	40	23	..
274 Arsenic iodide, 1-200 gr.....	35	20	..
275† Arsenic iodide, 1-50 gr.....	35	20	..
276 Arsenic iodide, 1-35 gr.....	35	20	..
277 Arsenic iodide, 1-20 gr.....	40	23	..
278† Arsenic sulphide, 1-100 gr.....	35	20	..
279 Atropine sulphate, 1-50 gr.....	60	33	..

†See note at head of page 44. \*See note 4.

## Tablet Triturates.

PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100
280 Belladonna leaves, tincture, 1-2 ℥.....	\$ 35	\$ 20	\$ ..
281† Belladonna leaves, tincture, 1 ℥.....	40	23	..
282 Belladonna leaves, tincture, 2 ℥.....	45	25	..
283 Belladonna leaves, tincture, 5 ℥.....	45	25	..
284 Bismuth subcarbonate, 1 gr.....	90	48	12
285 Bismuth subnitrate, 1 gr.....	80	43	11
286† Sanguinaria tincture, 1 ℥.....	40	23	..
287 Sanguinaria tincture, 2 ℥.....	45	25	..
288 Sanguinaria tincture, 3 ℥.....	45	25	..
289 Sanguinaria tincture, 5 ℥.....	45	25	..
290 Blue Mass, 1-4 gr..... (Mass of Mercury.)	40	23	..
291 Blue Mass, 1-2 gr.....	40	23	..
292† Blue Mass, 1 gr.....	45	25	..
293 Blue Mass Compound .....	55	30	..
294 Brown Mixture, 30 ℥ .....	35	20	..
295† Brown Mixture, 60 ℥ .....	40	23	..
296 Bryonia, tincture, 1-2 ℥.....	40	23	..
297† Bryonia, tincture, 1 ℥.....	40	23	..
298 Bryonia, tincture, 2 ℥.....	45	25	..
299 Caffeine, citrated, 1-10 gr.....	65	35	..
300 Caffeine Compound .....	1 85	95	22
301† Calabar bean, tincture, 1 ℥.....	35	20	..
302 Calabar bean, tincture, 2 ℥.....	45	25	..
303 Calcium sulphide, 1-20 gr.....	35	20	..
304 Calcium sulphide, 1-8 gr .....	35	20	..
305 Calcium sulphide, 1 gr.....	40	23	..
306 Calomel, 1-50 gr..... (Mercurous chloride, mild.)	35	20	..
307 Calomel, 1-8 gr.....	35	20	..
308 Calomel, 1-6 gr.....	35	20	..
309† Calomel and Dover Powder, B "A".....	50	28	..
310† Calomel and Ipecac, B "A".....	40	23	..
311 Calomel and Sodium bicarbonate, B "B".....	35	20	..
312 Calomel and Sodium bicarbonate, B "C" .....	45	25	..
313 Calomel and Sodium bicarbonate Compound ..	45	25	..
314† Camphor monobromated, 1 gr.....	65	35	..
315† Cannabis Indica, extract, 1-8 gr.....	40	23	..
316 Cannabis Indica, extract, 1-4 gr.....	45	25	..
317 Cannabis Indica, tincture, 1-2 ℥.....	40	23	..
318† Cannabis Indica, tincture, 1 ℥.....	40	23	..
319 Cannabis Indica, tincture, 2 ℥.....	45	25	..
320 Cathartic Comp., Improved, 1-10 gr.....	40	23	..
321 Cathartic Comp., Improved, 1-5 gr.....	45	25	..
322† Cathartic Comp., Improved, 1 gr.....	45	25	..
323 Cathartic Comp. (U. S. P. mass), 1-10 gr.....	40	23	..
324 Cathartic Comp. (U. S. P. mass), 1-5 gr .....	45	25	..

† See note at head of page 44.

PART  
TWO.

## Specify P. D. &amp; Co.'s

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
325+Cathartic Comp. (U. S. P. mass), 1 gr.....	\$ 60	\$ 33	\$ ..
326 Cathartic Comp., Vegetable, 1-10 gr.....	40	23	..
327 Cathartic Comp. Vegetable, 1-5 gr.....	40	23	..
328+Cathartic Comp., Vegetable, 1 gr.....	60	33	..
329 Caulophylin, 1-10 gr.....	40	23	..
330 Cerium oxalate, 1-2 gr.....	45	25	..
331 Coca, fluid extract, 1-2 fl.oz.....	40	23	..
332+Coca, fluid extract, 1 fl.oz.....	45	25	..
333 Cocaine hydrochlorate, 1-100 gr.....	60	33	..
334 Cocaine hydrochlorate, 1-50 gr.....	75	40	11
335 Cocaine hydrochlorate, 1-20 gr.....	1 40	73	17
336 Cocaine hydrochlorate, 1-10 gr.....	2 40	1 23	27
337 Cocaine hydrochlorate, 1-5 gr.....	4 40	2 23	47
338 Codeine, 1-8 gr.....	2 20	1 13	25
339 Codeine, 1-5 gr.....	3 80	1 93	41
340 Colchicum root, fluid extract, 1-2 fl.oz.....	40	23	..
341+Colchicum root, fluid extract, 1 fl.oz.....	45	25	..
342+Colchicum seed, tincture, 1 fl.oz.....	40	23	..
343 Colchicum seed, tincture, 2 fl.oz.....	45	25	..
344 Colchicum seed, tincture, 3 fl.oz.....	45	25	..
345 Colchicum seed, tincture, 5 fl.oz.....	50	28	..
346+Colocynth Comp., extract, 1-4 gr.....	40	23	..
347 Colocynth Comp., extract, 1-2 gr.....	45	25	..
348 Conium Compound.....	50	28	..
349 Conium fruit, tincture, 1 fl.oz.....	35	20	..
350 Corrosive sublimate, 1-200 gr..... (Mercuric chloride, corrosive.)	35	20	..
351 Corrosive sublimate, 1-60 gr.....	35	20	..
352 Corrosive sublimate, 1-40 gr.....	35	20	..
353 Corrosive sublimate, 1-30 gr.....	40	23	..
354 Corrosive sublimate, 1-12 gr.....	40	23	..
355 Corrosive sublimate, 1-10 gr.....	40	23	..
356 Damiana, fluid extract, 1-2 fl.oz.....	40	23	..
357+Damiana, fluid extract, 1 fl.oz.....	50	28	..
358 Digitalin, pure, 1-500 gr.....	35	20	..
359 Digitalin, pure, 1-200 gr.....	40	23	..
360 Digitalin, pure, 1-60 gr.....	45	25	..
361 Digitalis, tincture, 1-2 fl.oz.....	30	18	..
362+Digitalis, tincture, 1 fl.oz.....	35	20	..
363 Digitalis, tincture, 3 fl.oz.....	45	25	..
364 Digitalis, tincture, 5 fl.oz.....	45	25	..
365 Digitalis and Strophanthus.....	55	30	..
366 Dover Powder, 1-2 gr..... (Ipecac and Opium powder.)	40	23	..
367 Dover Powder, 1 1-4 grs.....	45	25	..
368 Dover Powder, 3 1-3 grs.....	70	38	..

† See note at head of page 44.

## Tablet Triturates.

PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100
369 Elaterium (Clutterbuck), 1-32 gr.....	\$ 45	\$ 25	\$ ..
370 Elaterium (Clutterbuck), 1-16 gr.....	55	30	..
371 Elaterium (Clutterbuck), 1-10 gr.....	70	38	..
372† Elaterium (Clutterbuck), 1-8 gr.....	75	40	11
373 Ergot, fluid extract, 1-2 ℥.....	40	23	..
374† Ergot, fluid extract, 1 ℥.....	45	25	..
375 Eucalyptus, fluid extract, 1-2 ℥.....	35	20	..
376† Eucalyptus, fluid extract, 1 ℥.....	40	23	..
377 Euonymin, brown, 1-10 gr.....	45	25	..
378 Euonymin, brown, 1-8 gr.....	55	30	..
379† Euonymin, brown, 1-4 gr.....	65	35	..
380 Euonymin, brown, 1-2 gr.....	85	45	12
381 Euonymin, brown, 1 gr.....	1 30	68	16
382† Fever (Dr. H. J. Kenyon).....	80	43	11
383 Gelsemoperin, 1-16 gr. (see note 80).....	50	28	..
384 Gelsemoperin, 1-10 gr.....	55	30	..
385† Gelsemoperin, 1-8 gr.....	55	30	..
386 Gelsemoperin, 1-4 gr.....	60	33	..
387 Gelsemium, tincture, 3 ℥.....	45	25	..
388 Gelsemium, tincture, 5 ℥.....	45	25	..
389 Hyoscyamus, extract, 1-6 gr.....	45	25	..
390† Hyoscyamus, tincture, 1 ℥.....	40	23	..
391 Hyoscyamus, tincture, 2 ℥.....	45	25	..
392 Hyoscyamus, tincture, 3 ℥.....	45	25	..
393 Hyoscyamus tincture, 5 ℥.....	45	25	..
394† Hepatic.....	50	28	..
395 Hepatic (Dr. H. J. Kenyon).....	60	33	..
396 Hydrastin, concentration, 1-20 gr.....	50	28	..
397† Hydrastis, tincture, 1 ℥.....	40	23	..
398 Hydrastis, tincture, 2 ℥.....	45	25	..
399 Hydrastis, tincture, 3 ℥.....	45	25	..
400 Hyoscyanine, crystals, 1-50 gr.....	1 30	68	16
401 Ignatia, 1-100 gr.....	35	20	..
402† Ignatia, extract, 1-4 gr.....	40	23	..
403 Ignatia, extract, 1-2 gr.....	50	28	..
404† Ignatia, tincture, 1 ℥.....	40	23	..
405 Ignatia, tincture, 3 ℥.....	45	25	..
406 Ignatia, tincture, 5 ℥.....	45	25	..
407 Ipecac, powdered, 1-100 gr.....	35	20	..
408 Ipecac, powdered, 1-50 gr.....	40	23	..
409 Ipecac, fluid extract, 1-2 ℥.....	70	38	..
410† Ipecac, fluid extract, 1 ℥.....	90	48	12
411 Iron arsenate, 1-8 gr.....	40	23	..
412 Iron arsenate, 1-4 gr.....	40	23	..
413† Iron and Arsenic, B "A".....	45	25	..
414 Iron and Arsenic, B "B".....	45	25	..

†See note at head of page 44.

Numerical Arrangement; for Alphabetical Arrangement, see pages 155 to 174.

PART  
TWO.*Specify P., D. & Co.'s*

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
	Per 1000	Per 500	Per 100
415 Iron and Arsenic, B "C".....	\$ 45	\$ 25	\$ ..
416 Iron, Arsenic and Strychnine, B "B".....	50	28	..
417 Iron citrate (Ferric citrate), 1 gr.....	45	25	..
418 Iron pyrophosphate, 1 gr.....	45	25	..
419 Iron, Quinine and Arsenic.....	80	43	11
420†Jaborandi, fluid extract., 1-2 ℥.....	35	20	..
421 Jaborandi, fluid extract, 1 ℥.....	40	23	..
422 Leptandrin, 1-8 gr.....	45	25	..
423†Leptandrin, 1-4 gr.....	50	28	..
424 Leptandrin, 1-2 gr.....	55	30	..
425 Lithium carbonate, 1-2 gr.....	60	33	..
426 Lithium carbonate and Sodium arsenate.....	85	45	12
427†Lobelia, tincture, 1 ℥.....	40	23	..
428 Lobelia, tincture, 2 ℥.....	45	25	..
429 Lobelia, tincture, 3 ℥.....	45	25	..
430 Lupulin, fluid extract, 1-2 ℥.....	35	20	..
431†Lupulin, fluid extract, 1 ℥.....	45	25	..
432 Mercuric iodide, red, 1-80 gr.....	35	20	..
433†Mercuric iodide, red, 1-25 gr.....	35	20	..
434 Mercuric iodide, red, 1-20 gr.....	40	23	..
435 Mercuric iodide, red, 1-12 gr.....	40	23	..
436 Mercurous iodide, yellow, 1-25 gr.....	45	25	..
437 Mercurous iodide, yellow, 1-20 gr.....	45	25	..
438 Mercurous iodide, yellow, 1-10 gr.....	45	25	..
439 Mercurous iodide, yellow, 1-5 gr.....	45	25	..
440 Mercurous iodide, yellow, 1-3 gr.....	60	33	..
441 Mercury with chalk, 1-3 gr.....	35	20	..
442 Mercuric oxide, yellow, 1-100 gr.....	35	20	..
443 Morphine and Aconite .....	90	33	..
444 Morphine and Atropine, B "A" .....	1 25	65	16
445 Morphine and Atropine B "C".....	1 65	85	20
446†Morphine and Atropine, B "D".....	2 20	1 13	25
447†Morphine acetate, 1-8 gr.....	1 20	63	15
448 Morphine acetate, 1-4 gr .....	2 10	1 08	24
449 Strophanthus, tincture, 2 ℥.....	50	28	..
450 Morphine sulphate, 1-50 gr.....	60	33	..
451 Morphine sulphate, 1-10 gr.....	1 05	55	14
452 Morphine sulphate, 1-8 gr.....	2 75	1 40	31
453 Neuralgic (Dr. Dunlap).....	95	50	13
454†Neuralgic (Dr. H. J. Kenyon).....	50	28	..
455 Nitroglycerin, 1-200 gr (Glonoin.) .....	35	20	..
456 Nitroglycerin, 1-150 gr.....	40	23	..
457 Nitroglycerin, 1-25 gr.....	40	23	..
458 Nitroglycerin, 1-20 gr.....	40	23	..
459 Nux Vomica, powdered, 1-20 gr .....	40	23	..

†See note at head of page 44.

*Tablet Triturates.*PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.  
 PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100
460 Nux Vomica, extract, 1-8 gr.....	\$ 40	\$ 23	\$ ..
461+Nux Vomica, extract, 1-4 gr.....	45	25	..
462 Nux Vomica, extract, 1-2 gr.....	50	28	..
463 Nux Vomica, tincture, 1 fl. ....	40	23	..
464+Nux Vomica, tincture, 2 fl. ....	45	25	..
465 Nux Vomica, tincture, 3 fl. ....	45	25	..
466 Opium, powdered, 1-8 gr.....	45	25	..
467+Opium, tincture, assayed, 2 fl. ....	50	28	..
468 Opium, tincture, assayed, 3 fl. ....	60	33	..
469 Opium camphorated, tincture, 2 fl. ....	45	25	..
470+Opium camphorated, tincture, 5 fl. ....	45	25	..
471 Opium camphorated, tincture, 10 fl. ....	50	28	..
472 Ox Gall, pure, 1 gr.....	40	23	..
473 Pepsin, Saccharated, U. S. P., 1890, 1 gr.....	40	23	..
474+Physostigmine sulphate, 1-100 gr.....	1 10	58	14
475 Pilocarpine hydrochlorate, 1-100 gr.....			
476 Pilocarpine hydrochlorate, 1-50 gr.....			
477 Pilocarpine hydrochlorate, 1-20 gr.....			Fluctuating.
478+Pilocarpine hydrochlorate, 1-10 gr.....			
479 Pilocarpine hydrochlorate, 1-5 gr.....			
480 Podophyllin, 1-20 gr..... (Podophyllum resin.)	30	18	..
481 Podophyllin, 1-10 gr.....	35	20	..
482 Rennin, 1 gr..... See note 142.	70	38	..
483 Potassium arsenate, 1-20 gr.....	35	20	..
484 Quinine bisulphate, 1-10 gr.....	45	25	..
485 Quinine sulphate, 1-10 gr.....	45	25	..
486 Rhubarb Compound.....	45	25	..
487 Bismuth and Cerium oxalate.....	85	45	12
488+Saccharin, 25 milligrammes* With Sodium bicarbonate, q.s.	1 65	85	20
489 Saccharin, 65 milligrammes* With Sodium bicarbonate, q.s.	4 20	2 13	45
490 Salicin, 1 gr.....	70	38	..
491+Salicylic acid, 1 gr.....	60	33	..
492 Salol, 1-2 gr.....	85	45	12
493 Sodium arsenate, 1-100 gr.....	35	20	..
494 Sodium salicylate, 1-2 gr.....	45	25	..
495 Sparteine sulphate, 1-50 gr.....	50	28	..
496+Sparteine sulphate, 1-20 gr.....	60	33	..
497 Sparteine sulphate, 1-10 gr.....	90	48	12
498 Sparteine sulphate, 1-4 gr.....	1 60	83	19
499 Squill, tincture, 1 fl. ....	35	20	..
500 to 521. Veterinary Hypodermatic Tablets.			
522 to 599. No tablets of these numbers yet made.			
600+Squill, tincture, 2 fl. ....	40	23	..

†See note at head of page 44. \*See note 148.

PART  
TWO.*Specify P., D. & Co.'s*

{ Tablets not priced in bottles of 100 are sup- plied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
601 Stramonium leaves, tincture, 1 fl. ....	\$ 35	\$ 20	\$ ..
602† Strophanthus, tincture, 1 fl. ....	40	23	..
603 Strychnine sulphate, 1-200 gr. ....	35	20	..
604† Tartar emetic, 1-20 gr. .... (Antimony and Potassium tartrate.)	40	23	..
605. Tartar emetic, 1-10 gr. ....	40	23	..
606 Tartar emetic and Ipecac. ....	35	20	..
607 Tully Powder, 1 gr. ....	45	25	..
608† Veratrine sulphate, 1-20 gr. ....	55	30	..
609 Veratrine sulphate, 1-10 gr. ....	85	45	12
610 Veratrum Viride, tincture, 2 fl. ....	45	25	..
611 Zinc phosphide, 1-100 gr. ....	35	20	..
612 Zinc phosphide, 1-50 gr. ....	35	20	..
613 Zinc phosphide, 1-25 gr. ....	35	20	..
614 Creosote, Beechwood, 1-10 fl. ....	35	20	..
615 Antiseptic Tablets, B "B," white (for external use only). See Specialties, page 128.			
616 Cannabis Indica, Arsenic and Iron. ....	75	40	11
617 Cannabis Indica, Digitalis and Iron. ....	80	43	11
618† Nitroglycerin Compound. ....	50	28	..
619 Nitroglycerin Comp., B "B" ....	85	45	12
620 Cascara Sagrada extract, 1 gr. ....	90	48	12
621 Ergot, extract, 1 gr. ....	95	50	13
622 Iron, Arsenic and Strychnine, B "C" ....	45	25	..
623 Fever. ....	70	38	..
624 Opium and Lead acetate, B "B" ....	60	33	..
625 Bismuth Compound. ....	65	35	..
626 Calomel and Sodium bicarbonate Comp., B "B" ....	40	23	..
627 Cathartic, Active. ....	45	25	..
628 Diarrhoea. ....	85	45	12
629 Dyspeptic (Dr. E. B. Haworth). ....	50	28	..
630 Fever (Dr. T. G. Davis). ....	40	23	..
631 Hydrastin Compound. ....	65	35	..
632 Mercurous iodide and Opium. ....	50	28	..
633 Mercurous iodide, yellow, 1-1000 gr. ....	35	20	..
634 Mercurous iodide, yellow, 1-500 gr. ....	35	20	..
635 Mercurous iodide, yellow, 1-200 gr. ....	35	20	..
636† Nerve Tonic, No. 1 (Dr. Westbrook). ....	60	33	..
637 Nerve Tonic, No. 5. ....	55	30	..
638 Nitroglycerin Comp., B "C" ....	45	25	..
639 Nitroglycerin Comp., B "D" ....	50	28	..
640 Nux Vomica and Pepsin (Dr. Skiff). ....	50	28	..
641 Pepsin and Pancreatin. ....	65	35	..
642 Physostigmine sulphate, 1-50 gr. ....	1 65	85	20
643 Picrotoxin and Belladonna. ....	60	33	..
644 Rhinitis, (half-strength, Dr. Lincoln). ....	80	43	11
645 Tonsillitis. ....	40	23	..

†See note at head of page 44.

## Tablet Triturates.

PART  
TWO.

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle.

PLEASE ORDER BY NUMBER AND LETTER.

	M Per 1000	D Per 500	C Per 100
646 Camphor monobromated, 1-10 gr.....	\$ .35	\$ .20	\$ ..
647 Cardiac Compound (Dr. Chas. L. Kerr).....	4 50	2 28	48
648 Paregoric Compound.....	50	28	..
649 Calomel and Sodium bicarbonate, B "D".....	40	23	..
650 Carminative (Fothergill).....	60	33	..
651 Saccharin, 1-2 gr.(with Sodium bicarbonate,q.s.)	2 20	1 13	25
652 Mercury with chalk and Dover Powder.....	50	28	..
653 Throat (Dr. Quinlan).....	55	30	..
654 Three Iodides.....	40	23	..
655 Bismuth and Calomel Compound.....	85	45	12
656 Discontinued.			
657 Potassium bichromate, 1-2 gr.....	30	18	..
658 Hyoscine hydrobromate, 1-200 gr.....	95	50	13
659 Opium, powdered, 1 gr.....	1 00	53	13
660 Strychnine nitrate, 1-50 gr.....	35	20	..
661 Strychnine nitrate, 1-100 gr.....	35	20	..
662 Zinc sulphocarbolate, $\frac{1}{4}$ gr.....	35	20	..
663 Enteritis (Dr. C. N. Haskell).....	45	25	..
664 Aloin, 1-100 gr .....	35	20	..
665 Tartar emetic, 1-1000 gr.....	30	18	..
666 Arsenic bromide, 1-1000 gr.....	30	18	..
667 Arsenic iodide, 1-1000 gr.....	30	18	..
668 Arsenic sulphide, 1-1000 gr.....	30	18	..
669 Calcium sulphide, 1-1000 gr.....	30	18	..
670 Digitalis and Aconite.....	45	25	..
671 Mercuric iodide, red, 1-1000 gr.....	30	18	..
672 Nitroglycerin, 1-1000 gr.....	30	18	..
673 Strychnine sulphate, 1-1000 gr.....	30	18	..
674 Potassium bichromate, 1-10 gr.....	30	18	..
675 Stomachic (Dr. North).....	50	28	..
676 Strophanthus tincture, 5 ml.....	55	30	..
677 Cereus grandiflorus, fluid extract, 1 ml.....	50	28	..
678 Diarrhoea, R 3 (Dr. Sullivan).....	65	35	..
679 Zinc sulphocarbolate, 1 gr.....	50	28	..
680 Nitroglycerin Comp., B "E".....	65	35	..
681 Sciatica (Dr. John T. Metcalf).....	50	28	..
682 Pepsin and Capsicum Compound.....	60	33	..
683 Podophyllin Compound.....	55	30	..
684 Salol Compound.....	1 55	80	19
685 Dermatol (Bismuth subgallate), 1 gr.....	1 50	73	18
686 Zinc sulphocarbolate and Aloin.....	55	30	..
687 Aloin and Cascarin Comp. (Dr. Duncan).....	60	33	..
688 Aloin and Cascarin Comp., B 2 (Dr. Duncan)...	65	35	..
689 Potassium arsenite Solution (Fowler Sol.), 1 ml.	40	23	..
690 Potassium arsenite Solution (Fowler Sol.), 2 ml.	40	23	..
691 Potassium arsenite Solution (Fowler Sol.), 3 ml.	45	25	..
692 Potassium arsenite Solution (Fowler Sol.), 5 ml.	45	25	..
693 Bronchitis.....	40	23	..

Numerical Arrangement; for Alphabetical Arrangement, see pages 155 to 174.

PART  
TWO.*Specify P., D. & Co.'s*

{ Tablets not priced in bottles of 100 are supplied at 10 cents per bottle. PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
	Per 1000	Per 500	Per 100
694 Morphine and Belladonna.....	\$ 1 40	\$ 73	\$ 17
695 Antiseptic, Bernay (Blue), ( <i>for external use only</i> ). See Specialties, page 123.			
696 Antiseptic, B "B" (Blue), ( <i>for external use only</i> ). See Specialties, page 123.			
697 Nux Vomica and Pepsin, B 2.....	1 15	60	15
698 Podophyllin and Leptandrin.....	55	30	..
699 Cardiac (Dr. Waldstein).....	1 85	95	22
700 Mercury and Iron.....	65	35	..
701 Quinine and Digitalis Comp. (Dr. Fowler).....	95	50	18
702 Arsenic bromide, 1-50 gr.....	30	18	..
703 Arsenic bromide, 1-40 gr.....	30	18	..
704 Arsenic bromide, 1-20 gr.....	40	23	..
705 Aconite and Belladonna.....	45	25	..
706 Cold and Fever (Dr. Evan F. Smith).....	40	23	..
707 Bronchitis (Dr. Delafield) .....	75	40	11
708 Rhus Toxicodendron F. E. 1 min.....	40	23	..
709 Discontinued.			
710 Strychnine arsenite, 1-100 gr.....	40	23	..
711 Calomel and Sodium bicarbonate, B "E".....	35	20	..
712 Quinine and aconite.....	1 50	78	18

*Tablet Triturates from Mother Tinctures.*

We have added to our list of laboratory products the following line of Tablet Triturates. The Mother Tinctures from which these are prepared are procured from the most reliable manufacturers of homœopathic products in Europe, and can be depended on to be authentic in every respect, and worthy of the confidence of those who are accustomed to the use of homœopathic preparations, since they conform strictly to every requirement of the Hahnemannian pharmacopœia. The Tablet Triturates, themselves, are made with every care from these Mother Tinctures, and we guarantee each tablet to represent exactly the quantity indicated.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
		Per 1000	Per 500	Per 100
850 Aconitum, 1 ℥.....	\$ 60	\$ 33	\$ 10	
851 Aconitum, 2 ℥.....	70	38	10	
852 Actaea racemosa, 1 ℥.....	60	33	10	
853 Actaea racemosa, 2 ℥.....	75	40	11	
854 Ailanthus glandulosa, 1 ℥.....	65	35	10	
855 Aloe, 1 ℥.....	55	30	10	
856 Apis mellifica, 1 ℥.....	75	40	11	
857 Apocynum cannabinum, 1 ℥.....	75	40	11	

*Mother Tincture Triturates.*PART  
TWO.

List No.	PLEASE ORDER BY NUMBER AND LETTER.	M Per 1000	D Per 500	C Per 100
858	Apocynum cannabinum, 2 ℥.....	\$1 05	\$ 55	\$ 14
859	Arnicae radice, 1 ℥.....	55	30	10
860	Asclepias tuberosa, 1 ℥.....	75	40	11
861	Asclepias tuberosa, 2 ℥.....	1 00	53	13
862	Baptisia, 1 ℥ .....	65	35	10
863	Baptisia, 2 ℥ .....	85	45	12
864	Belladonna, 1 ℥.....	60	33	10
865	Belladonna, 2 ℥.....	70	38	10
866	Bryonia alba, 1 ℥.....	60	33	10
867	Bryonia alba, 2 ℥.....	75	40	11
868	Cactus grandiflorus, 1 ℥.....	75	40	11
869	Calendula, 1 ℥.....	60	33	10
870	Cannabis Indica, 1 ℥.....	60	33	10
871	Cantharis, 1 ℥.....	60	33	10
872	Cantharis, 2 ℥.....	80	43	11
873	Capsicum, 1-2 ℥.....	50	28	10
874	Capsicum, 1 ℥.....	60	33	10
875	Capsicum, 2 ℥.....	80	43	11
876	Causticum, 1 ℥.....	60	33	10
877	Causticum, 2 ℥.....	80	43	11
878	Chamomilla, 1 ℥.....	55	30	10
879	Chamomilla, 2 ℥ .....	70	38	10
880	Chelidonium, 1 ℥.....	60	33	10
881	Chimaphilla, 1 ℥.....	60	33	10
882	China, 1 ℥.....	60	33	10
883	China, 2 ℥.....	80	43	11
884	Cistus, 1 ℥.....	55	30	10
885	Clematis, 1 ℥.....	60	33	10
886	Cocculus, 1 ℥.....	60	33	10
887	Cocculus, 2 ℥.....	70	38	10
888	Coffea, 1 ℥.....	55	30	10
889	Coffea, 2 ℥ .....	75	40	11
890	Colchicum, 1 ℥.....	60	33	10
891	Colchicum, 2 ℥.....	70	38	10
892	Collinsonia, 1 ℥.....	65	35	10
893	Collinsonia, 2 ℥.....	1 20	63	15
894	Colocynththis, 1 ℥.....	60	33	10
895	Colocynththis, 2 ℥.....	75	40	11
896	Conium, 1 ℥.....	55	30	10
897	Conium, 2 ℥.....	65	35	10
898	Corydalis Formosa, 1 ℥.....	70	38	10
899	Cubeba, 1 ℥.....	50	28	10
900	Cubeba, 2 ℥.....	95	50	13
901	Digitalis, 1 ℥.....	60	33	10
902	Digitalis, 2 ℥.....	70	38	10
903	Dioscorea, 1 ℥.....	80	43	11
904	Dioscorea, 2 ℥.....	1 15	60	15
905	Drosera, 1 ℥.....	60	33	10

## Specify P. D. &amp; Co.'s

List No.	PLEASE ORDER BY NUMBER AND LETTER.	M	D	C
		Per 1000	Per 500	Per 100
906	Drosera, 2 ℥.....	\$ 80	\$ 43	\$ 11
907	Dulcamara, 1 ℥.....	60	33	10
908	Euphrasia, 1 ℥.....	60	33	10
909	Euonymus Europaeus, 1 ℥.....	60	33	10
910	Gelsemium, 1 ℥.....	60	33	10
911	Gelsemium, 2 ℥.....	80	43	11
912	Guaiacum, 1 ℥ .....	60	33	10
913	Hamamelis, 1 ℥.....	60	33	10
914	Hamamelis, 2 ℥.....	85	45	12
915	Hydrastis, 1 ℥.....	60	33	10
916	Hydrastis, 2 ℥.....	85	45	12
917	Hyoscyamus, 1 ℥.....	60	33	10
918	Hyoscyamus, 2 ℥.....	70	38	10
919	Ignatia, 1 ℥.....	60	33	10
920	Ignatia, 2 ℥.....	70	38	10
921	Ipecacuanha, 1 ℥.....	60	33	10
922	Ipecacuanha, 2 ℥.....	80	43	11
923	Iris versicolor, 1 ℥.....	75	40	11
924	Kalmia, 1 ℥ .....	80	43	11
925	Leptandra, 1 ℥.....	80	43	11
926	Lobelia, 1 ℥.....	60	33	10
927	Nux Vomica, 1 ℥.....	50	28	10
928	Nux Vomica, 2 ℥.....	75	40	11
929	Opium, 1 ℥.....	75	40	11
930	Opium, 2 ℥.....	1 25	65	16
931	Phosphorus, 1 ℥.....	65	35	10
932	Phosphorus, 2 ℥.....	85	45	12
933	Physostigma, 1 ℥.....	60	33	10
934	Physostigma, 2 ℥.....	1 10	58	14
935	Phytolacca, 1 ℥.....	65	35	10
936	Podophyllum, 1 ℥.....	60	33	10
937	Podophyllum, 2 ℥.....	1 05	55	14
938	Pulsatilla, 1 ℥.....	60	33	10
939	Pulsatilla, 2 ℥.....	75	40	11
940	Rhus Toxicodendron, 1 ℥.....	60	33	10
941	Rhus Toxicodendron, 2 ℥.....	75	40	11
942	Rumex, 1 ℥.....	60	33	10
943	Sambucus, 1 ℥.....	60	33	10
944	Senecio aureus, 1 ℥.....	75	40	11
945	Spigelia, 1 ℥.....	60	33	10
946	Spongia, 1 ℥.....	60	33	10
947	Spongia, 2 ℥.....	80	43	11
948	Sticta, 1 ℥.....	60	33	10
949	Thuja, 1 ℥.....	60	33	10
950	Thuja, 2 ℥.....	80	43	11
951	Urtica, 1 ℥.....	60	33	10
952	Veratrum album, 1 ℥.....	60	33	10
953	Veratrum album, 2 ℥.....	75	40	11
954	Veratrum viride, 1 ℥.....	65	35	10
955	Veratrum viride, 2 ℥.....	85	45	12
956	Viburnum Opulus, 1 ℥.....	60	33	10
957	Viburnum prunifolium, 1 ℥.....	55	30	10

# Compressed Tablets.

Put up in bottles of 1000 ("M"), in bottles of 500 ("D"), and in bottles of 100 ("C").

We furnish to order any other desired formula, the nature and quantity of which will permit of being presented in this form. Additions will constantly be made as demand may necessitate.

	{ Formulae not priced in bottles of 100 } are supplied at 10 cts. per bot.	M Per 1000	D Per 500	C Per 100
1 Acetanilid, 2 grs.....	\$ 45	\$ 25	\$ ..	..
2 Acetanilid, 3 grs.....	55	30	..	..
3 Acetanilid, 4 grs.....	70	38	..	..
4†Acetanilid, 5 grs.....	75	40	11	11
Acetanilid, Aromatic.....(53) ..	80	43	11	11
Acetanilid, 5 grs. Oil Gaultheria, q. s.				
Acetanilid Compound, see <i>Migraine</i> .				
5 Migraine.....	I 35	70	17	
Acetanilid, 2 grs. Citrated Caffeine, 1-2 gr.				
Camphor monobromated, 1-2 gr.				
†Acetanilid Compound, B 1.....(127) ..	45	25	..	..
Acetanilid, 2 grs. Fl. Ext. Gelsemium, 1 ml.				
Acetanilid Compound, B 2.....(128) ..	70	38	..	..
Acetanilid, 4 grs. Fl. Ext. Gelsemium, 2 ml.				
Acetanilid Compound, B 3.....(129) ..	I 15	60	15	
Acetanilid, 3 grs. Morphine comp. powder, 3 grs.				
Acetanilid Compound, B 4.....(130) ..	2 00	I 03	23	
Acetanilid, 2 1-2 grs. Gelsemperin, 1-10 gr.				
Citrated Caffeine, 1 gr.				
Acetanilid and Gelsemperin Comp., see <i>Acetanilid Comp.</i> , B 4.				
Acetanilid and Salol.....(255) ..	3 15	I 60	35	
Acetanilid, 2 1/2 grs. Salol, 2 1/2 grs.				
†Acetanilid and Sodium Compound(106) ..	I 35	70	17	
Acetanilid, 3 1-2 grs.				
Sodium bicarbonate, 9-10 gr.				
Sodium bromide, 1-10 gr.				
Citrated Caffeine, 1-2 gr.				
Acetanilid and Sodium Comp., B 2 (131) ..	I 90	98	22	
Acetanilid, 2 1-2 grs.				
Sodium bicarbonate, 2 1-2 grs.				
Citrated Caffeine, 1 gr.				
Tinct. Gelsemium, 3 ml.				
Acetanilid, Sodium and Quinine Com- pound.....(236) ..	3 15	I 60	35	
Acetanilid, 3 1/2 grs.				
Sodium bicarbonate, 9-10 gr.				
Sodium bromide, 1-10 gr.				
Citrated Caffeine, 1/2 gr.				
Quinine sulphate, 2 grs.				
6 Alum Compound (for injection).....	55	30	..	..
Alum, 2 1-2 grs.				
Zinc sulphate, 2 grs.				
Fl. Golden-seal, colorless, 1 ml.				
Morphine sulphate, 1-32 gr.				

† See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

	{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
		Per 1000	Per 500	Per 100
	Ammonium bromide, 5 grs.....(216)...	\$ 90	\$ 48	\$ 12
	Ammonium chloride, 3 grs.....(54)...	30	18	..
	See also Specialties, page 127.			
	Ammonium chloride, 5 grs.....(213)...	35	20	..
	See also Specialties, page 127,			
	Ammonium chloride and Liquorice, (242).	95	50	13
	Ammonium chloride, 2 grs.			
	Ext. Glycyrrhiza, 8 grs.			
	Ammonium salicylate Compound..(132)...	7 50	3 78	78
	Ammonium salicylate, 3 grs.			
	Phenacetine (Bayer), 1 gr.			
	Caffeine, 1-2 gr.			
	Salicin, 1 1-2 grs.			
7	Anodyne .....	1 30	68	16
	Camphor, 1 gr.			
	Ext. Hyoscyamus, 1 gr.			
	Morphine acetate, 1-20 gr.			
	Oleoresin Capsicum, 1-20 ml.			
8	Antacid (Sir Wm. Roberts, M. D.).....	60	33	..
	Calcium carbonate, precip., 3 1-2 grs.			
	Magnesium carbonate, 2 1-2 grs.			
	Sodium chloride, 1 gr. See note 10.			
	†Anti-Asthmatic (Hare).....(55)...	2 60	1 33	29
	Sodium iodide, 2 grs.			
	Sodium bromide, 2 grs.			
	Fl. Ext. Euphorbia pilulifera, 3 ml.			
	Glonoin (Nitroglycerin), 1-200 gr.			
	Tr. Lobelia, 2 ml.			
	Anti-Asthmatic, B 2 (Dr. L. T. Stevens) (133)	4 05	2 05	44
	Potassium iodide, 5 grs.			
	Solution Potassium arsenite, 1 ml.			
	Tinct. Lobelia, 4 ml.			
	Tinct. Belladonna leaves, 1 1-2 ml.			
	Tinct. Opium deodorized, 1-2 ml.			
	Oil Gaultheria, q. s.			
9	Anti-Constipation.....	75	40	11
	Ext. Cascara sagrada, 1 gr.			
	Ext. Nux vomica, 1-8 gr.			
	Ext. Belladonna leaves, 1-8 gr.			
	Powd. Ipecac, 1-8 gr.			
	Podophyllum resin, 1-8 gr.			
	Anti-Dyspeptic.....(134)...	1 25	65	16
	Powd. Ipecac, 1-10 gr.			
	Mass of Mercury, 2 grs.			
	Ext. Colocynth compound, 2 grs.			
	†Anti-Dyspeptic, B 2 .....(135)...	50	28	..
	Strychnine sulphate, 1-60 gr.			
	Powd. Ipecac, 1-10 gr.			
	Powd. Capsicum, 1-4 gr.			
	Ext. Rhubarb, 1-4 gr.			
	Ext. Gentian, 1-2 gr.			
	Sodium bicarbonate, 2 grs.			
	Anti-Dyspeptic, B 3 (Fothergill Im- proved).....(136)...	65	35	..
	Ext. Gentian, 1 gr.			
	Mass of Mercury, 1 gr.			
	Powd. Ipecac, 1-10 gr.			
	Powd. Capsicum, 1-10 gr.			
	Strychnine, 1-40 gr.			

See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
	Per 1000	Per 500	Per 100
Anti-Lithic (Dr. Hewish).....(137)...	\$ 1 20	\$ 63	\$ 15
Sodium phosphate, 4 grs.			
Lithium benzoate, 1 gr.			
Sodium bicarbonate, 1 gr.			
Potassium bicarbonate, 1 gr.			
Sodium chloride, 1 gr.			
Anti-Malarial.....(56)...	2 80	1 43	31
Powd. Nux vomica, 1-4 gr.			
Powd. Capsicum, 1-2 gr.			
Ext. Hyoscyamus, 1-2 gr.			
Quinine sulphate, 3 grs.			
Antimonial Powder (James Powder), 3 grs.....(138)...	35	20	..
†Antipyrine, 3 grs.....(111)...	15 25	7 65	1 56
Antipyrine, 5 grs.....(112)...	23 45	11 75	2 38
Anti-Rheumatic, B 2.....(232)...	2 45	1 25	28
Potassium iodide, 2 grs.			
Ext. Phytolacca root, 1 gr.			
Guaiac, 3 grs.			
Colchicine, 1-100 gr.			
Digitalin, pure, 1-100 gr.			
Antiseptic Tablets, see Specialties, p. 123.			
†Anti-Vomiting, B 1, see Creosote Comp.			
Anti-Vomiting, B 2, see Nausea, B 2.			
10 Aphrodisiac .....	95	50	13
Ext. Damiana, 2 grs.			
Ext. Nux vomica, 1-8 gr.			
Zinc phosphide, 1-10 gr.			
Cantharides, 1-25 gr.			
Astringent Wash.....(304)...	70	38	..
Lead acetate, 2 grs.			
Zinc acetate, 2 grs.			
Berberine hydrochlorate, 1-20 gr.			
Morphine acetate. 1-32 gr.			
Bismuth and Calomel.....(139)...	1 45	75	17
Bismuth subnitrate, 2 grs.			
Mercurous chloride, mild, 1-10 gr.			
Aromatic powder, 1 gr.			
Bismuth and Charcoal.....(57)...	1 50*	78	18
Bismuth subnitrate, 2 grs. Charcoal, 5 grs.			
Bismuth and Creosote.....(122)...	2 90	1 48	32
Bismuth subnitrate, 5 grs.			
Beechwood Creosote, 1-2 fl.			
Milk sugar, 2 grs.			
Bismuth and Ipecac Compound...(140)...	1 45	75	18
Bismuth subnitrate, 2 grs.			
Mercurous chloride, mild, 1-20 gr.			
Powd. Ipecac, 1-50 gr.			
Aromatic powder, 1 gr.			
Bismuth, Opium and Carbolic acid.(141)...	2 40	1 23	27
Bismuth subnitrate, 5 grs.			
Powd. Opium, 1-2 gr.			
Aromatic powder, 1 gr.			
Carbolic acid, 1-2 gr.			

† See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
Bismuth salicylate, Aromatic.....(253) ..	\$ 2 25	\$ 1 15	\$ 26
Bismuth salicylate, basic, 3 grs.			
Prepared chalk, 2 grs.			
Aromatic powder, 1 gr.			
Zinc sulphocarbolate, 1½ grs.			
Bismuth subgallate, <i>see Dermatol.</i>			
Bismuth subnitrate, 5 grs.....(214) ..	2 15	1 10	25
Bitter Tonic.....(245) ..	40	23	..
Wine Ipecac, 1 ℥.			
Tr. Capsicum, 2 ℥.			
Tr. Nux vomica, 5 ℥.			
Tr. Gentian comp., 5 ℥.			
Blaud Mass, <i>see Ferrous carb. (Blaud).</i>			
Blaud (Nascent).....(310) ..	50	28	..
Each tablet corresponds to 5 grains (Blaud) Ferrous carbonate mass.			
Blaud with Nux Vomica.....(142) ..	40	23	..
Ferrous carbonate mass (Blaud), 3 grs.			
Ext. Nux vomica, 1-6 gr.			
Blaud and Sumbul Compound..(143) ..	70	38	..
Ferrous carbonate mass (Blaud), 3 grs.			
Ext. Musk-root, 1 gr.			
Arsenous acid, 1-60 gr.			
Strychnine sulphate, 1-60 gr.			
Borax, (Sodium borate), 5 grs. ....(58) ..	35	20	..
See also Specialties, page 127.			
Bromide and Caffeine Compound.(144) ..	2 35	1 20	27
Sodium bromide, 5 grs.			
Caffeine, 1-2 gr.			
Acetanilid, 2 grs.			
Tinct. Gelsemium, 3 ℥.			
Brown Mixture, 100 ℥.....(59) ..	85	45	12
Each compressed tablet represents 100 ℥ compound mixture of Glycyrrhiza of the U. S. P., 1890, and contains:			
Ext. Glycyrrhiza, 3 grs.			
Powd. Opium, 1-20 gr.			
Benzoic acid, 1-20 gr.			
Camphor, 1-20 gr.			
Antimony and Potassium tartrate, 1-40 gr.			
Oil Anise, 1-20 ℥.			
See also Specialties, page 127.			
Brown Mixture and Ammonium chloride,			
See Specialties, page 127.			
Brown Mixture Compound .....(60) ..	45	25	..
Ext. Glycyrrhiza, 1 4-5 grs.			
Powd. Opium, 3-100 gr.			
Benzoic acid, 3-100 gr.			
Camphor, 3-100 gr.			
Antimony and Potassium tartrate, 3-200 gr.			
Oil Anise, 3-100 ℥.			
Ammonium chloride, 1 gr.			
See also Specialties, page 127.			
Bullock's Blood, <i>see Hæminal.</i>			
Cactus Grandiflorus Comp., <i>see Heart Tonic.</i>			
Calomel, 4 grs.....(125) ..	1 10	58	14
(Mercurous chloride, mild.)			
†Calomel, 5 grs.....(61) ..	1 15	60	15

†See note at head of page 44.

*Compressed Tablets.*PART  
TWO

		M	D	C
	{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	Per 1000	Per 500	Per 100
Calomel and Capsicum.....	(62) ..\$	65	\$ 35	\$ ..
Mercurous chloride, mild, 2 grs.				
Powd. Capsicum, 1-2 gr.				
Calomel and Rhubarb Compound. (145) ..		60	33	..
Mercurous chloride, mild, 1-3 gr.				
Ext. Rhubarb, 1-2 gr.				
Ext. Colocynth comp., 1-2 gr.				
Ext. Hyoscyamus, 1-6 gr.				
†Calomel and Sodium bicarb., B I. (146) ..		45	25	..
Mercurous chloride, mild, 1 gr.				
Sodium bicarbonate, 1 gr.				
II Calomel and Sodium bicarbonate, B 2 ...		70	38	..
Mercurous chloride, mild, 2 1-2 grs.				
Sodium bicarbonate, 2 1-2 grs.				
Calomel and Sodium bicarb. Comp. (147) ..		80	43	II
Mercurous chloride, mild, 2 grs.				
Sodium bicarbonate, 2 grs.				
Podophyllum resin, 1-3 gr.				
Camphor, Hyoscyamus & Valerian. (148) ..		70	38	..
Camphor, 1 gr.				
Ext. Hyoscyamus, 1-2 gr.				
Ext. Valerian, 1-2 gr.				
†Camphor monobromated, 2 grs... (233) ..		95	50	I 3
Camphor monobromated, 3 grs... (234) ..		1 20	63	I 5
Cascara Sagrada Extract, 3 grs.* (306) ..		65	35	..
Cascara Sagrada Extract, 5 grs... (207) ..		1 00	53	I 3
12 Cascarin Compound.....		45	25	..
Aloin, 1-4 gr.     Cascarin, 1-4 gr.				
Podophyllum resin, 1-4 gr.				
Cathartic Comp., U. S. P. .... (149) ..	1 20	63	..	I 5
Ext. Colocynth comp.. Gm. 0.08   about 1 1-4 grs.				
Mercurous chlor., mild. Gm. 0.06   "               1 gr.				
Ext. Jalap..... Gm. 0.03   "               1-2 gr.				
Powd. Gamboge..... Gm. 0.015   "               1-4 gr.				
Cathartic Vegetable..... (150) ..	1 30	68	..	I 6
Ext. Colocynth, 1-3 gr.				
Podophyllum resin, 1-4 gr.				
Scammony resin, 1-3 gr.				
Aloes Socotrine, 1 1-4 grs.				
Powd. Cardamom, 1-4 gr.				
Powd. Soap, 1-2 gr.				
Cereus Grandiflorus Comp., see Heart Tonic.				
Cerium oxalate, 2 grs..... (235) ..	60	33	..	
Chalk Mixture, 60 minims..... (305) ..	55	30	..	
Prepared chalk, 3 3-5 grs.				
Powd. Sugar, 6 grs.				
Powd. Acacia, 2 2-5 grs.				
Oil Cinnamon, 6-125 m.				
Chalybeate, see Saline and Chalybeate.				
Charcoal, 5 grs..... (63) ..	30	18	..	
†Charcoal, 10 grs..... (64) ..	50	28	..	
Charcoal and Pepsin..... (115) ..	60	33	..	
Charcoal, 5 grs.				
Sacch. Pepsin, U. S. P., 1890. 2 grs.				

†See note at head of page 44.

\*Sugar-coated only.

PART  
TWO.*Specify P., D. & Co.'s*

	$\left\{ \begin{array}{l} \text{Formulæ not priced in bottles of 100} \\ \text{are supplied at 10 cts. per bot.} \end{array} \right\}$	M	D	C
		Per 1000	Per 500	Per 100
Chloral, 5 grs.....	(123) ..	\$ 1 35	\$ 70	\$ 17
13 Chloral Comp. (Anti-Spasmodic).....		1 75	90	21
Chloral, 2 1-2 grs.				
Potassium bromide, 2 1-2 grs.				
Ext. Indian Cannabis, 1-4 gr.				
Ext. Hyoscyamus, 1-2 gr.				
Zinc bromide, 1-20 gr.				
14 Chlorodyne .....		2 00	1 03	23
Morphine hydrochlorate, 1-6 gr.				
Ext. Indian Cannabis, 1-4 gr.				
Glonoin (Nitreglycerin), 1-300 gr.				
Ext. Hyoscyamus, 1-2 gr.				
Oleoresin Capsicum, 1-10 fl.oz.				
Oil Peppermint, 1-10 fl.oz.				
15 Cinchonidine salicylate, 2 1-2 grs.....		1 75	90	21
16† Cinchonidine salicylate, 5 grs.....		3 50	1 78	38
Cinchonidine sulphate, 2 grs. (s.-c. (312)) ..		60	33	..
Cobb. See Opium and Ipecac Comp.				
Cocaine, 1 1/8, 2 1/4 and 3 grs., see Specialties, page 126.				
17 Cocaine and Cubeb Compound.....		2 55	1 30	29
Cocaine hydrochlorate, 1-12 gr.				
Oleoresin Cubeb, 1-8 fl.oz.				
Ammonium chloride, 2 grs.				
Ext. Glycyrrhiza,, 2 grs.				
Cold, No. 3.....(65) ..		2 35	1 20	27
Quinine sulphate, 2 grs.				
Ipecac and Opium powder, 2 grs.				
Powd. Capsicum, 1-4 gr.				
Tinct. Aconite, 1 fl.oz.				
Copper arsenite, see Tablet Triturates.				
Coryza.....(243) ..		1 05	55	14
Quinine sulphate, 1/2 gr.				
Ammonium chloride, 1/2 gr.				
Camphor, 1/2 gr.				
Powdered Opium, 1-10 gr.				
Ext. Belladonna leaves, 1-20 gr.				
Ext. Aconite root, 1-10 gr.				
Cough, No. 2.....(246) ..		50	28	..
Ammonium carbonate, 1 gr.				
Powdered Squill, 3/4 gr.				
Powdered Senega, 3/4 gr.				
Tr. Opium camphorated, 5 fl.oz.				
Creosote (Beechwood), 1 fl.oz.....(311) ..		70	38	..
Creosote Compound.....(152) ..		2 15	1 10	25
Beechwood Creosote, 1-8 fl.oz.				
Cocaine hydrochlorate, 1-20 gr.				
Cerium oxalate, 2 grs.				
Pepsin aseptic (1-3000), 1-4 gr.				
Tinct. Nux vomica, 1-4 fl.oz.				
18 Cubeb Compound (Gonorrhœa).....		70	38	..
Powd. Cubeb, 3-4 gr.				
Dried Ferrous sulphate, 1-8 gr.				
Copalba mass, 1-2 gr.				
Venice Turpentine, 1-4 gr.				
Oil Santal, 1-10 fl.oz.				
Oil Gaultheria, 1-20 fl.oz.				

† See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

		M	D	C
		Per 1000	Per 500	Per 100
	{ Formulæ not priced in bottles of 100 } { are supplied at 10 cts. per bot. }			
19†Cystitis B I.....	Boric acid, 2 grs. Potassium bicarbonate, 2 grs. Ext. Buchu, 1 gr. Ext. Triticum, 1 gr. Ext. Corn-silk, 1-2 gr. Ext. Hydrangea, 1-2 gr. Atropine sulphate, 1-500 gr.	\$ 1 10	\$ 58	\$ 14
Cystitis, B 2.....(153) ..	I 35	70	17	
	Benzoic acid, 3 grs. Sodium borate, 2 grs. Ext. Buchu, 1 gr. Ext. Triticum, 1 gr. Ext. Corn-silk, 1-2 gr. Ext. Hydrangea, 1-2 gr. Atropine sulphate, 1-500 gr.			
20†Damiana Compound.....	I 05	55	14	
	Ext. Damiana, 2 grs. Phosphorus, 1-30 gr. Ext. Nux vomica, 1-4 gr.			
Damiana Compound, B 2 (Dr. La Ma-drid).....(154) ..	I 05	55	14	
	Zinc phosphide, 1-10 gr. Ext. Indian Cannabis, 1-4 gr. Strychnine sulphate, 1-40 gr. Ext. Damiana, 1 1-2 grs.			
Dermatol (Subgallate of Bismuth), 5 grs.				
.....(203) ..	2 70	I 38	30	
Diaphoretic, (Whitford).....(222) ..	65	35	..	
	Opium, 1-4 gr. Camphor, 1 gr. Powdered Asclepias, 1-2 gr. Potassium bitartrate, 3 1-4 grs.			
21 Diarrhoea.....	2 00	I 03	23	
	Bismuth subnitrate, 3 grs. Sacch. Pepsin, U. S. P., 1890, 2 grs. Aromatic Chalk powder, 2 grs.			
†Digestive, B "A".....(66) ..	I 80	93	21	
	Pepsin aseptic (1-3000), 1 gr. Pure Pancreatin, 1 gr. Calcium lactophosphate, 2 grs.			
See also Specialties, page 127.				
22 Digestive, B "B".....	4 80	2 43	51	
	Pepsin aseptic (1-3000), 3 grs. Diastase, 1-4 gr. Ext. Nux vomica, 1-8 gr. Powd. Ipecac, 1-12 gr.			
Dipsomania.....(155) ..	I 50	78	18	
	Gold and Sodium chloride, 1-24 gr. Strychnine nitrate, 1-60 gr. Glonoin (Nitroglycerin), 1-200 gr. Atropine, 1-200 gr. Tinct. Digitalis, 3 ml. Oleoresin Capsicum, 1-8 ml.			
Diuretic.....(126) ..	55	30	..	
	Powd. Digitalis, 1 gr. Potassium nitrate, 1 gr. Ext. Buchu, 1 gr. Powd. Squill, 1 gr.			

† See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

	{ Formulæ not priced in bottles of 100 are supplied at 10 cts. per bot.	M	D	C
		Per 1000	Per 500	Per 100
23	Dover Powder, 5 grs.....per lb, \$1.50	\$ 1 10	\$ 58	\$ 14
	(Ipecac and Opium Powder.)			
24	Emmenagogue .....	1 35	70	17
	Ergotin (Bonjean), 1 gr.			
	Dried Ferrous sulphate, 1 gr.			
	Ext. Black Hellebore, 1 gr.			
	Aloes Socotrine, 1 gr.			
	Oil Savine, 1-4 fl.			
†	Emmenagogue, Improved.....(156)...	1 50	78	18
	Ext. Cotton root bark, 1 gr.			
	Ergotin (Bonjean), 1 gr.			
	Dried Ferrous sulphate, 1 gr.			
	Ext. Black Hellebore, 1 gr.			
	Aloes Socotrine, 1 gr.			
	Oil Savine, 1-4 fl.			
	Emmenagogue, Modified.....(157)...	1 05	55	14
	Tinct. Guaiac compound (N. F.) 20 fl.			
	Tinct. Cantharides, 5 fl.			
	Tinct. Aloes, 10 fl.			
	Dried Ferrous sulphate, 2 grs.			
25	Ergotin Compound.....	1 95	1 00	23
	Ergotin (Bonjean), 1 1-2 grs.			
	Tr. Digitalis, 1-2 fl.			
	Quinine sulphate, 1-2 gr.			
	Expectorant (Tonic).....(158)...	1 10	58	14
	Strychnine sulphate, 1-60 gr.			
	Tinct. Digitalis, 2 fl.			
	Terpin hydrate, 3 grs.			
	Powd. Opium, 1-24 gr.			
	Ext. Hyoscyamus, 1-4 gr.			
	Febrifuge.....(247)...	5 85	2 95	62
	Quinine sulphate, 2 grs.			
	Acetanilid, 2 grs.			
	Cocaine hydrochlorate, 1-6 gr.			
	Febrinol 5 grs.....(309)...	9 00	4 53	94
	Fel Bovis, see Ox Gall.			
	Ferratin, (Boehringer — B. & S.). See "Ferratin," in Specialties, page 129.			
	Ferrous carbonate (Blaud), 3 grs..(67)...	35	20	..
†	Ferrous carbonate (Blaud), 5 grs..(68)...	40	23	..
	Ferrous carbonate (Blaud), Modified .....(69)...	40	23	..
	Ferrous carbonate mass (Blaud), 5 grs.			
	Arsenous acid, 1-40 gr.			
	Ferrous Lactate Compound (Dr. S. W. Mitchell) .....	1 85	95	22
	Ferrous lactate, 2 grs.			
	Quinine sulphate, 1 gr.			
	Ext. Ignatia, 1-4 gr.			
	Ferrous Lactate and Cinchonine Com- pound.....(31)...	65	35	..
	Ferrous lactate, 1 gr.			
	Cinchonine sulphate, 1 gr.			
	Ext. Hyoscyamus, 1-5 gr.			
	Arsenous acid, 1-30 gr.			
	Strychnine sulphate, 1-60 gr.			

† See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
	Per 1000	Per 500	Per 100
26†Four Chlorides (Univ. Hosp. Pharm.)....	\$ 1 95	\$ 1 00	\$ 23
Ferric chloride, 2-3 gr. (equal to 5 ℥. Tinct. Ferric chloride).			
Quinine hydrochlorate, 1 gr.			
Arsenic chloride, 1-64 gr.			
Mercuric chloride, corrosive, 1-48 gr.			
Four Chlorides (without Mercury). (160)..	1 90	98	22
Ferric chloride, 2-3 gr. (equal to 5 ℥. Tinct. Ferric chloride).			
Quinine hydrochlorate, 1 gr.			
Arsenic chloride, 1-64 gr.			
Ammonium chloride, 2 grs.			
Four Chlorides, Modified.....(161)..	1 00	53	13
Ferric chloride, 2-3 gr. (equal to 5 ℥. Tinct. Ferric chloride).			
Quinine hydrochlorate, 1-2 gr.			
Arsenic chloride, 1-100 gr.			
Mercuric chloride, corrosive, 1-100 gr.			
Glycyrrhiza Comp., see Liquorice.			
Gonorrhœa, see Cubeb Compound.			
Gray Powder Comp. (Dr. Anderton)			
.....(248)..	2 25	1 15	26
Mercury with chalk, 1 gr.			
Salol, 1 gr.			
Bismuth subnitrate, 3 grs.			
Guaiac, 2 grs.....(110)..	40	23	..
Guaiac and Hydrastis Compound (Throat).....(162)..	50	28	..
Guaiac, 2 grs.			
Ammonium chloride, 2 grs.			
Fluid Golden-seal (colorless), 1 ℥.			
Ext. Glycyrrhiza, 2 grs.			
Guaiacol and Hypophosphites Comp. (Dr. R. G. Curtin).....(163)..	4 05	2 05	44
Guaiacol, 1-2 gr.			
Quinine hypophosphate, 1 gr.			
Calcium hypophosphate, 1 gr.			
Ferric hypophosphate, 1-2 gr.			
Sodium hypophosphate, 1-2 gr.			
Potassium hypophosphate, 1-4 gr.			
Manganese hypophosphate, 1-4 gr.			
Strychnine hypophosphate, 1-64 gr.			
Hæminal, 3 grs... (see page 223) ..(210)..	85	45	12
Heart Tonic (Cactus grandiflorus Co.) (70)	3 60	1 83	39
Fl. Ext. Cereus grandiflorus, 5 ℥. Tinct. Digitalis, 2 ℥. Citrated Caffeine, 2 grs.			
Hematic (Kirwan) .....(223)..	35	20	..
Strychnine sulphate, 1-240 gr.			
Mercuric chloride, corrosive, 1-120 gr.			
Arsenous acid, 1-96 gr.			
Ferrous sulphate, 2 grs.			
Potassium carbonate, 2 grs.			
Hydrastine Compound.....(164)..	75	40	11
Lead acetate, 2 grs.			
Zinc sulphate, 2 grs.			
Hydrastine hydrochlorate, 1-20 gr.			
Morphine acetate, 1-32 gr.			

† See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

	{ Formulæ not priced in bottles of 100 } { are supplied at 10 cts. per bot.	M	D	C
		Per 1000	Per 500	Per 100
11 Hypnotic.....	(249) .. \$ 1 30	\$ 68	\$ 16	
Sodium bromide, 5 grs.				
Acetanilid, 2 grs.				
Hyoscyamine, 1-400 gr.				
Digitalin, pure, 1-400 gr.				
27 Hypophosphites and Quinine Compound without Strychnine.....	2 70	1 38	30	
Quinine hypophosphate, 1 gr.				
Ferric hypophosphate, 1-2 gr.				
Calcium hypophosphate, 1-2 gr.				
Sodium hypophosphate, 1-4 gr.				
Potassium hypophosphate, 1-4 gr.				
Manganese hypophosphate, 1-4 gr.				
28 Hypophosphites and Quinine Compound with Strychnine.....	2 80	1 43	31	
Formula as above, adding to each tablet, Strychnine hypophosphate, 1-64 gr.				
29 Hypophosphites and Quinine Compound with Creosote.....	2 95	1 50	33	
Same as B of No. 28, with addition of Beechwood Creosote 1-2 fl. to each tablet.				
Injection Compound—Discontinued.				
Intestinal Tonic.....(202) .. I 10		58	14	
Euonymin, brown, 2-5 gr. Leptandrin, 2-5 gr.				
Podophyllum resin, 1-5 gr.				
Beechwood Creosote, 1-3 fl.				
Ext. Chirata, 1 gr.				
Iron, Quinine and Aloes Comp. (Dr. Duncan).....(250) .. 2 85	I 45	32		
Reduced Iron, 2 grs.				
Quinine sulphate, 2 grs.				
Strychnine sulphate, 1-40 gr.				
Arsenous acid, 1-40 gr.				
Powdered Aloes, $\frac{1}{8}$ gr.				
Iron, Quinine and Arsenic.....(237) .. I 65	85	20		
Reduced Iron, 2 grs.				
Quinine sulphate, 1 gr.				
Arsenous acid, 1-50 gr.				
†Kola nut, 5 grs.....(211) .. 65	35	..		
Kola nut, 10 grs.....(212) .. I 20	63	15		
Kola nut, Extract, 2 grs.....(240) .. I 95	I 00	23		
30 Krameria Compound .....	I 10	58	14	
Fl. Ext. Krameria, 1 fl.				
Bismuth subnitrate, 1 gr.				
Powd. Opium, 1-4 gr.				
Powd. Glycyrrhiza, 1-4 gr.				
31 Ferrous Lactate and Cinchonine Comp.	65	35	..	
Ferrous lactate, 1 gr.				
Cinchonine sulphate, 1 gr.				
Ext. Hyoscyamus, 1-5 gr.				
Arsenous acid, 1-30 gr.				
Strychnine sulphate, 1-60 gr.				
Lacto-ferric, see Ferrous Lactate and Cinchonine Comp.				

†See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
	Per 1000	Per 500	Per 100
Lactophenin and Salol.....(227) ..	\$10 95	\$ 5 50	\$ 1 13
Lactophenin (Boehringer—B.&S.), 2½ grs.			
Salol, 2½ grs.			
Lactophenin (Boehringer—B. & S.). See “Lactophenin,” in <i>Specialties</i> , page 130.			
Liquorice Powder Comp., 20 grs., ... (71) ..	75	40	11
See also <i>Specialties</i> , page 127.			
Lithium citrate, see <i>Specialties</i> , page 131.			
Lupulin and Bromide Compound.(200) ..	1 15	60	15
Lupulin, 1-2 gr.			
Scutellarin, 1-2 gr.			
Ergotin (Bonjean), 1-4 gr.			
Atropine sulphate, 1-2000 gr.			
Zinc bromide, 1-10 gr.			
32 Mercuric iodide (soluble). (see note 120). 2 05		1 05	24
Potassio-Mercuric iodide, 1 gr.			
33 Mercuric oxide, yellow, 1-200 gr (about 1-3 milligramme). (see note 121).....	35	20	..
Migraine .....(5) ..	1 35	70	17
Acetanilid, 2 grs.			
Camphor monobromated, 1-2 gr.			
Citrated Caffeine, 1-2 gr.			
Mixed Treatment .....(166) ..	2 45	1 25	28
Potassium iodide, 2 grs.			
Syrup Ferrous iodide, 5 fl.oz.			
Mercuric chloride, corrosive, 1-64 gr.			
Solution Arsenic and Mercuric iodide, 2 fl.oz.			
Tinct. Nux vomica, 2 fl.oz.			
Morphine bromide Compound ....(215) ..	3 45	1 75	38
Morphine hydrobromate, 1-8 gr.			
Hyoscine hydrobromate, 1-150 gr.			
Camphor monobromated, 2 grs.			
34* Nasal.....bottles of 50, \$1 40 per doz. 1 20		63	15
Sodium bicarbonate, 5 grs.			
Sodium borate, 5 grs.			
Sodium chloride, 5 grs.			
Sodium benzoate, 7-24 gr.			
Sodium salicylate, 7-24 gr.			
Oil Eucalyptus, 7-48 fl.oz.			
Thymol, 7-48 gr.			
Menthol, 7-96 gr.			
Oil Gaultheria, 7-96 fl.oz.			
*Nasal, Improved .....(209) ..			
.....(bottles of 50, 85c per doz.) ..	55	30	..
Sodium borate, 5 grs. Sodium chloride, 5 grs.			
Menthol, 3-50 gr. Oil Eucalyptus, 3-50 fl.oz.			
Thymol, 3-50 gr. Oil Gaultheria, 3-100 fl.oz.			
See also “Plasma Nasal,” No. 307.			
Nausea, B 2.....(167) ..	3 05	1 55	34
Bismuth subnitrate, 2 grs.			
Cerium oxalate, 2 grs.			
Cocaine hydrochlorate, 1-12 gr.			

\*See note 126.

PART  
TWO.*Specify P. D. & Co.'s*

		M	D	C
	Per 1000	Per 500	Per 100	
{ Formulæ not priced in bottles of 100 {				
are supplied at 10 cts. per bot. }				
Nausea, No. 3 (Dr. Guernsey)....(251)..	\$ 1 05	\$ 55	\$ 14	
Cerium oxalate, 5 grs.				
Powd. Ipecac, 1-10 gr.				
† Neuralgic.....(168)..	2 10	1 08	24	
Quinine sulphate, 1 1-2 grs.				
Morphine sulphate, 1-20 gr.				
Strychnine sulphate, 1-30 gr.				
Ext. Aconite leaves, 1-4 gr.				
Neuralgic Headache (Dr. Myers). (124)..	1 90	98	22	
Sodium bromide, 5 grs.				
Citrated Caffeine, 1-2 gr.				
Acetanilid ( <i>Antifebrin</i> ), 1 gr.				
Ext. Hyoscyamus, 1-2 gr.				
Morphine sulphate, 1-50 gr.				
35 Neuralgic Idiopathic (Brown-Sequard)	1 90	98	22	
Ext. Hyoscyamus, 2-3 gr.				
Ext. Conium fruit, 2-3 gr.				
Ext. Ignatia, 1-2 gr.				
Ext. Opium, 1-2 gr.				
Ext. Aconite leaves, 1-3 gr.				
Ext. Indian Cannabis, 1-4 gr.				
Ext. Stramonium seed, 1-5 gr.				
Ext. Belladonna leaves, 1-6 gr.				
Neuralgic Idiopathic, B. S., $\frac{1}{2}$ strength				
.....(224)..	1 05	55	14	
Ext. Hyoscyamus, $\frac{1}{3}$ gr.				
Ext. Ignatia, $\frac{1}{4}$ gr.				
Ext. Opium, $\frac{1}{4}$ gr.				
Ext. Belladonna leaves, 1-12 gr.				
Ext. Conium fruit, $\frac{1}{5}$ gr.				
Ext. Stramonium seed, 1-10 gr.				
Ext. Aconite leaves, 1-6 gr.				
Ext. Indian Cannabis, $\frac{1}{8}$ gr.				
Neuralgic, Improved.....(169)..	2 85	1 45	32	
Quinine sulphate, 2 grs.				
Acetanilid, 2 grs.				
Ext. Hyoscyamus, 1-2 gr.				
Ext. Indian Cannabis, 1-4 gr.				
Arsenous acid, 1-100 gr.				
Nux Vomica and Ignatia Comp. ....(170)..	40	23	..	
Equal to 10 ml. of Dr. Freiligh Tonic.				
Tinct. Nux vomica, 1 ml.				
Tinct. Ignatia, 1 ml.				
Tinct. Cinchona, 5 ml.				
Tinct. German Chamomile, 1 ml.				
Tinct. Gentian, 1 ml.				
Tinct. Calumba, 1-2 ml.				
Phosphorus, 1-300 gr.				
Aromatic powder, 1 gr.				
Opium, Camphor and Tannin (s.-c.). (171)	1 35	70	17	
Camphor, 1 gr.      Tannic acid, 2 grs.				
Opium, 1-4 gr.				
Opium and Hyoscyamus.....(172)..	1 10	58	14	
Opium, 1-2 gr.				
Ext. Hyoscyamus, 1 gr.				

† See note at head of page 44.

*Compressed Tablets*PART  
TWO.

{ Formulae not priced in bottles of 100 } M D C  
 are supplied at 10 cts. per bot. { Per 1000 Per 500 Per 100

Opium and Ipecac Comp. (Cobb's) (301) ..	\$ 85	\$ 45	\$ 12
Powd. Opium, 1-3 gr.			
Powd. Rhubarb, 2-3 gr.			
Powd. Ipecac, 2-3 gr.			
Powd. Soap, 2-3 gr.			
Ox Gall Compound.....(173) ..	2 10	1 08	24
Inspissated Ox Gall, 1 gr.			
Pure Pancreatin, 1 gr.			
Ext. Colocynth comp., 1-4 gr.			
Quinine hydrochlorate, 1-2 gr.			
Ext. Nux vomica, 1-8 gr.			
Ext. Taraxacum, 1 gr.			
Ox Gall and Ginger.....(174) ..	45	25	..
Inspissated Ox Gall, 2 grs.			
Jamaica Ginger, 1 gr.			
Ox Gall, Pepsin and Pancreatin...(175) ..	3 75	1 90	41
Inspissated Ox Gall, 2 grs.			
Pepsin aseptic (1-3000), 2 grs.			
Pure Pancreatin, 2 grs.			
Pepsin Aseptic (1-3000), 1 gr., s. c. (73) ..	1 25	65	16
See also Pepsin Products, page 220.			
Pepsin Aseptic (1-3000), 2 grs., s.c. (238) ..	2 45	1 25	28
Pepsin Aseptic (1-3000), 3 grs., s.c. (239) ..	3 65	1 85	40
Pepsin Aseptic (1-3000), 5 grs., s. c. (254) ..	5 95	3 00	63
36†Pepsin and Bismuth, B "A".....	2 20	1 13	25
Pepsin aseptic (1-3000), 1 gr.			
Bismuth subnitrate, 3 grs.			
37 Pepsin and Bismuth, B "B".....	3 35	1 70	37
Pepsin aseptic (1-3000), 2 1-2 grs.			
Bismuth subnitrate, 2 1-2 grs.			
38 Pepsin and Bismuth, B "C".....	1 35	70	17
Pepsin aseptic (1-3000), 1-4 gr.			
Bismuth subnitrate, 1 gr.			
Pepsin, Bismuth and Charcoal.....(72) ..	2 75	1 40	31
Pepsin aseptic (1-3000), 2 grs.			
Bismuth subnitrate, 2 grs.			
Charcoal, 2 grs.			
Pepsin and Pancreatin s. c. ....(308) ..	4 00	2 03	43
Pepsin aseptic (1-3000), 2 grs.			
Pure Pancreatin, 3 grs.			
Pepsin and Pancreatin Compound. (244). I 75		90	21
Pepsin aseptic (1-3000), 1 gr.			
Pure Pancreatin, 1 gr.			
Ext. Nux vomica, $\frac{1}{4}$ gr.			
Oleoresin Ginger, 1-16 min.			
Pepsin, Sacchar., U.S.P., 1890, 5 grs. (75) ..	95	50	13
Peptonizing, Imp'd, see Specialties, p. 127.			
Phenacetine (Bayer), 1 gr.....(107) ..	3 65	1 85	40
Phenacetine (Bayer), 2 grs.....(108) ..	6 95	3 50	73
†Phenacetine (Bayer), 3 grs.....(109) ..	10 25	5 15	1 06
Phenacetine (Bayer), 5 grs.....(201) ..	15 25	7 65	1 56

† See note at head of page 44.

PART  
TWO.*Specify P., D. & Co.'s*

{ Formulae not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
	Per 1000	Per 500	Per 100
Phenacetine and Salol.....(114) .. \$11 35	\$ 5 70	\$ 1 17	
Phenacetine(Bayer), 2½ grs.     Salol, 2½ grs.			
Phosphates Comp. (Nutritive) .. (176) .. 1 00		53	13
Phosphoric acid, 1 gr.			
Potassium phosphate, 7-8 gr.			
Magnesium phosphate, 1-2 gr.			
Calcium phosphate precip., 3-8 gr.			
Ferric phosphate, soluble, 1-2 gr.			
Quinine hydrochlorate, 1-8 gr.			
Strychnine, 1-240 gr.			
Pinus Alba Compound.....(151) .. 80		43	11
Syrup White Pine bark, 5 fl.oz.			
Syrup Wild Cherry, 5 fl.oz.			
Syrup Squill, 3 fl.oz.			
Syrup Senega, 3 fl.oz.			
Syrup Ipecac, 2 fl.oz.			
Syrup Sanguinaria, 1 fl.oz.			
Camphorated Tr. Opium, 10 fl.oz.			
Potassium nitrate, 1 gr.			
Oil Gaultheria, q. s.			
Plasma Nasal (Dr. Murray McFarlane) .. (307) .. 50		28	..
Sodium chloride, 5 1-2 grs.			
Sodium sulphate, 1 1-2 grs.			
Sodium phosphate, 1-4 gr.			
Potassium chloride, 2-5 gr.			
Potassium sulphate 1-4 gr.			
Potassium phosphate, 1-3 gr.			
Menthol, 1-15 gr.			
Potassium bicarbonate, 5 grs.....(77) .. 50		28	..
See also Specialties, page 127.			
Potassium bromide, 5 grs. ....(78) .. 70		38	..
See also Specialties, page 127.			
Potassium chlorate, 5 grs. ....(79) .. 40		23	..
See also Specialties, page 127.			
Potassium chlorate and Ammonium chlor- ide.....(81) .. 40		23	..
Potassium chlorate, 3 ½ grs.			
Ammonium chloride, 1 ½ grs.			
See also Specialties, page 128.			
Potassium chlorate and Borax.....(80) .. 40		23	..
Potassium chlorate, 2 ½ grs.			
Sodium borate, 2 ½ grs.			
See also Specialties, page 128.			
Potassium iodide, 5 grs.....(119) .. 4 15		2 10	45
Potassium nitrate, 5 grs .....(121) .. 30		18	..
Potassium permanganate, 1-2 grs.....(177) .. 30		18	..
Potassium permanganate, 1 gr.....(178) .. 30		18	..
†Potassium permanganate, 2 grs....(120) .. 35		20	..
Potassium permanganate, 5 grs....(179) .. 50		28	..
Quinine, plain and sugar coated. See also Specialties, page 136.			
Quinine arsenate, 1-3 gr.....(180) .. 85		45	12

† See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

	M	D	C	
	Per 1000	Per 500	Per 100	
{ Formulæ not priced in bottles of 100 } { are supplied at 10 cts. per bot.				
Quinine, Iron and Zinc valerianates (half-strength) .. (sugar-coated) .....	\$ 1 90	\$ 98	\$ 22	
Quinine valerianate, 1-2 gr.				
Ferric valerianate, 1-2 gr.				
Zinc valerianate, 1-2 gr.				
Quinine tannate, 1 and 2 grs. (with chocolate), see <i>Specialties</i> , page 136.				
Red Gum, see <i>Specialties</i> , page 137.				
Resorcin Compound (Dr. J. North) (256) ..	2 75	1 40	31	
Resorcin, 5 grs.				
Sodium borate, 2 grs.				
Sodium bicarbonate, 2 grs.				
Rheumatic, B 1..... (182) ..	2 70	1 38	30	
Quinine sulphate, 1 gr.				
Ext. Colchicum root, 1 gr.				
Ext. Colocynth comp., 1-2 gr.				
Ext. Hyoscyamus, 1-4 gr.				
Powd. Opium, 1-4 gr.				
Mass of Mercury, 1 gr.				
†Rheumatic, B 2..... (183) ..	1 80	93	21	
Ext. Colocynth comp., 1 1-2 grs.				
Ext. Colchicum root, 1 gr.				
Ext. Hyoscyamus, 1-3 gr.				
Mercurous chloride, mild, 1-3 gr.				
Rheumatic Throat (Dr. Quinlan). (259) ..	2 00	1 03	23	
Sodium salicylate, 7 1-2 grs.				
Wine Colchicum seed, 5 mins.				
Sodium bicarbonate, 2 1-2 grs.				
Oil Gaultheria, q. s.				
Rhubarb and Ipecac Compound (Roosevelt Hospital) .....	(257) ..	45	25	..
Powd. Rhubarb, 1 gr.				
Powd. Ipecac, 1-8 gr.				
Sodium bicarbonate, 5 grs.				
Oil Peppermint, 1-20 min.				
Rhubarb and Magnesia..... (252) ..	55	30	..	
Powd. Rhubarb, 2 grs.				
Calcined Magnesia, 2 grs.				
Rhubarb and Soda..... (98) ..	40	23	..	
Powd. Rhubarb, 1 1-2 grs.				
Sodium bicarbonate, 1 1-2 grs.				
Oil Peppermint, q. s.				
39 Salicin, 5 grs.....	2 20	1 13	25	
Salicylic acid, 3 grs..... (313) ..	80	43	11	
Salicylic acid, 5 grs..... (314) ..	1 00	53	13	
†Salicylic acid and Morphine, B 1.... (184) ..	1 65	85	20	
Salicylic acid, 2 1-2 grs.				
Morphine sulphate, 1-12 gr.				
Salicylic acid and Morphine, B 2... (185) ..	2 70	1 38	30	
Salicylic acid, 5 grs.				
Morphine sulphate, 1-8 gr.				

† See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

		M	D	C
	{ Formulae not priced in bottles of 100 } are supplied at 10 cts. per bot.	Per 1000	Per 500	Per 100
Saline and Chalybeate Tonic, Flint (Sugar-coated, brown) (see n. 149) (118) ..	\$ 55	\$ 30	\$ ..	
Sodium chloride, 3 grs.				
Potassium chloride, 3-20 gr.				
Potassium sulphate, 1-10 gr.				
Potassium carbonate, 1-20 gr.				
Sodium carbonate, 3-5 gr.				
Magnesium carbonate, 1-20 gr.				
Calcium phosphate, precip., 1-2 gr.				
Calcium carbonate, precip., 1-20 gr.				
Reduced Iron, 9-20 gr.				
Ferrous carbonate mass (Vallet), 1-20 gr.				
Saline Tonic (Laxative) ..... (186) ..	60	33	..	
Magnesium sulphate, 20 grs.				
Ferrous sulphate, 1-4 gr.				
Diluted Sulphuric acid, 2 fl. oz.				
Tinct. Quassia, 5 fl. oz.				
Saline Tonic (Laxative) $\frac{1}{2}$ strength, (241) ..	45	25	..	
Magnesium sulphate, 10 grs.				
Ferrous sulphate, $\frac{1}{8}$ gr.				
Diluted Sulphuric acid, 1 fl. oz.				
Tinct. Quassia, 2 $\frac{1}{2}$ fl. oz.				
440 Salol, 2 1-2 grs .....	2 80	1 43	31	
41 Salol, 5 grs .....	5 15	2 60	55	
42 Salol and Terpin hydrate .....	4 00	2 03	43	
Salol, 3 grs. Terpin hydrate, 3 grs.				
Salt and Iron (Dr. Memminger) .. (206) ..	50	28	..	
Sodium chloride, 10 grs.				
Ferrous carbonate mass (Vallet), 1 gr.				
Ext. Euonymus, 1-4 gr.				
Saw Palmetto Compound ..... (199) ..	1 50	78	18	
Ext. Saw Palmetto, 3 grs.				
Tr. Cantharides, 2 fl. oz.				
Tr. Belladonna leaves, 2 fl. oz.				
Ext. Corn-silk, 1-2 gr.				
Sedans .....	226) ..	1 45	75	18
Each tablet represents:				
Black Haw, 7 $\frac{1}{2}$ grs.				
Hydrastis, 7 $\frac{1}{2}$ grs.				
Jamaica Dogwood, 3 $\frac{3}{4}$ grs.				
Sedative (Dr. B. F. Baer) ..... (187) ..	1 05	55	14	
Ext. Valerian, 1 gr.				
Ext. Musk-root, 1 gr.				
Asafetida, purified, 1 gr.				
Sedative Compound ..... (188) ..	1 00	53	13	
Dried Ferrous sulphate, 1 gr.				
Ext. Valerian, 1 gr.				
Ext. Musk-root, 1 gr.				
Asafetida, purified, 1 gr.				
Arsenous acid, 1-60 gr.				
Senega Compound ..... (189) ..	70	38	..	
Ammonium carbonate, 1 gr.				
Ammonium bromide, 1 gr.				
Tinct. Squill, 2 fl. oz.				
Tinct. Senega, 2 fl. oz.				
Tinct. Aconite, 1-4 fl. oz.				
Fl. ext. Grindelia, 2 fl. oz.				
Fluid Guaiac, concentrated, 1-2 fl. oz.				
Soda Mint .....	(99) ..	35	20	..
See also Specialties, page 128.				

†See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

	M	D	C
	Per 1000	Per 500	Per 100
{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.			
Sodium bicarbonate, 5 grs.....(100) ..	\$ 30	18	\$ ..
See also Specialties, page 128.			
Sodium bicarbonate, 10 grs.....(217) ..	35	20	..
See also Specialties, page 128.			
43† Sodium bromide, 5 grs.....	80	43	11
44 Sodium bromide, 10 grs.....	1 35	70	17
Sodium salicylate, 3 grs.....(190) ..	1 25	65	16
†Sodium salicylate, 5 grs.....(101) ..	1 85	95	22
Sodium salicylate Compound.....(191) ..	1 50	78	18
Sodium salicylate, 3 grs.			
Ext. Colchicum root, 1-2 gr.			
Tinct. Digitalis, 1 ml.			
Sodium sulphite Compound (Anti-Fer- ment).....(192) ..	70	38	..
Sodium sulphite, 1 gr.			
Salicylic acid, 1 gr.			
Ext. Nux vomica, 1-8 gr.			
Powd. Capsicum, 1-8 gr.			
Powd. Ipecac, 1-10 gr.			
Sodium sulphite Compound with Pepsin— <i>Discontinued.</i>			
Sulphur, 5 grs.....(102) ..	30	18	..
Sulphur Compound.....(116) ..	80	43	11
Washed Sulphur, 5 grs.			
Ext. Ipecac, 1-100 gr.			
Ext. Capsicum, 1-500 gr.			
Potassium bitartrate, 2 grs.			
Arsenous acid, 1-1000 gr.			
Sodium benzoate, 1-16 gr.			
Sulphur and Cream of Tartar....(103) ..	40	23	..
Sulphur, sublimed, 4 grs.			
Potassium bitartrate, 2 grs.			
Sumbul Compound (Goodell) (Sugar- coated).....(194) ..	1 15	60	15
Ext. Musk-root, 1 gr.			
Asafetida, 2 grs.			
Ferrous sulphate, dried, 1 gr.			
Arsenous acid, 1-40 gr.			
Sun Cholera.....(104) ..	65	35	..
Tinct. Opium, 3 ml. Tinct. Capsicum, 3 ml.			
Tinct. Rhubarb, 3 ml. Spirit Camphor, 3 ml.			
Oil Peppermint, q. s.			
45† Syphilitic, B "A".....	2 35	1 20	27
Potassium iodide, 2 1-2 grs.			
Mercuric chloride, corrosive, 1-40 gr.			
Powd. Opium, 1-10 gr.			
46 Syphilitic, B "B".....	2 10	1 08	24
Potassium iodide, 2 1-2 grs.			
Mercuric chloride, corrosive, 1-40 gr.			
Terpin hydrate Compound (Dr. T. W. Brockbank).....(195) ..	1 25	65	16
Terpin hydrate, 3 grs.			
Tinct. Guaiac, ammoniated, 6 ml.			
Tinct. Opium, camphorated, 10 ml.			
Fl. ext. Wild Cherry, 5 ml.			
Powd. Belladonna leaves, 1-16 gr.			

† See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

	{ Formulae not priced in bottles of 100 } are supplied at 10 cts. per bot.	M Per 1000	D Per 500	C Per 100
Thyreoid, see Part II.				
Tonic (Aiken).....(196) ..	\$1 50	\$ 78	\$ 18	
Quinine sulphate, 1 gr.				
Reduced Iron, 2-3 gr.				
Arsenous acid, 1-50 gr.				
Strychnine sulphate, 1-50 gr.				
Ext. Gentian, 1-4 gr.				
Tonic Chalybeate, see <i>Saline Tonic</i> .				
Tonic Sedative (Climacteric)....(197) ..	3 10	1 58	34	
Quinine hydrochlorate, 1 gr.				
Tinct. Ferric chloride, 5 ml.				
Arsenous acid, 1-60 gr.				
Gold and Sodium chloride, 1-16 gr.				
47 Tonic, Vegetable.....	35	20	..	
Ext. Gentian, 1-2 gr.				
Ext. Quassia, 1-2 gr.				
48 Trifolium Compound (Alterative).....	60	33	..	
Ext. Red clover blossoms, 1-2 gr.				
Ext. Stillingia, 1-2 gr.				
Ext. Xanthoxylum, 1-8 gr.				
Ext. Lappa, 1-2 gr.				
Ext. Phytolacca root, 1-2 gr.				
Ext. Iris, 1-4 gr.				
49 Triple Bromides.....	1 05	55	14	
Sodium bromide, 2 1-2 grs.				
Potassium bromide, 2 1-2 grs.				
Ammonium bromide, 2 1-2 grs.				
Uterine Astringent and Antiseptic.(198) ..	1 45	75	18	
Alum, 3 grs.				
Zinc sulphate, 2 grs.				
Fluid Golden-seal (colorless), 1 1-2 ml.				
Morphine sulphate, 1-20 gr.				
Tannic acid, 2 grs.				
Boric acid, 6 grs.				
50 Viburnum Comp. (Uterine Tonic).....	1 25	65	16	
Ext. Viburnum Prunifolium, 1 gr.				
Ext. Viburnum Opulus, 1 gr.				
Ext. Star-grass, 1-2 gr.				
Ext. Helonias, 1-2 gr.				
Ext. Squaw-vine, 1-2 gr.				
Caulophylin, 1-4 gr.				
Viburnum Sedative, see <i>Sedans</i> .				
Voice.....(105) ..	90	48	12	
Potassium chlorate, 2 1-2 grs.				
Sodium borate, 2 1-2 grs.				
Cocaine hydrochlorate, 1-50 gr.				
†Warburg Tincture.....(208) ..	2 35	1 20	27	
Each tablet represents 1 fluidrachm Warburg's Tincture.				
Warburg Tincture, no Aloes ....(225) ..	2 10	1 08	24	
Each tablet represents one fluidrachm of the tincture without aloes.				
51 Zinc sulphocarbolate, 2 grs.....	55	30	..	
52†Zinc sulphocarbolate, 5 grs.....	1 05	55	14	

HERE ENDS THE ALPHABETICAL ARRANGEMENT.

† See note at head of page 44.

## Compressed Tablets.

PART  
TWO.

No.	{ Formulae not priced in bottles of 100 } are supplied at 10 cts. per bot.	M Per 1000	D Per 500	C Per 100
1	Acetanilid, 2 grs.....	\$ 45	\$ 25	\$ ..
2	Acetanilid, 3 grs.....	55	30	..
3	Acetanilid, 4 grs.....	70	38	..
4†	Acetanilid, 5 grs.....	75	40	11
5	Migraine.....	I 35	70	17
6	Alum Compound (for injection).....	55	30	..
7	Anodyne.....	I 30	68	16
8	Antacid (Sir Wm. Roberts, M.D.).....	60	33	..
9	Anti-Constipation.....	75	40	11
10	Aphrodisiac.....	95	50	13
11	Calomel and Sodium bicarbonate, B 2..	70	38	..
12	Cascarin Compound.....	45	25	..
13	Chloral Comp. (Anti-Spasmodic).....	I 75	90	21
14	Chlorodyne.....	2 00	I 03	23
15	Cinchonidine salicylate, 2 I-2 grs.....	I 75	90	21
16†	Cinchonidine salicylate, 5 grs.....	3 50	I 78	38
17	Cocaine and Cubeb Compound.....	2 55	I 30	29
18	Cubeb Compound (Gonorrhœa).....	70	38	..
19†	Cystitis, B I.....	I 10	58	14
20†	Damiana Compound.....	I 05	55	14
21	Diarrhoea.....	2 00	I 03	23
22	Digestive, B "B".....	4 80	2 43	51
23	Dover Powder, 5 grs..... per lb., \$1.50.	I 10	58	14
24	Emmenagogue.....	I 35	70	17
25	Ergotin Compound.....	I 95	I 00	23
26†	Four Chlorides (Univ. Hosp. Pharm.)..	I 95	I 00	23
27	Hypophosphites and Quinine Compound without Strychnine.....	2 70	I 38	30
28	Hypophosphites and Quinine Compound with Strychnine.....	2 80	I 43	31
29	Hypophosphites and Quinine Compound with Strychnine and Creosote.....	2 95	I 50	33
30	Krameria Compound.....	I 10	58	14
31	Ferrous Lactate and Cinchonine Comp..	65	35	..
32	Mercuric iodide (soluble) (see note 120). Mercuric oxide, yellow, 1-200 gr. (about 1-3 milligramme)..(see note 121).....	2 05	I 05	24
33	Nasal.....bots. of 50, \$1.40 per doz..	35	20	..
34*	Neuralgic Idiopathic (Brown Sequard).....	I 20	63	15
35	Pepsin and Bismuth, B "A".....	I 90	98	22
36†	Pepsin and Bismuth, B "B".....	2 20	I 13	25
37	Pepsin and Bismuth, B "C".....	3 35	I 70	37
38	Salicin, 5 grs.....	I 35	70	17
39	Salicin, 5 grs.....	2 20	I 13	25

† See note at head of page 44.

Numerical Arrangement; for Alphabetical Arrangement, see pages 191 to 208.

PART  
TWO.*Specify P., D. & Co.'s*

No.	{ Formulae not priced in bottles of 100 are supplied at 10 cts. per bot.	M Per 1000	D Per 500	C Per 100
40	Salol, 2 1-2 grs.....	\$ 2 80	\$ 1 43	\$ 31
41	Salol, 5 grs.....	5 15	2 60	55
42	Salol and Terpin hydrate.....	4 00	2 03	43
43†	Sodium bromide, 5 grs.....	80	43	11
44	Sodium bromide, 10 grs.....	1 35	70	17
45†	Syphilitic, B "A".....	2 35	1 20	27
46	Syphilitic, B "B".....	2 10	1 08	24
47	Tonic, Vegetable.....	35	20	..
48	Trifolium Compound (Alterative).....	60	33	..
49	Triple Bromides.....	1 05	55	14
50	Viburnum Comp. (Uterine Tonic).....	1 25	65	16
51	Zinc sulphocarbolate, 2 grs.....	55	30	..
52†	Zinc sulphocarbolate, 5 grs.....	1 05	55	14
53	Acetanilid, Aromatic.....	80	43	11
54	Ammonium chlor., 3 grs. (see also p. 127)	30	18	..
55†	Anti-Asthmatic (Hare).....	2 60	1 33	29
56	Anti-Malarial.....	2 80	1 43	31
57	Bismuth and Charcoal.....	1 50	78	18
58	Borax (Sodium borate), 5 grs., (see p. 127)	35	20	..
59	Brown Mixture, 100 ml, (see also p. 127).....	85	45	12
60	Brown Mixture Compound.....	45	25	..
61†	Calomel, 5 grs.....	1 15	60	15
62	Calomel and Capsicum.....	65	35	..
63	Charcoal, 5 grs.....	30	18	..
64†	Charcoal, 10 grs. ....	50	28	..
65	Cold, No. 3.....	2 35	1 20	27
66†	Digestive, B "A" (see also page 127)...	1 80	93	21
67	Ferrous carbonate (Blaud), 3 grs. ....	35	20	..
68†	Ferrous carbonate (Blaud), 5 grs. ....	40	23	..
69	Ferrous carbonate (Blaud), Modified...	40	23	..
70	Heart Tonic (Cactus grandiflor. Comp.)	3 60	1 83	39
71	Liquorice Powder Compound, 20 grs.,	75	40	11
	See also page 127.			
72	Pepsin, Bismuth and Charcoal.....	2 75	1 40	31
73	Pepsin Aseptic (1-3000), 1 gr., s. c.....	1 25	65	16
	See also page 134.			
74	Pepsin, Lactated—Discontinued.			
75	Pepsin, Saccharated, U.S.P., 1890, 5 grs.	95	50	13
76	Peptonizing, Imp'd, see Specialties, page 127.			
77	Potassium bicarbon., 5 grs. (see also p. 127)	50	28	..
78	Potassium bromide, 5 grs. (see p. 127)....	70	38	..
79	Potassium chlorate, 5 grs. (see p. 127)....	40	23	..

† See note at head of page 44.

## Compressed Tablets.

PART  
TWO.

No.	{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
		Per 1000	Per 500	Per 100
80	Potassium chlorate and Borax .....	\$ 40	\$ 23	\$ ..
	See also page 128.			
81	Potassium chlorate and Ammonium chloride (see also page 128) .....	40	23	..
82 to 97	Quinine, see <i>Specialties</i> , page 136.			
98	Rhubarb and Soda.....	40	23	..
99	Soda Mint, (see also page 128).....	35	20	..
100	Sodium bicarbonate, 5 grs., see also p. 128	30	18	..
101†	Sodium salicylate, 5 grs.....	I 85	95	22
102	Sulphur, 5 grs.....	30	18	..
103	Sulphur and Cream of Tartar.....	40	23	..
104	Sun Cholera.....	65	35	..
105	Voice.....	90	48	12
106†	Acetanilid and Sodium Compound.....	I 35	70	17
107	Phenacetine (Bayer), 1 gr.....	3 65	I 85	40
108†	Phenacetine (Bayer), 2 grs.....	6 95	3 50	73
109	Phenacetine (Bayer), 3 grs.....	I 0 25	5 15	I 06
110	Guaiac, 2 grs.....	40	23	..
111†	Antipyrine, 3 grs.....	I 5 25	7 65	I 56
112	Antipyrine, 5 grs.....	23 45	I 1 75	2 38
113	Antiseptic, B "C" green—Appears in our British list only.			
114	Phenacetine and Salol.....	II 35	5 70	I 17
115	Charcoal and Pepsin.....	60	33	..
116	Sulphur Compound.....	80	43	II
117	Antiseptic, B "D." blue, see <i>Specialties</i> , p. 123.			
118	Saline and Chalybeate Tonic, Flint (Sugar-coated, brown) .....	55	30	..
119	Potassium iodide, 5 grs.....	4 15	2 10	45
120†	Potassium permanganate, 2 grs.....	35	20	..
121	Potassium nitrate, 5 grs.....	30	18	..
122	Bismuth and Creosote.....	2 90	I 48	32
123	Chloral, 5 grs.....	I 35	70	17
124	Neuralgic Headache (Dr. Myers).....	I 90	98	22
125	Calomel, 4 grs.....	I 10	58	14
126	Diuretic.....	55	30	..
127†	Acetanilid Compound, B 1.....	45	25	..
128	Acetanilid Compound, B 2.....	70	38	..
129	Acetanilid Compound, B 3.....	I 15	60	15
130	Acetanilid Compound, B 4.....	2 00	I 03	23
131	Acetanilid and Sodium Comp., B 2.....	I 90	98	22
132	Ammonium salicylate Compound.....	7 50	3 78	78

†See note at head of page 44.

PART  
TWO.*Specify P. D. & Co.'s*

No.	{ Formulae not priced in bottles of 100 are supplied at 10 cts. per bot.	M Per 1000	D Per 500	C Per 100
133	Anti-Asthmatic, B 2 (Dr. L. T. Stevens)	\$ 4 05	\$ 2 05	\$ 44
134	Anti-Dyspeptic.....	I 25	65	16
135†	Anti-Dyspeptic, B 2.....	50	28	..
136	Anti-Dyspeptic, B 3 (Fothergill Improved).....	65	35	..
137	Anti-Lithic (Dr. Hewish).....	I 20	63	15
138	Antimontial Powder (James Powder), 3 grs.....	35	20	..
139	Bismuth and Calomel.....	I 45	75	18
140	Bismuth and Ipecac Compound.....	I 45	75	18
141	Bismuth, Opium and Carbolic acid.....	2 40	I 23	27
142	Blaud with Nux Vomica.....	40	23	..
143	Blaud and Sumbul Compound.....	70	38	..
144	Bromide and Caffeine Compound.....	2 35	I 20	27
145	Calomel and Rhubarb Compound.....	60	33	..
146†	Calomel and Sodium bicarbonate, B 1.....	45	25	..
147	Calomel and Sodium bicarbonate Comp.....	80	43	11
148	Camphor, Hyoscyamus and Valerian....	70	38	..
149	Cathartic Compound, U. S. P.....	I 20	63	15
150	Cathartic Vegetable.....	I 30	68	16
151	Pinus Alba Compound.....	80	43	11
152	Creosote Compound.....	2 15	I 10	25
153	Cystitis, B 2.....	I 35	70	17
154	Damiana Comp., B 2 (Dr. LaMadrid)...	I 05	55	14
155	Dipsomania.....	I 50	78	18
156†	Emmenagogue, Improved.....	I 50	78	18
157	Emmenagogue, Modified.....	I 05	55	14
158	Expectorant (Tonic).....	I 10	58	14
159	Ferroso Lactate Compound (Dr. S. W. Mitchell).....	I 85	95	22
160	Four Chlorides (without Mercury).....	I 90	98	22
161	Four Chlorides (Modified).....	I 00	53	13
162	Guaiac and Hydrastis Comp., (Throat).....	50	28	..
163	Guaiacol and Hypophosphites Comp. (Dr. R. G. Curtin).....	4 05	2 05	44
164	Hydrastine Compound.....	75	40	11
165	Injection Compound—Discontinued.			
166	Mixed Treatment.....	2 45	I 25	28
167	Nausea, B 2.....	3 05	I 55	34
168	Neuralgic.....	2 10	I 08	24
169	Neuralgic, Improved.....	2 85	I 45	32
170	Nux Vomica and Ignatia Compound...	40	23	..

† See note at head of page 44.

*Compressed Tablets.*PART  
TWO.

No.	{ Formulae not priced in bottles of 100 } are supplied at 10 cts. per bot.	M { Per 1000 }	D { Per 500 }	C { Per 100 }
171	Opium, Camphor and Tannin (s.-c.).....	\$ 1 35	\$ 70	\$ 17
172	Opium and Hyoscyamus.....	1 10	58	14
173	Ox Gall Compound.....	2 10	1 08	24
174	Ox Gall and Ginger.....	45	25	..
175	Ox Gall, Pepsin and Pancreatin.....	3 75	1 90	41
176	Phosphates Compound (Nutritive).....	1 00	53	13
177	Potassium permanganate, 1-2 gr.....	30	18	..
178	Potassium permanganate, 1 gr.....	30	18	..
179	Potassium permanganate, 5 grs.....	50	28	..
180	Quinine arsenate, 1-3 gr.....	85	45	12
181	Quinine, Iron and Zinc valerianates (half-strength)..(sugar-coated).....	1 90	98	22
182	Rheumatic, B 1.....	2 70	1 38	30
183†	Rheumatic, B 2.....	1 80	93	21
184†	Salicylic acid and Morphine, B 1.....	1 65	85	20
185	Salicylic acid and Morphine, B 2.....	2 70	1 38	30
186	Saline Tonic (Laxative).....	60	33	..
187	Sedative (Dr. B. F. Baer).....	1 05	55	14
188	Sedative Compound.....	1 00	53	13
189	Senega Compound.....	70	38	..
190	Sodium salicylate, 3 grs.....	1 25	65	16
191	Sodium salicylate Compound.....	1 50	78	18
192	Sodium sulphite Comp. (Anti-Ferment).....	70	38	..
193	Sodium sulphite Compound with Pepsin —Discontinued.			
194	Sumbul Compound (Goodell).(s.-c.).....	1 15	60	15
195	Terpin hydrate Compound (Dr. T. W. Brockbank).....	1 25	65	16
196	Tonic (Aiken).....	1 50	78	18
197	Tonic Sedative (Climacteric).....	3 10	1 58	34
198	Uterine Astringent and Antiseptic.....	1 45	75	18
199	Saw Palmetto Compound.....	1 50	78	18
200	Lupulin and Bromide Compound.....	1 15	60	15
201	Phenacetine (Bayer), 5 grs.....	15 25	7 65	1 56
202	Intestinal Tonic.....	1 10	58	14
203	Dermatol (Subgallate of Bismuth), 5 grs	2 70	1 38	30
204	Discontinued.			
205	Discontinued.			
206	Salt and Iron, (Dr. Memminger).....	50	28	..
207	Cascara Sagrada Ext., 5 grs.....	1 00	53	13
208	Warburg Tincture.....	2 35	1 20	27

†See note at head of page 44.

## Specify P. D. &amp; Co.'s

No.	{ Formulæ not priced in bottles of 100 } are supplied at 10 cts. per bot.	M	D	C
		Per 1000	Per 500	Per 100
209	Nasal, Impr'd, bots. of 50, 85c. per doz.	\$ 55	\$ 30	\$ ..
210	Hæninal, 3 grs. (see page 223) .....	85	45	12
211	Kola nut, 5 grs.....	65	35	..
212	Kola nut, 10 grs.....	I 20	63	15
213	Ammonium chloride, 5 grs.....	35	20	..
214	Bismuth subnitrate, 5 grs.....	2 15	I 10	25
215	Morphine bromide Compound.....	3 45	I 75	38
216	Ammonium bromide, 5 grs.....	90	48	12
217	Sodium bicarbonate, 10 grs.....	35	20	..
218-221	Quinine. See Specialties, page 136.			
222	Diaphoretic (Whitford).....	65	35	..
223	Hematic (Kirwan).....	35	20	..
224	Neuralgic Idiopathic, B. S., $\frac{1}{2}$ strength.	I 05	55	14
225	Warburg Tincture, no Aloes.....	2 10	I 08	24
226	Sedans.....	I 45	75	18
227	Lactophenin and Salol.....	10 95	5 50	I 13
228	to 231. Discontinued.			
232	Anti-Rheumatic, B 2.....	2 45	I 25	28
233	Camphor monobromated, 2 grs.....	95	50	13
234	Camphor monobromated, 3 grs.....	I 20	63	15
235	Cerium oxalate, 2 grs.....	60	33	..
236	Acetanilid, Sodium and Quinine Comp.	3 15	I 60	35
237	Iron, Quinine and Arsenic.....	I 65	85	20
238	Pepsin Aseptic (I-3000), 2 grs., s.-c.....	2 45	I 25	28
239	Pepsin Aseptic (I-3000), 3 grs., s.-c.....	3 65	I 85	40
240	Kola nut, extract, 2 grs .....	I 95	I 00	23
241	Saline Tonic (Laxative), $\frac{1}{2}$ strength...	45	25	..
242	Ammonium chloride and Liquorice....	95	50	13
243	Coryza.....	I 05	55	14
244	Pepsin and Pancreatin Compound.....	I 75	90	21
245	Bitter Tonic.....	40	23	..
246	Cough, No. 2.....	50	28	..
247	Febrifuge.....	5 85	2 95	62
248	Gray Powder Comp. (Dr. Anderton)....	2 25	I 15	26
249	Hypnotic.....	I 30	68	16
250	Iron, Quinine and Aloes Comp. (Dr. Duncan).....	2 85	I 45	32
251	Nausea, No. 3 (Dr. Guernsey).....	I 05	55	14
252	Rhubarb and Magnesia.....	55	30	..
253	Bismuth Salicylate Aromatic.....	2 25	I 15	26
254	Pepsin aseptic (I-3000), 5 grs., (s.-c.) ....	5 95	3 00	63
255	Acetanilid and Salol.....	3 15	I 60	35

†See note at head of page 44.

## Compressed Tablets.

PART  
TWO.

No.	{ Formulae not priced in bottles of 100} are supplied at 10 cts. per bot.	M	D	C
		Per 1000	Per 500	Per 100
256	Resorcin Compound (Dr. J. North).....	\$ 2 75	\$ 1 40	\$ 31
257	Rhubarb and Ipecac Compound (Roose- velt Hospital).....	45	25	..
258	Quinine tannate, 1 gr., <i>see Specialties</i> , page 136.			
259	Rheumatic Throat (Dr. Quinlan).....	2 00	1 03	23
260	to 300. In English list only.			
301	Opium and Ipecac Comp. (Cobb's).....	85	45	12
302	Thyreoidin, <i>see Specialties</i> , page 138.			
303	Quinine tannate, 2 grs., <i>see Specialties</i> , page 136.			
304	Astringent Wash.....	70	38	..
305	Chalk Mixture, 60 minims.....	55	30	..
306	Cascara Sagrada Ext., 3 grs. (s.-c. only)	65	35	..
307	Plasma Nasal (Dr. Murray McFarlane)	50	28	..
308	Pepsin and Pancreatin, s.c. ....	4 00	2 03	43
309	Febrinol, 5 grs.....	9 00	4 53	94
310	Blaud (Nascent), 5 grs.....	50	28	..
311	Creosote (Beechwood), 1 fl. ....	70	38	..
312	Cinchonidine sulphate, 2 grs. (s.-c.)....	60	33	..
313	Salicylic acid, 3 grs.....	80	43	II
314	Salicylic acid, 5 grs.....	1 00	53	13

## TABLET TRITURATE GASES

FOR PRICES SEE NEXT PAGE.

For the convenience of physicians using Tablet Triturates we offer the following neat cases.

## CASE No. 1—Assortment A.

A folding pocket-case made of blue-black Russia leather, closing with a substantial clasp; length, 7½ inches; width, 3½ inches.

Two rows of 12 vials, each having a capacity of about 45 Tablet Triturates. The vials are closed with a metal screw cap.

## REGULAR SELECTION:

## No.

- 68 Dover's Powder, 1 gr.
- 72 Ergotin—(Bonj.), 1-10 gr.
- 98 Mercury w. Chalk, 1-10 gr.
- 117 Morphine sulphate, 1-16 gr.
- 126 Nux vomica, Powd., 1-10 gr.
- 132 Pepsin Aseptic, 1 gr.
- 142 Podophyllin, 1-16 gr.
- 151 Quinine sulphate, 1 gr.
- 156 Santonin and Calomel.
- 186 Sodium salicylate, 1 gr.
- 217 Aloin Compound, B "A."
- 239 Acetanilid, 1 gr.

## No.

- 257 Aconite Tr., 1 min.
- 267 Ammon. chlor. & Hyoscyam. Co.
- 312 Calomel & Sodium bicarb., B "C."
- 314 Camphor monobrom., 1 gr.
- 321 Cathartic Comp. Impr'd, 1-5 gr.
- 362 Digitalis Tr., 1 min.
- 454 Neuralgic (Dr. H. J. Kenyon).
- 618 Nitroglycerin Compound.
- 625 Bismuth Compound.
- 628 Diarrhoea.
- 630 Fever (Dr. T. G. Davis).
- 645 Tonsillitis.

**CASE No. 1—Assortment B.**

No.	No.
13 Ammonium chloride, 1 gr.	156 Santonin and Calomel.
19 Atropine sulphate, 1-100 gr.	186 Sodium salicylate, 1 gr.
22 Bismuth subcarbonate, 2 grs.	195 Calomel, Ipecac & Sod. bicarb.
25 Caffeine, 1 gr.	203 Iron, Arsenic & Strych., B "A."
32 Calomel, 1-10 gr.	213 Salol, 1 gr.
42 Cocaine hydrobromate, 1-8 gr.	219 Aloin, Bellad., Strych. & Ipecac.
45 Codeine, 1-4 gr.	239 Acetanilid, 1 gr.
68 Dover's Powder, 1 gr.	253 Aconite root, Fluid ext., 1-2 min.
98 Mercury, with chalk, 1-10 gr.	322 Cathartic Comp. Improved, 1 gr.
107 Mercurous iodide, yellow, 1-8 gr.	624 Opium and Lead acetate, B "B"
120 Morphine sulphate, 1-4 gr.	628 Diarrhoea.
148 Quinine bisulphate, 1 gr.	647 Cardiac Compound.

When "Case No. 1" only is ordered, we shall furnish Assortment A, while if B is desired, "Case No. 1, Assortment B," should be specified.

**CASE No. 2.**

A folding pocket-case made of a superior quality of Russia leather; having a single row of 12 metal screw-cap vials which hold about 45 tablets each; length of case, 6½ inches; width, 3½ inches.

**REGULAR SELECTION:**

No.	No.
68 Dover's Powder, 1 gr.	257 Aconite Tr., 1 min.
72 Ergotin—(Bonn.), 1-10 gr.	312 Calomel & Sodium bicarb. B "C"
117 Morphine sulphate, 1-16 gr.	321 Cathartic Comp. Impr'd, 1-5 gr.
142 Podophyllin, 1-16 gr.	362 Digitalis Tr., 1 min.
148 Quinine bisulphate, 1 gr.	625 Bismuth Compound.
217 Aloin Compound, B "A."	628 Diarrhoea.

**CASE No. 3.**

A folding pocket-case made of a superior quality of Russia leather; length, 7 inches; width, 4 inches; having one row of 8 cork-stoppered vials, each holding 100 tablets.

**REGULAR SELECTION:**

No.	No.
34 Calomel, 1-2 gr.	257 Aconite Tr., 1 min.
117 Morphine sulphate, 1-16 gr.	314 Camphor monobrom., 1 gr.
142 Podophyllin, 1-16 gr.	362 Digitalis Tr., 1 min.
148 Quinine bisulphate, 1 gr.	625 Bismuth Compound.

**NET PRICES.**

*Terms, net; 30 days on approved credit;  
transportation charges extra.*

Tablet Triturate Case No. 1—assortment A.....	\$2.50
Tablet Triturate Case No. 1—assortment B.....	3.50
Tablet Triturate Case No. 2.....	1.75
Tablet Triturate Case No. 3.....	2.00

Please note that prices mentioned apply in each case to the *selection of formulæ indicated*, or any selection which will not average above \$1.50 List, per thousand tablets (except Case No. 1, "Assortment B," which is a special selection and exceeds the average). For instance, in making up a selection, provided the regular one is not satisfactory, take the thousand list price for tablets desired. In Case No. 1, 24 formulæ would be selected. Suppose the total footing for the 24 formulæ (1000 each) is \$36.00; dividing this by 24, the price would be \$1.50 per thousand, coming within the limitation. Wherever price exceeds this rate, a proportionate charge will be made.

## Diurnal Tablet Triturates.

Owing to misunderstanding on the part of some, as to the nature and intent of DIURNAL TABLET TRITURATES, we are compelled to enter into more particular explanation by calling attention to the following facts:

1. These preparations were gotten up with the sole view of saving the physician all doubt and trouble as to the dose of certain toxic medicaments.

2. The *FULL daily dose*—i. e., the greatest amount permissible of administration during the period of twenty-four hours to an adult—is TWELVE. This does not indicate that 12 Diurnal Tablet Triturates *must* be habitually given, but that such is the *limit, even of excess!*

3. Twelve being a number easily divisible in consonance with the number of hours that constitute a full day, it is easy to regulate the dose in any and all proportions to meet the demands of the individual case. A Diurnal Tablet Triturate, given every two hours for 6, 12, or 16 hours, represents respectively,  $\frac{1}{4}$ ,  $\frac{1}{2}$  and  $\frac{3}{4}$  the *extreme* dose; in the same way a like dose is obtained by administering one tablet every eight, four, and three hours, for twenty-four hours.

4. Finally, it must be remembered that the *full dose*—i. e., the extreme maximum—is one that will *seldom be required*, and also that it will be reached only after continual progressive (accessive) administration of the drug.

Tablets priced at less than 75 cents per M are supplied in bottles of 100, at the uniform rate of 10 cents per 100.

For prices of Diurnal Tablet Triturate Cases, see Specialties, page 128 and for description, see note 64.

List No.	Adult daily dose. GM.	Equal to about GR.	M Per 1000	D Per 500	C Per 100
1000 Aconitine crystals, pure...	0.0013	(1-50 )	\$ 50	\$ 28	\$ ..
1001 Arsenic bromide.....	0.02	(3-10 )	45	25	..
1002 Arsenic iodide.....	0.02	(3-10 )	45	25	..
Arsenic and Mercuric iodide (similar to Donovan's sol'n.).(1023)					
1003 Arsenic sulphide.....	0.02	(3-10 )	45	25	..
1004 Arsenous acid.....	0.02	(3-10 )	35	20	..
1005 Atropine sulphate.....	0.00216	(1-30 )	45	25	..
1006 Brucine .....	0.15	(2 3-10 )	95	50	13

PART  
TWO.*Diurnal Tablet Triturates.*

List No.	Adult daily dose. GM.	Equal to about GR.	M Per 1000	D Per 500	C Per 100
1007	Cocaine hydrochlorate.....0.15	(2 3-10)	\$ 3 95	\$ 2 00	\$ .43
1008	Colchicine.....0.02	(3-10 )	1 50	.78	.18
1009	Colocynthidin.....0.02	(3-10 )	1 50	.78	.18
1010	Coniine hydrobromate....0.01	(3-20 )	60	33	..
1011	Copper arsenite.....0.02	(3-10 )	35	20	..
1012	Corrosive sublimate.....0.008 (Mercuric chloride, corrosive.)	(1-8 )	45	25	..
1013	<i>Curarine—Discontinued.</i>				
1014	Daturine .....	0.00216 (1-30 )	80	43	..
1015	Digitalin, pure.....	0.002 (3-100)	35	20	..
1016	Elaterin.....0.03	(1-2 )	2 25	1 15	.26
	Eserine, see <i>Physostigmine.</i>				
1017	Gelsemine hydrochlorate..0.006 Glonoin, see <i>Nitroglycerin.</i>	(1-10 )	70	38	..
1018	Hydrastine sulphate.....0.06	(1 )	90	48	.12
1019	Hydrastinine hydrochlor..0.2	(3 )	9 35	4 70	.97
1020	Hyoscine hydrobrom.....0.002	(3-100)	85	45	.12
1021	Hyoscyamine, pure.....0.002	(3-100)	60	33	..
1022	Iron arsenate.....0.03	(1-2 )	45	25	..
1023	Mercuric and Arsenic iodide, see Arsenic and Mercuric iodide....0.008	(1-8 )	50	28	..
1024	Mercuric iodide, red.....0.015	(1-4 )	40	23	..
1025	Mercurous iodide, yellow..0.2	(3 )	60	33	..
1026	Morphine acetate.....0.1	(1 1-2)	1 15	60	.15
1027	Morphine hydrochlorate ..0.1	(1 1-2)	1 15	60	.15
1028	Morphine sulphate.....0.1	(1 1-2)	1 00	53	.13
1029	Nitroglycerin (Glonoin)....0.003	(1-20 )	45	25	..
1030	Phosphorus.....0.0013	(1-50 )	45	25	..
1031	Physostigmine sulphate...0.003	(1-20 )	70	36	..
1032	Podophyllum resin.....0.1	(1 1-2)	45	25	..
1033	Potassium arsenate.....0.02	(3-10 )	45	25	..
1034	Potassium bichromate.....0.1	(1 1-2)	45	25	..
1035	Potassium cyanide.....0.0108	(1-6 )	45	25	..
1036	Potassium osmate .....	0.01 (3-20 )	2 00	1 03	.23
1037	Quinine arsenate.....0.02	(3-10 )	50	28	..
1038	Scillitoxin.....0.002	(3-100)	85	45	.12
1039	Sodium arsenate.....0.03	(1-2 )	45	25	..
1040	Sparteine sulphate.....0.06	(1 )	95	50	.13
1041	Strophanthin.....0.00065	(1-100)	75	40	..
	Strychnine arsenate.(1044) 0.0054	(1-12 )	40	23	..
1042	Strychnine nitrate.....0.006	(1-10 )	50	28	..
1043	Veratrine sulphate.....0.006	(1-10 )	55	30	..
1044	Strychnine arsenate.....0.0054	(1-12 )	40	23	..

## DIGESTIVE FERMENTS.

No branch of *materia medica* promises more interesting or startling developments than that embracing the so-called physiological remedies. Recognizing this fact, we have devoted special attention to their practical separation and purification, and are consequently enabled to present to the medical profession a line of digestive agents which, by virtue of superiority and general excellence, has not only met with wide application but has done much to raise the absurdly low standards of strength which formerly prevailed. Of the many digestive preparations which appear in our list, the following deserve special mention.

See also note 168, "Taka-diastase."

### PEPSIN ASEPTIC.

In order to meet the demand for different strengths, we market a line of aseptic pepsins in both scale and powdered form, ranging in strength from *one thousand* (1-1000) to *fifteen thousand* (1-15,000).

We unhesitatingly pronounce these pepsins, superior in every particular to any similar products now upon the market.

**Strength.** We are prepared to supply almost any digestive power desired.

**Solubility.** All are readily soluble.

**Permanence.** Practically free from peptone, they are remarkably permanent and will keep indefinitely under ordinary protection.

**Purity.** The absence of odor is the best testimony of their superiority in this particular, they being entirely free from all taint or suspicion of putrefaction.

**Appearance.** The scales are bright and clear, while the powdered product compares favorably with any and is very convenient for dispensing.

### PEPSIN ASEPTIC.

(Pepsin, U. S. P., 1890, 1-3000.)

This official product will be found quite satisfactory for general use. One grain is capable of dissolving 3000 grains of freshly coagulated and disintegrated egg albumen. Our product is highly recommended as fully meeting the Pharmacopœial requirements.

We furnish this on all unspecified orders for Pure Pepsin, although many pharmacists and physicians prefer to use our Pepsin Aseptic (1-4000), which was well established before the U. S. P., 1890, standard was adopted.

### SACCHARATED PEPSIN, U. S. P., 1890.

Odorless and invariable. One grain will dissolve 300 grains of freshly coagulated and disintegrated egg albumen, thus complying with the requirements of the U. S. P., 1890. As most Saccharated Pepsins on the market are very weak, when compared with this preparation, we particularly emphasize its strict conformity to the pharmacopœial standard.

We supply this product on all unspecified orders for Saccharated Pepsin.

The strength of Saccharated Pepsin, U. S. P., 1880, is one-sixth of the above, one grain dissolving only 50 grains of coagulated egg albumen.

**LACTATED PEPSIN.**

This well known digestive agent is a mixture of pepsin, pancreatic, lactic acid, maltose, diastase and hydrochloric acid. It has proved of unfailing benefit in many forms of indigestion. Lactated pepsin is not protected by patent or trade mark.

**ELIXIR LACTATED PEPSIN.**

This elixir presents the properties of Lactated Pepsin appropriately combined with aromatics. It is an efficient digestive and an attractive placebo. Each fluidounce represents 40 grains Lactated Pepsin.

**GLYCEROLE OF PEPSIN, CONCENTRATED.**

A permanent glycerin solution containing the ferment in a remarkably active condition and in a form specially designed to meet the requirements of the dispenser and manufacturer. One minim will digest 300 grains of coagulated egg albumen. One minim is therefore equal to six grains of Saccharated Pepsin, U. S. P., 1880, or one grain of Saccharated Pepsin, U. S. P., 1890. It has an agreeable odor and taste. Combined with diluted hydrochloric acid it forms a highly concentrated artificial gastric fluid.

It forms clear solutions with syrup, glycerin, aromatic elixir and aromatic waters.

**PEPSIN CORDIAL.**

An artificial gastric fluid containing all the elements which are essential to gastric digestion. In potency it surpasses the elixirs, essences and wines of pepsin commonly met with in the market, while its flavor and general palatability will commend it to the most fastidious palate. In addition to its proteolytic power, it possesses the property of curdling milk and is therefore useful for the preparation of junket or curds and whey. One teaspoonful will completely digest 2,000 grains of coagulated and disintegrated egg albumen.

**LIME JUICE AND PEPSIN.**

An agreeable appetizer and aid to digestion; one teaspoonful will digest 1000 grains of coagulated and disintegrated egg albumen. A combination of superior lime juice with our aseptic pepsin fulfills a large number of indications, especially in those common cases where there is no well defined disease existing, but where there is a sallow complexion, loss of appetite, more or less derangement of digestion, a tendency to constipation, and a condition of general debility. It not only restores appetite and removes the dyspeptic symptoms, but it relieves the condition of physical and mental depression, and acts as a tonic by virtue of its digestive power. It should be taken immediately after meals, either clear or diluted with water. One or two teaspoonfuls constitute an ordinary dose.

**SUGAR-COATED PEPSIN TABLETS.**

Each containing one grain of our superior Pepsin Aseptic, capable of digesting 3000 grains of coagulated egg albumen. These tablets are readily soluble, are free from admixture with foreign substances, and will retain their digestive power indefinitely. They constitute an eligible means of administering pepsin, being at once free from objectionable taste and smell, easy to swallow and convenient to carry when traveling.

We also manufacture sugar-coated tablets containing 2, 3 and 5 grains Pepsin Aseptic 1-3000 which can be employed when a larger dose is required.

### PURE PANCREATIN.

This product contains all the ferments peculiar to the pancreatic secretion, presenting them in a highly active condition. It will convert caseine or other albuminous matter into peptone; will saccharify starch, curdle milk and emulsify fats. It is specially useful in the preparation of predigested or peptonized milk, transforming the albuminous constituents of this food into an assimilable form with remarkable rapidity. Five grains of our pancreatin will completely peptonize a pint of milk in from one to one-and-one-half hours, at a temperature of  $110^{\circ}$  F.

### LIQUID PANCREATIN, CONCENTRATED.

A preparation possessing in a high degree all the digestive properties of the pancreatic fluid. Two fluidrachms will peptonize a pint of milk in from one to one-and-one-half-hours at  $110^{\circ}$  F. It is well adapted for the extemporaneous preparation of elixirs, wines, etc., and may be prescribed by physicians in suitable combinations. This product, like our pepsin cordial and concentrated glycerole of pepsin, is so made as to ensure the preservation of its several ferments in an active condition indefinitely. We unhesitatingly recommend it as a very superior product.

### SACCHARATED PANCREATIN.

A combination of one part of our pure pancreatin with three parts of milk sugar. It will be found very much more active than the usual commercial article, while its palatability will commend it for administration to children.

### RENNIN.

A milk-curdling ferment, distinct from, but associated with, pepsin in gastric juice.

See note 142.

### PEPTONIZING TABLETS, IMPROVED.

Put up in bottles of 30 tablets each. Each tablet contains: Pure pancreatin,  $2\frac{1}{2}$  grains; sodium bicarbonate,  $9\frac{1}{2}$  grains. For preparing peptonized milk, gruel, beef-tea and other predigested foods for the sick. These tablets are presented as being more convenient and reliable than any heretofore offered to the medical profession. Full directions accompany each package.

### DIGESTIVE TABLETS, B "A."

Useful in all forms of indigestion, dependent upon deficiency in the activity of the secretions or upon indiscretion in eating. Physiologists sometimes criticise the formula on the ground that pepsin requires an acid medium, and pancreatin an alkaline one, to exert their digestive action, so that either one or the other must necessarily be wasted. We admit the seeming force of the objection, but we contend that the positive experience which has approved these and similar combinations, is more significant than all theoretical considerations, of a merely negative character. We employ in these tablets our regular Pepsin Aseptic, which is ten times as strong as the saccharated pepsin and a pancreatin equal in digestive activity to any. Each tablet contains: Pepsin aseptic (1-3000), 1 gr.; Pure Pancreatin, 1 gr.; Calcium lactophosphate, 2 grs.; see also page 197 for formula of Digestive Tablets, B "B."

It will be observed that we occasionally employ the term "pure" in speaking of digestive ferments, notwithstanding the fact that none of them have ever been completely isolated. We employ the word only in a relative sense, the quality of our products compared with others on the market, certainly justifying such action.

The same remark applies to the designation "aseptic," which we have selected because our Pepsin is almost entirely free from mucus, peptone, and products of decomposition.

Upon application it will afford us much pleasure to supply literature more fully descriptive of our complete line of Digestive preparations.

---

## FOOD PRODUCTS.

---

*For Prices, See Specialties, Part II.*

---

### BEEF-JELLY (MOSQUERA).

A concentrated, predigested and nutritious food product resembling in physical characteristics an extract of beef, but superior in all respects. The chief recommendation for this preparation over those with which it competes, lies in the process of manufacture, a proteid-digesting ferment being employed which converts all the naturally insoluble nutritive constituents of the beef into a soluble and predigested form. It is entirely devoid of the objectionable bitterness and disagreeable odor that have heretofore characterized products of this nature. It is well adapted as a food for convalescing invalids, or as a basis for soups and other dishes in the kitchen.

### FLUID BEEF-JELLY (MOSQUERA).

This preparation is identical with our solid Beef-Jelly, except in form, its main feature of advantage being that it is readily miscible with either hot or cold water.

In the sick-room, Fluid Beef-Jelly is invaluable. In many cases of illness, the hot beverages are distasteful and contra-indicated; here Fluid Beef-Jelly will be found most serviceable. Dissolved in ice-water, it forms a refreshing, nourishing and stimulating beverage, that will prove delicious even to the fastidious taste of an invalid. It will quickly relieve fatigue, exhaustion, and, in many cases, nervous prostration.

### BEEF-MEAL (MOSQUERA).

A predigested powdered meat, representing in actual nutritive value six times its weight of good lean beef. It is entirely devoid of all objectionable taste or smell and can be tolerated with ease by the most delicate stomach. As distinguished from any similar product heretofore known, it contains all the constituents of the meat, whether soluble or insoluble, in a predigested form ready for assimilation.

For administration, Mosquera Beef-Meal may be mixed with any soup or broth having sufficient consistence to suspend it, or added to chocolate, in combination with which it makes a delicious beverage.

### BEEF-CACAO (MOSQUERA).

Is a concentrated food consisting of Beef-Meal, a special grade of Dutch cacao and sugar in equal proportions. Beef-Cacao, aside from the nourishment yielded by the cacao and sugar, both of which are valuable foods, possesses just one-third the nutritive value of Beef-Meal. Mosquera's Beef-Cacao so completely disguises the taste of its proteid constituents that the palate cannot detect their presence.

### BEEF, IRON AND WINE.

This combination is a valuable stimulant, tonic and nutrient. We employ a peptonized extract of beef which is a true food, containing the proteid or tissue-forming material of the meat in a digested form, in addition to those mineral salts to which ordinary beef extracts owe any value which they may possess, in combination with Tincture Citro-chloride of Iron. Dose, 1 to 4 fluid drachms, (4 to 15 Cc.)

### POWDERED BONE (Pure)

Is prepared from carefully selected fresh beef bones, deprived of fatty matter and adherent fibrous and muscular tissue. Bone flour is a true food, not a medicine. It can be taken most readily by incorporating it with ordinary food. It offers to the digestive fluids a supply of phosphoric acid much more easily assimilated than that which is contained in the tough structure of the outer coating of cereals.

### HÆMINAL.

#### A New Blood-Iron Albuminate.

Hæminal presents in a soluble form all the albuminates and salts (haemoglobin, paraglobin, serumgloblin, phosphates) present in the blood, without however, any of the objectionable excretory products—fibrin, urea, etc., and under the name of "Hæminal" we offer the medical profession a medicament that fully answers all these requirements. Hæminal contains 0.25 to 0.30 per cent. of metallic iron in form of Haemoglobin and Hæmatin. It is a dark brown powder of a slightly acid taste, fairly soluble in cold water, and easily soluble in hot water without being coagulated. It may be further added that Hæminal is freely soluble in diluted alcohol, a most desirable property, since it renders its administration possible with alcohol containing restoratives (as wines, etc.). It is perfectly stable and one part corresponds to about six parts of fresh healthy bullock's-blood.

Hæminal will be found of excellent service in the management of chlorosis, anaemia, as well as in rachitis, scrophulosis neurasthenia, and the digestive troubles that accrue to convalescence, etc. Hæminal may be specially recommended in cases where other iron albuminates have proved unsuccessful. Of special importance is the large amount of soluble albuminous matter in the Hæminal.

Hæminal may be administered in doses of eight to sixteen grains, three to five times a day—preferably in the form of gelatin capsules, or dissolved in warm water.

# NOTES OF REFERENCE.

**1. Abrus Precatorius Seeds** (Jequirity). Jequirity was introduced early in 1883, as a remedy for pannus and trachoma (granular lids), on the authority of DeWecker, of Paris, and proved of value in the treatment of these affections by other eminent ophthalmologists, both of Europe and America. We furnish the seeds, the powdered seeds, and "Fluid Jequirity," a liquid preparation of the drug for the extemporaneous manufacture of an infusion. Literature mailed on application.

**2. Acid Phosphates, Liquid** (Liquor Acidi Phosphorici). A nerve and brain food; relieves symptoms of mental exhaustion, such as sleeplessness, melancholia, etc.; is in considerable demand as a stimulating beverage, dispensed at the soda fountain in place of an alcoholic stimulant. Each teaspoonful contains about 10 grains pure phosphoric acid ( $H_3PO_4$ ), partly free, partly in combination with the bases calcium, magnesium, iron, sodium and potassium. Dose,  $\frac{1}{4}$  to 1 fluidrachm (1 to 4 Cc.) in a glass of sweetened water.

**3. Acid Salicylic, from Oil Gaultheria.** The synthetic salicylic acid of commerce is liable to be contaminated with various impurities; it is certainly not so beneficial in therapeutics as the pure natural oil obtained from oil gaultheria.

**4. Aconitine Pills, Tablet Triturates, etc.** Under the name of Aconitine, preparations differing widely in strength are offered by different manufacturers. The crystallized aconitine of Duquesnel is at least one hundred times stronger than a good article of aconite root. Preparations much inferior to this in strength ought to be banished from the shops, or else sold under a different name: fatal results have followed the confounding of the stronger with the weaker preparation. We do not use anything as aconitine which can safely be prescribed in doses exceeding 1-100 grain. Aconitine must, therefore, be dispensed with caution, and never without positive knowledge that it is the stronger preparation that is wanted.

Formerly we listed a pill of aconitine of 1-60 grain, but of late we are offering pills, tablet triturates, etc., of the crystallized aconitine only, the maximum dose of which is 1-100 grain. This action has been taken to avoid possibly dangerous mistakes from confounding the common amorphous aconitine with a preparation at least 4 or 5 times as strong. Moreover, amorphous aconitine, of which the 1-60 grain pills have been made, varies so greatly that it is an unsafe remedy to prescribe. Our pills, tablets, etc., made from the crystallized aconitine will be found reliable and of uniform activity.

**5. Adonis vernalis, Lin.** (False Hellebore). A valuable cardiac tonic. Its activity is due to a glucoside, adonidin, the physiological action of which closely resembles that of digitalin. Write for descriptive circular.

Although listed as *Adonis vernalis*, the species *A. astivalis*, Lin., is also collected and used with the former since the active principle adonidin is found in both in about the same proportions.

**6. Alterative Compound.** Known variously as Bamboo-brier Compound, Succus Alterans, Mist. Smilacis Co. This is a combination of vegetable alteratives for the treatment of secondary syphilis, recommended by Dr. J. Marion Sims. It has been superseded by an improved and more palatable combination known as Syrup Trifolium Compound. See note 171.

**7. Alveloz Milk.** Recommended for the relief of cancer. The plant which furnishes this milk-juice is native in the north of Brazil, where it is accredited with most remarkable effects in the treatment of malignant tumors and ulcers. Write for descriptive circular.

**8. Amyl Nitrite Pearls.** These are shells of thin glass, each containing 2, 3, 4, 5, 8 or 10 minimis of Amyl nitrite, packed in cotton, in boxes of one dozen. The patient may carry the box about his person,

and on the approach of a paroxysm of the malady, may crush a pearl in his handkerchief, and by inhaling the vapor find prompt relief. Its action on the heart is almost instantaneous. It affords relief in angina pectoris, spasmodic asthma, epilepsy, syncope, etc.


**9. Anodyne Pine Expectorant.** A combination of astringents, sedatives and stimulating expectorants for the treatment of catarrhal conditions of the respiratory tract. Each fluidounce represents White Pine bark, 30 grs.; Wild Cherry, 30 grs.; Balsam Poplar buds (Balm of Gilead), 4 grs.; Spikenard root, 4 grs.; Sanguinaria, 3½ grs.; Sassafras, 2 grs.; Morphine acetate, 3-16 gr.; Chloroform, 4 minimis. Dose, ½ to 2 teaspoonfuls (2 to 8 Cc.) every three hours. *Shake the bottle.*

**10. Antacid Tablets, Compressed.** A reprint of Dr. Roberts' paper, recommending the use of this remedy in dyspepsia and gravel, will be furnished upon application. See Compressed Tablets, page 192.

**11. Diphtheria Antitoxin (Antidiphtheritic Serum)** is prepared with all possible care and skill; every precaution known to science is taken to insure its reliability, and careful, exact experiments are conducted in our Bacteriological Department with each lot in order to determine its value in antitoxic units and to see that the standard is as represented. Local treatment with Loeffler Solution should not be neglected while using the Antidiphtheritic Serum. See note 113.

Toxins and Antitoxins other than that of Diphtheria: We can supply Coley's mixture of toxins (Erysipelas and Prodigiosus) for the treatment of inoperable tumors.

**12. Antitoxin Syringe.** This is designed for the speedier administration of the Antidiphtheritic Serum and is of sufficient capacity to hold the average dose which is given of that medicament, viz., 10 Cc.



The needle of the syringe is connected to the barrel by means of a short rubber tube—an obvious advantage where the hypodermatic injection is large and the patient probably restive.

**13. Antiseptic Soap, Ethereal (Johnston).** A fluid soap invaluable for preparing the skin of the patient and for cleansing the hands of the surgeon before and after surgical operations. Its fluidity insures contact with every portion of the hand and nails.

**14. Antiseptic Tablets.** Convenient for surgical uses and all occasions where a reliable antiseptic solution of definite strength is required. For a 1:1000 solution dissolve one Tablet (Tablet Triturate No. 180), in 4 fl. oz. wine measure or 4 1-6 fl.-oz. imperial measure of water; or a B "B" tablet (Tablet Triturate No. 615) in 16 fl. oz. wine measure or 16½ fl. oz. imperial measure of water; or a B "D" tablet (Compressed Tablet No. 117) in 16 fl.-oz. wine measure of water; for a 1:2000 solution, use double the quantity of water in each case; and for a 1:4000 solution, four times the quantity of water required for a 1:1000 solution.

**14 a. Apiol, Red, P. D. & Co.** After extensive experimentation we have succeeded in producing a red Apiol in such form that one part is equivalent to 100 parts of seed or 30 parts of green Apiol.

The low melting point of this camphoraceous body does not admit of

its exhibition in the crystalline form with any degree of permanency, and we have therefore added to our list Red Apiol in Soluble Elastic Capsules, each containing 3 minims of a 75% solution. See page 104.

**15. Arnica, Fluid Extract.** Unless orders expressly specify the official fluid extract of the root, we supply that of the flowers, believing this to be the preparation usually demanded.

**16. Bamboo-brrier Root, Smilax Pseudo-China, Lin.** King reports better results from the use of this in primary and secondary syphilis than from Sarsaparilla. Literature furnished upon application.

**17. Bay Laurel, Concentrated Fluid, Myrcia acris (Swz.) DC.** For the extemporaneous preparation of a superior quality of Bay Rum. This preparation is not, strictly speaking, a fluid extract nor is it so labeled. It is included in this list only for convenience of reference. In the proportion of 2 fluidounces in one gallon of diluted alcohol, this fluid will produce a superior Bay Rum at a moderate cost. By regulating the quantity of fluid, the strength may be increased or weakened, as the purpose may suggest. When used in accordance with the instructions on the label, our Fluid Bay Laurel will prove a great convenience to the retail druggist, who is often disappointed in the result when he attempts to prepare Bay Rum according to published formulæ.

**18. Berberine Alkaloid and Its salts.** Under the name Hydrastin, we offer a concentration which contains the proximate principles of the root of *Hydrastis canadensis*, including the alkaloids hydrastine and berberine. We also prepare from the same root a hydrochlorate, phosphate and sulphate of Berberine, to which the improper names, muriate, phosphate and sulphate of hydrastin have been respectively applied. On account of this nomenclature these salts of Berberine are generally looked for among alkaloidal concentrations, and we have, therefore, priced them under that head. A similar state of affairs exists with reference to the salts of Sanguinarine. See notes on *Hydrastis* preparations, page 119.

**19. Berberis Aquifolium, Ph.** A California drug, introduced by us in 1878. It has been claimed to possess extraordinary powers as a combined alterative and tonic. Send for descriptive circular.

**20. Black Haw, Viburnum prunifolium, Lin.** First introduced by us. Uterine tonic and sedative, specially valuable in threatened abortion, in dysmenorrhœa, and in uterine hemorrhage. This remedy is constantly growing in popularity, and is now recognized in the U. S. Pharmacopœia. Literature furnished upon application. See also "Liquor Sedans," note III.

**21. Black Willow, Salix nigra, Marsh.** Both the bark and buds of this plant are credited with tonic, carminative, stimulant, astringent and antispasmodic properties. Dr. J. Hutchison recommends it in cases of ovarian hyperesthesia, uterine neuralgia and spermatorrhœa. It is also a powerful sexual sedative, without the depressing properties of the bromides. Literature furnished upon application.

**22. Blood-flower, Asclepias curassavica, Lin.** Barham calls this plant Blood-flower, because of anti-hæmorrhagic properties. It is also said to be valuable in chronic gonorrhœa and gleet.

**23. Boldo, Peumus Boldus, Mol.** A South American tonic; employed especially in chronic hepatic torpor, and in atony of various organs where Quinine can not be tolerated. Also recommended in gonorrhœa, rheumatism and dyspepsia. Literature furnished upon application.

**24. Bronchial Sedative, Palmer.** Palatable, convenient and efficient; available in all forms of bronchial irritation. Each fluidounce contains: Ammonium chloride, 30 grains; fluid opium camphorated, 4 minims; fluid tolu, soluble, 8 minims; combined with glycyrrhiza and aromatics, q. s. Dose for adults, 1 fluidrachm (4 Cc.). Send for circular.

**25. Broom-corn Seed.** Sorghum saccharatum (*Lin.*) *Pers.*, is diuretic, sedative, demulcent, soothing to the irritated urinary organs and employed in vesical catarrh, cystitis and irritable bladder. In the aged who are compelled to rise frequently at night to void their urine, it has produced great relief. It must not be confounded with broom-top (*Sco-parius*). Dose for adults, 1 fluidrachm (4 Cc.).

**26. Burdock Seed, Fluid Extract.** Burdock root has long been known as an alterative of considerable value, and the fluid extract of this part of the plant is official in the U. S. P., 1890. The fluid extract of the seed has, however, been recommended for the treatment of eczema, psoriasis, etc.

**27. Butternut, Solid Extract.** This extract is prepared in strict accordance with the formula laid down in the U. S. P., 1890, it should not be confounded with the inferior aqueous extract U. S. P., 1870. Customers desiring to continue the use of the 1870 extract should specify on their orders "aqueous."

**28. California Laurel.** This drug was first brought to the notice of the profession by Dr. L. Mann Hammond, who recommended it highly in nervous headache, cerebro-spinal meningitis, atonic diarrhoea, and bilious colic. Literature furnished upon application.

**29. Calisaya, Elixir.** An agreeable tonic representing 40 grains of the bark in each fluidounce. See also note 73.

**30. Camphor Solution, Neutral.** Contains 12.5% of sublimed camphor. Specially adapted for hypodermatic use and for inhalations.

The neutral reaction and permanency of the solvent render this product far superior to all oily and alcoholic solutions thus far employed. The former become rapidly rancid, the latter are too volatile and leave the camphor in substance in the cellular tissue, tend to obstruct the needle of the syringe and the small tubes of the atomizer and hence are objectionable for injections and inhalations.

Our neutral Camphor-Solution is permanent, non-irritating, flows freely from the syringe and works to perfection with Semple's atomizing inhaler described in note 156.

### 31. Capsules; Empty.

**Approximate Capacity of Our Empty Capsules.**—The capacity of empty capsules varies according to the degree of compression exerted in filling and the known variation in bulk of a given weight of different samples of the same powdered drug or alkaloid.

DRUGS.	00	0	1	2	3	4	5
	grs.						
Quinine sulphate.....	8	6	4	3	2	1½	¾
Cinchonidine sulphate.....	8	6	4	3	2	1½	¾
Ipecac and Opium powder .....	12	8	6	4	3	2	1
Powdered Aloes.....	10	7	5	4	3	2	1
Bismuth subnitrate.....	20	14	10	8	6	4	2
Salicin.....	10	7	5	4	3	2	1
Powdered Rhubarb.....	12	8	6	4	3	2	1
Salicylic acid.....	8	6	4	3	2	1½	¾
Acetanilid.....	10	7	6	4	3	2	1

**32. Capsule Fillers.** We are manufacturer's agents for : *The Raymond Capsule Filler.* This apparatus is, from its simplicity and size, specially adapted to the wants of the physician who dispenses his own medicine. It may conveniently be carried with him and used at the bedside, a little experience in its use making the filling of capsules nearly as expeditious as the folding of powders.

**The Acme Capsule Filler.** This filler is offered as an improvement upon all others extant. It is composed of a nickel-plated base, funnel and incline, and four wooden slides, which are bored to fit and hold the seven sizes of capsules manufactured by us. This filler is very convenient and saves time and material in dispensing. Send for illustrated circular.

**33. Fluid Cardamom Compound.** We formerly made this preparation of twenty-two times the strength of Tincture Cardamom Compound, U. S. P., 1880, but having found it impracticable to produce a fluid which would fully represent the drugs in that proportion we shall henceforth manufacture a fluid just eight times the strength of the U. S. P., 1890, tincture.

**34. Caroba Leaves,** *Jacaranda procera*, *Sprengel*. From Brazil. In addition to alterative properties, it ranks as a diuretic and sudorific. Used in all forms of syphilis, and specially recommended for old and indolent ulcers. Send for descriptive circular.

**35. Cascara Amarga** (*Picramnia*; species not yet determined). From Mexico. An alterative credited with effecting cures in chronic syphilitic eruptions, syphilitic tubercles, chronic eczema and gummatous tumors. The discovery, in our laboratory, of an alkaloid in this drug, confirms the belief that it is in reality a valuable remedy, which appears to be borne out by the rapidly accumulating clinical evidence.

**36. Cascara Cordial.** This preparation of Cascara sagrada will be found so pleasantly combined with solvents and aromatics as to render it eminently deserving of the name of Cordial. It is valuable in the treatment of constipation, dyspepsia, indigestion and haemorrhoids. Each liter contains: Cascara Sagrada bark (true *Rhamnus Purshiana*), 125 Gm.; Berberis Aquifolium root, true, 3.7 Gm.—combined with carminative aromatics.

**37. Cascara Sagrada,** *Rhamnus Purshiana*, *DC*. This important drug was first introduced by us in 1877, since which time it has become universally known and is now official in the U. S. P., 1890. It has long been known to the Spanish residents of the Pacific coast as a sovereign remedy for habitual constipation and dyspepsia, and has proved one of the most valuable additions to our *materia medica*. The chief objection to Cascara Sagrada heretofore has been its extreme bitterness; but investigation of its constituents at our laboratory and elsewhere has led to the discovery of new principles, and we are now able to offer the following line of comparatively tasteless preparations of this drug, the medicinal efficacy of which, on account of the destruction of the bitter principle, is still a subject for further clinical investigation:

*Fluid Extract Cascara Sagrada* (Formula of 1887); permanent, perfectly miscible with water, and almost free from bitter taste. Specify in ordering, "Formula of 1887."

*Fluid Cascara Sagrada Aromatic* is introduced to meet a demand for a more palatable preparation than the Fluid Extract Cascara Sagrada (R 1887); and one which, at the same time, may be exhibited in smaller doses than the *Cordial*.

Care should be taken, when our *Fluid Cascara Sagrada Aromatic* is desired, to specify *P.*, *D.* & *Co.*, otherwise some other product may be supplied.

*Cascara Cordial*, see note 36.

*Solid Extract Cascara Sagrada* (Formula of 1887); is permanent, and will, therefore, make a pill mass which does not soften or decompose on keeping. It is readily soluble in water and in the liquids of the gastric juice, and nearly tasteless in solution. When made into pills alone, the only excipient needed is a small quantity of powdered althaea. Tragacanth, recommended by some, should be avoided, as pills made with it harden gradually with impairment of their solubility. Specify in ordering "Formula of 1887, *P.*, *D.* & *Co.*"

*Soluble Elastic Capsules of Cascara Sagrada Ext.*, see page 104.

**Cascarin** (Our concentration; formula of 1887); as presented in scale form, is not hygroscopic, is readily reduced to powder, almost tasteless, soluble in water and contains only the active constituents of the drug. Specify in ordering, "Formula of 1887, P., D. & Co."

Working bulletin on Cascara Sagrada mailed free on request.

**38. Cathartic Compound Pills, U. S. P., and Cathartic Vegetable Pills, U. S. P., 1890.** Our Cathartic Compound pills are prepared strictly in accordance with the requirements of the U. S. Pharmacopœia, the essential ingredients being strictly pure and of prime quality. Each pill contains the full amount of our standard extracts of Colocynth compound and Jalap. See note 56 on Compound Extract Colocynth.

We have devoted special attention to so preparing these pills that their ready solubility is insured, particularly with reference to the fact that they are employed usually in conditions where the gastric secretions are of an acid character. As the ingredients are mostly of a resinous nature and usually insoluble in acid liquids, the ready disintegration of our pills is a matter worthy of consideration.

**39. Cedron Seed, Simaba Cedron, *Planch.*** From New Granada. Tonic, antispasmodic and antiperiodic. Used in malarial diseases, in intestinal torments and in neuralgia. Also said to be useful in the treatment of poisonous bites. Send for descriptive circular.

**40. Cerebral Sedative Compound, B "A."**—A reliable and efficient nerve sedative. Each fluidounce contains: Chloral, 120 grs.; potassium bromide, 120 grs.; tincture opium, 40 minims; fluid extract gel-seum, 25 minims. Dose  $\frac{1}{2}$  to 1 fluidrachm (2 to 4 Cc.)

We also prepare a **Cerebral Sedative Compound, B "B,"** which is identical with the B "A," except that the tincture opium (40 mins.) is replaced by the same quantity of tincture hyoscyamus. Dose  $\frac{1}{2}$  to 1 fluidrachm (2 to 4 Cc.).

**41. Cereus grandiflorus, Mill.** Night-blooming Cereus (Cactus grandiflorus, Lin.) In view of the facts that the three species possess identical medicinal properties, and that the supply of C. grandiflorus, once scarce, is now abundant, we omit C. Bonplandii and C. McDonaldii from our list. Literature furnished on application.

**42. Chaparro Amargoso, Castela Nicholsoni, Hook.** Tonic, antiperiodic, antiseptic and astringent. Recommended for diarrhoea and dysentery by the medical profession of Mexico and the Southern United States; is considered almost a specific. We supply a fluid extract of this drug. Dose, 30 to 60 minims. Please send for descriptive literature.

**43. Chaulmoogra Oil, Gynocardia odorata, R. Brown.** Claimed to be a powerful alterative, and reliable remedy in leprosy. It has been found of great service in rheumatism, scrofulous swellings, sprains, lupus and various skin diseases. Literature sent on application.

**44. Chekan, Eugenia Chequen, Mol.** Introduced as a remedy for winter cough, by Dr. Wm. Murrell, of London, and since found to be of great value in chronic catarrhal affections of the respiratory organs. Dr. Dessauer highly recommends Chekan in affections of the mucous membrane, and ascribes to it tonic, expectorant, diuretic and antiseptic properties. Literature furnished on application.

**45. Chian Turpentine.** Recommended by Dr. Clay as a remedy in cancer. We are very careful regarding the quality and genuineness of this article. The consistency of the turpentine will vary somewhat, depending on the age or recent collection of the article. Literature furnished on application.

**46. Chlor-Anodyne.** An efficient and pleasant remedy for colic, cholera morbus, neuralgia, spasmodic pains, etc. It is of great value where antispasmodics or anodynes are indicated. Concentrated in form and rapid in action, it is invaluable in the pocket cases of physicians. Each fluidounce contains: Morphine hydrochlorate, 2 7-8 grs.; Tinct. Indian Cannabis, 46 minims; Diluted Hydrocyanic acid, 9 minims;

Chloroform, 46 minimis; Oil Peppermint, 1 1-2 minimis; and Tinct. Capsicum, 1 1-2 minimis. Dose for an adult, 15 minimis frequently repeated. The exact formula accompanies each bottle. Literature sent on request.

**47. Cinchona, Detannated, Fluid Extract.** Our fluid extract cinchona, detannated, will be found very convenient for the extemporaneous preparation of elixirs, etc., in which it is required to combine cinchona bark with iron.

**48. Cinchona, Fluid Extracts.** Our fluid extracts, as well as NORMAL LIQUIDS, of Cinchona Calisaya and Red Cinchona are prepared from barks which contain the full proportion of alkaloids required by the U. S. Pharmacopœia.

We manufacture a fluid extract of Cinchona Compound for preparing the Compound tincture of the U. S. P. Under the title of Liquid Cinchona Compound, we supply a fluid for preparing the Tincture Cinchona Compound of the British Pharmacopœia.

We have discontinued the manufacture of the obsolescent Fluid Cinchona Pale, Comp. for Huxham Tincture, since the Tincture Cinchona Compound of the U. S. P. and B. P. are designed to be official representatives of the preparation formerly employed under the name "Huxham's Tincture." (See also note No. 49).

**49. Cinchona, Pale, Fluid and Solid Extracts.** Our solid extract is regulated by assay, so as to contain 15% of the alkaloids of the bark and represents in one part, five parts Standard Pale Cinchona bark.

Inasmuch as Pale Cinchona bark, which will meet the requirements of the U. S. P., 1890, is not available in commerce, we continue to manufacture a fluid extract Cinchona Pale containing 3 per cent. alkaloids as heretofore. (See also note 48).

**50. Coca Cordial.** This cordial presents coca in a palatable form, commanding it to the large class of persons of delicate nervous organization, for whom it appears to be specially adapted and is most frequently prescribed. In its preparation the astringent and bitter constituents of the drug are rejected, while care is taken to retain unchanged the true active principle, cocaine. One fluidounce of the cordial represents 60 grains of coca leaves of good quality, the vehicle employed being an agreeable cordial of a rich vinous flavor. The specific uses of such a preparation will suggest themselves at once to the physician. It may be given in doses of a dessertspoonful to a tablespoonful, repeated as occasion requires, and is frequently advantageously combined with liquid acid phosphates or the official diluted phosphoric acid.

**51. Coca.** Erythroxylon Coca, *Lam.* This drug possesses in a remarkable degree the property of sustaining the vital powers under conditions of extraordinary fatigue and privation. Medicinally, it is specially useful in cases of nervous exhaustion, mental depression, and in relieving the opium habit.

See list (Part II) for Esencia de Coca; also note 74.

**52. Cocaine Hydrochlorate.** We supply this salt of cocaine in small and large crystals. When ordering, purchasers should be careful to specify the form of crystallization desired, as we invariably supply the small crystals unless the large are specially ordered. Ophthalmologists will appreciate the purity of these salts, especially that of our large crystals, for which we claim absolute purity and perfect freedom from the objectionable contaminations which frequently characterize the amorphous salt. It should be borne in mind that under all circumstances we supply this salt in the form of CRYSTALS, and even our small crystals are superior in purity to the so-called GRANULAR salts of some manufacturers.

**53. Cocaline Hydrochlorate Tablets,**  $1\frac{1}{2}$ ,  $2\frac{1}{4}$  and 3 grs., for the ready preparation of Cocaine solutions of definite strengths. The matter of making a solution is now resolved to its simplest form. Let the physician provide himself with a drachm vial. Then if he wishes to make a 2 per cent solution, all that is necessary for him to do is to put a  $1\frac{1}{8}$

grain tablet in the vial full of distilled water. For a 4 per cent. solution, use a  $2\frac{1}{4}$  grain tablet; for an 8 per cent. solution, use two  $2\frac{1}{4}$  grain or four  $1\frac{1}{2}$  grain tablets; and so on. These tablets are supplied at a price which makes it of no consideration for the physician to use the Cocaine in the unprepared form for solutions on the score of economy, especially when it is remembered that Cocaine solutions should always be freshly prepared. These tablets commend themselves to the Ophthalmologist in connection with our line of Ophthalmic Tablets, see page 89.

**54. Cocillaña, Guarea** (species indetermined). Synonym.—*Syccocarpus Rusbyi*, Britton. Dr. R. W. Wilcox of the Post-Graduate School, N. Y. City, emphatically declares that this drug can fully replace ipecacuanha in every sphere of action, and in many cases may be substituted with advantage for apomorphine, ammonium carbonate, strychnine and other drugs classed with more or less reason as expectorants. Clinical experience seems also to have established the fact that it exerts a marked tonic influence upon the appetite; that it reduces the night-sweats of chronic bronchitis and phthisis without constipation, etc. Send for reprints of the latest reports made in medical journals, etc.

**Cod-Liver Oil, Improved Lofoten.** See pp. 120 and 127.

**55. Cod Liver Oil Emulsion.** The Cod Liver Oil employed by us in the manufacture of emulsions, is the purest White Norwegian oil obtainable, made from fresh livers, by a careful process, removing all offensive taste and odor, yet retaining unimpaired all valuable therapeutic properties. Our emulsion is not protected by patent or copyright, and the formula is published on the labels.

**56. Colocynth and Colocynth Comp. Extracts.** The U. S. Pharmacopœia directs that these extracts be reduced to a powder. We therefore offer them only in the powdered form, which affords obvious advantages for dispensing.

Our extract of Colocynth is prepared strictly in accordance with the U. S. P., the directions to exclude the seeds being conscientiously observed. The preparation will be found extremely active, entirely soluble in appropriate menstrua and free from inert and oleaginous matter.

Our Compound Extract of Colocynth is prepared from the choicest materials available. We use therein extracts of Colocynth and Jalap which are strictly U. S. P., 1890, and have devoted considerable effort to secure access to the sources of pure scammony. The latter article is always subjected to careful tests in order to establish its purity, even though the producers are known to be entirely reliable. The remaining ingredients are likewise subjected to tests of identity and purity, so that the final product may be considered as being an ideal extract. We supply only the Powdered Extract Colocynth Compound which is the official form.

**57. Concentrations, Alkaloidal.** In view of the dangerous similarity in name between certain concentrations and the alkaloids they contain, a resemblance which might occasion fatal mistakes through mere inadvertence, we have effected some very desirable changes in appellation (see page 39). Due references are made that no confusion will result from the innovation.

**58. Condurango, Gonolobus Condurango, Tri.** Although Condurango has not entirely justified the claims made for it in the treatment of cancer, experiments have demonstrated its utility as a stomachic, and in the form of Condurango wine it has grown to be much in demand. One fluidounce of the wine represents 60 grains of Condurango bark. Dose, one-half to one fluidounce. We supply the wine, and also a fluid extract of this drug, and shall be pleased to mail full descriptive literature on request.

**59. Corn-silk (Stigmata Maydis).** Now official in U. S. P., under the title *Zea*. A remedy in inflammatory affections of the bladder, acute or chronic, idiopathic or traumatic. It is diuretic, demulcent and antiseptic in its action, and is reported to be specially valuable in cases in which decomposition of the urine takes place in the bladder, giving rise to vesical irritation. Send for descriptive circular.

**60. Coto Bark** (Para-Coto). First introduced by us. Dr. Von Guk, of Hamburg, concludes after several trials of this drug, that it is almost a specific against diarrhoea, in its various modifications. It is also recommended in dysentery, cholera morbus, colic, gastric catarrh, rheumatism and gout. Send for descriptive circular.

NOTE.—Two distinct kinds of bark are brought from Bolivia under the name of Coto bark. They are now distinguished as "Coto" and "Para-Coto," respectively. The therapeutic properties ascribed to the two drugs are similar, but in physical appearance they are strikingly different. Although there is reason to believe that the true Coto bark is at least as efficient a medicine as the Para-Coto, our patrons have so generally expressed a preference for the latter on account of its being less pungent, after making its acquaintance under the name of Coto, that we invariably supply this article when Coto bark is ordered.

**61. Culture Media.** We supply the following culture media used in bacteriological work. They are supplied in glass tubes, sterilized, and practically hermetically sealed; will keep indefinitely and are always ready for use:

**GELATIN:**

- No. 1. Nutrient Gelatin.
- No. 2. Glucose Gelatin.
- No. 3. Litmus Gelatin.

**AGAR:**

- No. 4. Nutrient Agar.
- No. 5. Glycerin Agar.
- No. 6. Glucose Agar.

**BLOOD SERUM:**

- No. 7. Blood Serum, according to Dr. Koch.

- No. 8. Blood Serum, Loeffler's mixture for diphtheria.

Nos. 1 to 7 are put up in mailing cases, each containing three tubes of any kind.

**EMPTY TUBES:**

No. 9. Empty test tubes, sterilized, plugged with cotton, and rubber-capped.

No. 10 is No. 1 + 0.75% Agar.

No. 11 is No. 2 + 0.75% Agar.

No. 12 is No. 3 + 0.75% Agar.

Nos. 10, 11, and 12 are substituted for Nos. 1, 2, and 3 in the summer months.

Loeffler's blood serum mixture, No. 8, will be supplied in mailing cases containing one tube of the blood serum and a second tube containing a sterilized swab.

The various kinds of gelatin and agar culture media, also bouillon, will also be supplied in bulk in half-litre flasks, to enable physicians to refill the tubes.

Culture media for laboratories and Boards of Health in 50 tube lots. A thinner, shorter tube is used in Nos. 13-22.

No. 13. Nutrient Gelatin.	No. 18. Glucose Agar.
No. 14. Glucose Gelatin.	No. 19. Blood Serum (Koch).
No. 15. Litmus Gelatin.	No. 20. Blood Serum (Loeffler).
No. 16. Nutrient Agar.	No. 21. Sterilized Swabs.
No. 17. Glycerin Agar.	No. 22. Empty tubes as in No. 9.

Box of 50 tubes, any Nos. 13-22, or any selections, net \$2.50.

The reaction of our culture media is uniform, 15 on the Mass. scale.

**62. Damiana,** *Turnera microphylla*, DC. Tonic and diuretic, with a reputed specific effect upon the sexual organs. Its reputation as an aphrodisiac appears to be sustained, and it is recommended in all cases of sexual debility in male or female. Send for descriptive circular.

**63. Dialyzed Iron and Dialyzed Iron Glycerated.** Each fluidounce contains 24 grains ferric oxide, equivalent to 16.79 grains metallic iron. Free from disagreeable taste, having no injurious action on the teeth, stomach or bowels, it is suited to cases where other forms of iron are not tolerated.

By an improvement in the manufacture of our Dialyzed Iron, we will now be able to furnish a product which does not congeal. Upon exposure to a very cold temperature, however, it is liable to freeze in part, thus rendering its transportation during extremely cold weather, perhaps hazardous. We therefore take the liberty to substitute the glycerated product when we deem it unsafe to ship the plain solution. The Glycerated Dialyzed Iron differs from the regular solution only in containing one eighth of its volume of chemically pure glycerin, which protects it from freezing during shipment in very cold weather.

**64. Diurnule Pocket Case.**—We have prepared for the convenience of the physician, a leather Pocket Case containing the following selection of Diurnules, each bottle holding from five to six full daily doses:



Aconitine.  
Arsenous acid.  
Atropine.  
Cocaine hydrochlorate.  
Digitalin.  
Gelsemine hydrochlorate.  
Mercuric chloride, corrosive.  
Mercurous iodide, yellow.  
Morphine sulphate.  
Physostigmine sulphate.  
Podophyllum resin.  
Strychnine nitrate.

We have also for the convenience of physicians a **Diurnal Tablet Triturate Case** similar in design to above, but containing eight vials, each holding 100 tablets of the formulas Nos. 1000, 1004, 1007, 1012, 1015, 1028, 1032, and 1042. See page 82.

**65. Duboisia Leaves.** Duboisia myoporoides, *R. Br.* Effects are similar to those of belladonna, but it is less of a cerebral excitant and more of a calmative and hypnotic. It has been found useful in relieving night sweats of phthisis, puerperal mania, vesical tenesmus, etc. Literature furnished on application.

**66. Echinacea angustifolia, DC.** Very strong claims have been recently made for this drug as an alterative of great value in all strumous and syphilitic indications. Old chronic wounds, varicose ulcers, etc., have yielded to its use after resisting other alteratives and compounds, etc. It is also stated to be a remedy in the treatment of snake bites, and as a prophylactic in hydrophobia. Clinical reports are solicited from those having experience in the use of the drug. Literature furnished on application.

**67. Embelia Ribes, Burm.** An effective anthelmintic in cases of *tænia solium* where male fern, kousso and pelletierine fail; reported as a specific in rheumatism, Dr. R. N. Khory classes it as an alterative tonic, and employs it in chronic skin diseases. Literature sent on request.

**68. Emergency Case.** Physicians are frequently called, in cases of poisoning accidents and other emergencies which require immediate treatment. On such occasions it is very essential to have proper remedies at hand that they may be administered without delay. With a view to supplying a want in this field of practice, we have introduced an Emergency Case containing a line of such remedies. Send for descriptive circular.

**69. Ephedra antisyphilitica, C. A. Meyer.** A leafless shrub indigenous to Arizona, New Mexico, etc. On the plains this plant is regarded as a specific in gonorrhœa, gleet, etc. Literature sent on request.

**70. Ergot, Ethereal, Fluid Extract.** No claim is made for any superiority in this preparation over our standard fluid extract. The active constituents in both are the same, and both are prepared from prime drug. We confidently recommend our Fluid Extract and our Normal Liquid as possessing in a superior degree the therapeutic properties of Ergot. Send for literature.

**71. Ergot, Solid Extract.** This aqueous extract is believed to represent better than any other concentrated preparation, the total medicinal activity of the drug. One grain of the solid extract is equiva-

lent to five grains of good ergot. To make a solution for hypodermatic use, dissolve one gramme of the extract in four cubic centimeters of water, filter, and make up the volume of the solution to five cubic centimeters.

Our **Purified Ergotin** is specially adapted for hypodermatic use, not on account of greater efficiency but because it is a more concentrated preparation, and always ready for use. For price see page 128.

**72. *Eschscholtzia californica*, Cham.** Reported to be soporific and analgesic, and, above all, harmless. Recent analysis claims to have discovered the presence of a minute quantity of morphine in the plant. The amount contained, however, is not sufficient to account for all the therapeutic effects, and further chemical investigation promises to isolate another active principle which may better explain its action. The drug is a very useful anodyne in certain cases. The inconveniences attributed to the use of opium, such as stomach disturbance, constipation, etc., have not in any case been observed in its use. It may possibly with advantage replace opium preparations for children. Literature sent on request.

**73. *Esencia de Calisaya*.** Each fluidounce of Esencia contains the equivalent of 40 grains of Calisaya Bark. The prevailing preparations of Cinchona are most unpleasant and in many instances are repugnant to the patient by reason of their intense bitterness. This quality is very thoroughly masked by the combination of aromatics employed and consequently it has been found most acceptable where other Calisaya products have been rejected. Esencia de Calisaya may be exhibited in every instance where Cinchona is indicated, inasmuch as it possesses all the qualities of this drug in the proportions above described. For price see page 129. Literature furnished on application.

**74. *Esencia de Coca*.** An agreeable liqueur representing in concentrated form the stimulating properties of coca leaves; of exceptional value as a stimulant, for which purpose a dose of a tablespoonful, as required, will be found most desirable. If taken in such quantities just after meals, it will materially aid digestion. For price see page 129. Literature furnished on application.

**75. *Eucalyptus*, *Eucalyptus globulus*, Lab.** First introduced by us. It has been recognized by the U. S. P. committee and the fluid extract is now official. Our fluid extract is prepared from the true Australian leaves, and is specially recommended in malarial diseases, and for its influence on the mucous membrane in croup, diphtheria, catarrh, etc. Literature furnished on application. We direct attention to our EU-THYMOL for which see next note.

**76. *Euthymol*.** A liquid preparation of wide utility, which by reason of its being neither poisonous nor irritant, is perfectly safe in any form of administration, internal or external. It possesses an agreeable odor, and may be substituted for iodoform and carbolic acid, which it equals in antiseptic power without possessing their objectionable characteristics. The formula will indicate its wide range of usefulness. Each fluidounce contains: Oil Eucalyptus, 3-8 minim; Oil Gaultheria, 9-32 minim; Fluid Ext. Wild Indigo, 1 1-4 minim; Boric acid, 10 15-16 grs.; Menthol, 5-64 gr.; Thymol, 15-32 gr. This article should not be exposed to cold. Use as a spray; or internally, in doses of one fluid-drachm (4 Cc.) three or more times daily. Full descriptive circular sent on application.

We also manufacture ***Euthymol Tablets*** containing a combination of Oil Eucalyptus, Thymol, Boric acid, Oil Gaultheria and Menthol with aromatics and possessing mild antiseptic properties suitable for general internal administration. Particularly serviceable in inflammations of the mouth and throat, and in removing from the breath unpleasant odors arising from fermentative decomposition of food in certain forms of indigestion.

***Euthymol Tooth Paste***.—A combined detergent for the teeth and a harmless germicidal antiseptic for the mouth. It possesses the powerful antiseptic properties of "Euthymol" combined with detergents and aromatics which together go to form a toilet accessory, not only agreeable to use but beneficial in the maintenance of good health.

**77. Euphorbia pulcherrima, Lin.**, exerts a peculiar influence over the respiratory apparatus, rendering it a valuable remedy in all bronchial affections. It is more especially esteemed for the prompt relief it is said to give to sufferers from asthma. Send for literature.

**78. Fluids vs. Fluid Extracts.** Fluids differ from the regular line of fluid extracts in that one liter of the fluid does not represent one kilo of the drug. Although included for convenience of reference in our list of fluid extracts, they are labeled simply Fluid Aloes, Aloes and Myrrh, Asafetida, Bay Laurel, Benzoin Compound, Cardamom Comp., Cascara Sagrada Aromatic, Catechu, Wild Cherry for Syrup, Ginger, soluble, for Syrup, Kino, Lavender Comp., Capsicum and Myrrh, Opium concentrated and Opium camphorated, Rhubarb Aromatic, Rhubarb, sweet, and Tolu, soluble, for Syrup, the strength of each being stated on the label. The term fluid extract is properly applied only to preparations which represent the crude drug in the normal proportion of liter for kilo, or approximately, of minim for grain.

**Liquids vs. Liquid Extracts.** We make a similar distinction in our line of preparations based on the British Pharmacopœia. We therefore list Liquid Aloes for B. P. tincture, Liquid Benzoin Comp. for B. P. tincture, Liquid Cardamom Comp. for B. P. tincture, Liquid Cinchona Comp. for B. P. tincture, Liquid Rhubarb Comp. for B. P. tincture, etc.

**79. Gelatin-coated Pills.** On account of the transparency of the gelatin coating, and to protect the pills from the effects of light, the bottles containing gelatin-coated pills should not be removed from their wrappers. This precaution applies especially to pills containing such sensitive salts as yellow mercurous iodide, which under the influence of light is quickly reduced. The decomposition is shown by the rapid darkening of the pill when exposed to light. By an improved process of manufacture our gelatin pills are completely enveloped in the coating. The use of needles is thereby avoided and the liability to deterioration from atmospheric influences very materially lessened, while the danger of needles breaking off in the pills is entirely obviated.

**80. Gelsemium.** Accepting as authoritative the dictum of physicians ranking high in the medical profession, we have until recently employed exclusively the green root in the preparation of fluid extract of gelsemium, and recommended it accordingly. A scientific study of the constituents of the drug has convinced us, however, that these physicians were mistaken in their views in this matter, and that the revisers of the Pharmacopœia have acted wisely in adopting as the basis of their preparation the dried root. Gelsemium is not an exception to the rule, that for the preparation of tinctures, fluid extracts, etc., a properly seasoned air-dried drug is to be preferred in all respects to a green one. To supply the surviving demand for the fluid extract of the green root, we shall continue the manufacture of this preparation. We supply the official fluid extract (from freshly dried root) in all cases where "green root" is not specified.

**81. Glonoin.** Spirit of glonoin should be kept and transported in securely stoppered bottles or tin cans, and should be stored in a cool place remote from lights or fire. Great care should be exercised in handling since a dangerous explosion may result if any considerable quantity of it be spilled and the alcohol be partly or wholly lost by evaporation.

**82. Glycerin Emollient.** A sterilized combination designed to take the place of vaseline and other oily lubricants, in gynaecological and surgical examinations. Formula: Oil Gaultheria, 2 Gm.; Boric acid, 23 Gm.; Corn Starch, 88 Gm.; Pure Glycerin, 885 Gm.; Tragacanth, 17 Gm.

**83. Glycerin Suppositories.** These suppositories have been successfully employed in the treatment of certain forms of constipation, both in adults and children. Experience has shown that perfect solution is not indispensable to their activity, but that they are capable of producing a laxative effect without any considerable loss of weight.

**84. Goa Powder.** The properties of this drug depend on its large proportion of Chrysarobin, reaching fully 80% of its weight, which

makes it of great value in the treatment of ringworm, psoriasis, and other skin diseases. It is used in the form of ointment (40 grs. to the oz.), or in the form of paste, made with vinegar or lemon juice. Send for literature.

### 85. Grindelia, Fluid Extract, and Fluid Extract

**Grindelia, U. S. P.** Although the latter is the official preparation—manufactured in strict accordance with the formula prescribed by the U.S. P., 1890—it will only be furnished when clearly specified on orders. The reputation of Grindelia is largely based upon the use of the former, our regular Fluid extract, which we shall continue to manufacture with an alkaline-aqueous menstrum as at first introduced by us to the medical profession. Our Fluid Extract Grindelia is miscible with syrup and aqueous fluids without precipitation; Fluid Extract Grindelia, U. S. P., is not. Literature furnished on application.

**86. Guaco Root** (*Mikania*, species undetermined). Under the name of Guaco, a number of different plants are employed in Mexico and Central America as alexipharmics. The botanical source of some of these drugs is known, that of others is as yet only matter of conjecture. Of some of the plants the stem, or the herb is used, of others the root. Among the latter, one kind enjoys locally a very high reputation in the treatment of rheumatic affections, and is said also to have tonic, alterative and febrifuge properties. It is this drug that we now offer in the form of a fluid extract, under the name of guaco root. Our guaco root is obtained from a plant of which we know nothing but that it is a vine climbing by tendrils, with foliage bearing a family resemblance to those of *Passiflora*. The "root" is a solid tuber, globular or napiform, from 2 to 6 inches in diameter. Literature mailed upon application.

**87. Guarana, Paullinia Cupana, Kunth.** Guarana contains from 4 to 5 per cent. of caffeine, a larger proportion than is found in any other drug. Moreover, the caffeine exists in this drug in a very soluble form, so that its action is very prompt, and the effect is greater than that produced by an equivalent quantity of the pure alkaloid. As a remedy in sick headache, guarana has no rival. It may be employed wherever caffeine is indicated. See also Elixirs. Send for literature.

**88. Helonias Compound.** It will be observed that we list Fluid Extract Helonias Compound and also Fluid Extract Squaw-vine Compound, both of which are prepared from the same formula. The existence of an established demand for Fluid Extract and Elixir of Helonias Compound, and for Fluid Extract and Syrup of Squaw-vine Compound prompts us to list and label the fluid extract under both titles to avoid confusion and to meet the requirements of the trade.

**89. Hematic Hypophosphites.** This combination is adapted to a great variety of diseased conditions. It is specially useful in debility or depraved nutrition, in anaemia and nervous prostration, in consumption, and in all scrofulous and tubercular affections. Our preparation is a permanently clear syrup, while others of a similar formula deposit an unsightly precipitate. Each fluidounce contains: Potassium hypophosphite,  $1\frac{1}{2}$  grs.; Manganese hypophosphite, 1 gr.; Strychnine hypophosphite,  $\frac{1}{8}$  gr.; Ferrous hypophosphite,  $1\frac{1}{4}$  grs.; Calcium hypophosphite, 1 gr.; Quinine hypophosphite, 7-16 gr. Dose, 1 to 2 fluid-drachms (4 to 8 Cc.). For price, see page 129.

**90. Hoang-Nan, Strychnos malaccensis, Benth.** This drug has long been used in the East Indies as a very effective remedy for leprosy, scrofula, malignant ulcers, eczema and other skin diseases. Literature mailed upon application.

For price of concentrated tincture, see list of fluid extracts, page 18.


**91. Horse-nettle, Solanum carolinense, Lin.** Made from fresh berries; recommended in tetanus, convulsions and particularly in epilepsy and convulsions due to albuminuria during pregnancy.

**92. Humulin--Lupulin.** Being convinced that no concentration can be prepared which shall contain in the form of a permanent powder a larger proportion of the oleo-resinous constituents to which

hops chiefly owe their activity, we have omitted from our list the concentration Humulin, and supply in its place a superior quality of Lupulin U. S. P., of a recent crop.

**Huxham's Tincture.** See note 48.

**93. Hydriodic Acid, Syrup of.** We offer two preparations of hydriodic acid; one being the official U. S. P. syrup containing one per cent. of the acid; the other containing two per cent. of true hydriodic acid. The latter has been prepared to meet the wishes of those physicians who desired to employ smaller doses than were necessitated by the use of the official product. Please specify which is desired.



**94. Hypodermic Tablets and Case.** The recently discovered process by which aluminum has been so cheapened as to bring it within the reach of the industrial arts, has been taken advantage of by us in improving our hypodermic case. Our new case is, therefore, very light, compact, and not liable to tarnish.

Each case contains an improved hypodermic syringe, with special features described below; two needles; a supply of extra wires for cleaning purposes; and an assortment of hypodermic tablets in vials of 25, viz.: Nos. 2, 3, 5, 13, 16 and 72 (see page 129).

The points of excellence which will commend the hypodermic syringe as supplied by us, are as follows:

1. *A mechanism which, by the turning of a nut on the upper side of the plunger, will prevent leakage by forcing the leather attachment of the plunger outward, so as to accurately fill the space between the plunger and the barrel.*

2. *The ease with which the needle may be cleaned;* beveled sides guide the wire to the perforation to avoid repeated probings against the square-cut floor of the cap chamber, which is a vexatious feature of other syringes.

3. *The needle is strengthened* by a sheath embracing the upper half—the part most liable to give way.

Our hypodermatic tablets are invariable as to strength, and always reliable. For prices see pages 84 to 89.

**95. Hypodermatic Case, Lee's Improved.** (*When ordering please specify "Lee's" otherwise our regular aluminum case will be sent.*) In order to meet the requirements of some physicians who prefer a leather hypodermatic case to our aluminum one, we have introduced a case designed by Dr. Elmer Lee of Chicago, Ill., which is convenient in size and shape for all practical purposes; complete in every detail; includes a larger assortment of tablets than usual; provides space for a fever thermometer and for prescription blanks, and is marketable at a price within the reach of every practitioner.

We provide a space for fever thermometer for the convenience of physicians, but are not in position to supply these instruments. Please do not order.

The syringe provided is complete and efficient, yet so cheap it may be replaced at small expense when worn out. It may be taken apart with ease and thus rendered absolutely antiseptic before being used. The needle points are identical with those supplied in our aluminum case and should give equally good satisfaction.

We include thirteen tubes of hypodermatic tablets of the following assortment:

Tablet No. 2.	Apomorphine hydrochlorate, 1-10 gr.
" No. 3.	Atropine sulphate, 1-50 gr.
" No. 5.	Cocaine hydrochlorate, 1-4 gr.
" No. 9.	Digitalin, pure, 1-100 gr.
" No. 15.	Morphine and Atropine, R. B.
" No. 16.	Morphine and Atropine, B. H.
" No. 11.	Hyoscine Hydrobromate, 1-100 gr.
" No. 17.	Picrotoxin, 1-50 gr.
" No. 13.	Morphine sulphate, 1-4 gr.
" No. 20.	Physostigmine sulphate, 1-100 gr.
" No. 22.	Strychnine sulphate, 1-50 gr.
" No. 31.	Nitroglycerin, 1-100 gr.
" No. 72.	Strychnine nitrate, 1-40 gr.

Send for illustrated circular.

**96. Hysterionica,** *Haplopappus Baylahuen, Remy.* Recommended in malarial and chronic dysentery, flatulent dyspepsia, diarrhoea, etc. Literature furnished upon application.

**97. Indian Hemp, Fluid Extract.** Indian Hemp is the Indian Cannabis, *Cannabis indica*, of the U. S. P., a powerful narcotic. Black Indian Hemp is the *Apocynum* of the U. S. P. (*Apocynum cannabinum, Lin.*.) a drug totally distinct in its properties from the former. We follow the U. S. P., in calling the latter fluid extract Apocynum.

White Indian Hemp (*Asclepias incarnata, Lin.*), is not recognized by the U. S. P., 1890. We have adopted a rule to supply Fluid Extract of Indian Cannabis when Fluid Extract Indian Hemp is ordered (without specification of "Black," "White" or "Foreign").

**98. Iron and Manganese (Aromatic), Solution of,** is a neutral organic solution of iron and manganese in the form of their saccharates, combined with aromatics and contains 0.6 per cent. of metallic iron and 0.1 per cent. of metallic manganese. It represents a clear, reddish-brown liquid, pleasant in taste, devoid of disagreeable astringency, is readily assimilable by the weakest stomach and does not effect the teeth.

Its palatability and freedom from acidity has called forth hearty endorsement from patients. Its therapeutic effect in anæmia, chlorosis, etc., etc. is everywhere acknowledged by the medical profession. Dose for adults: one to two teaspoonfuls. Children: a half to one teaspoonful three times a day before meals.

**99. Infiltration—Anæsthetic (Schleich), Tablets.** The tablets are designed for the extemporaneous preparation of solutions No. 1, No. 2 and No. 3, in accordance with formulas laid down by Dr. C. E. Schleich and presented in papers relative to Infiltration-Anæsthesia, contributed by Dr. H. V. Würdemann of Milwaukee, Wis., and Dr. Weller Van Hook, of Chicago. We have had reprints of these papers prepared and will furnish them free upon application.

**100. Iron Chloride Syrup—formula of Dr. Geo. W. Weld.** The official tincture of ferric chloride is without doubt one of the most important medicaments in the *materia medica*. Owing, however, to its corrosive action on the teeth and extremely disagreeable taste, it is very often with great difficulty that a patient can be induced to take it. Syrup Iron Chloride (Weld) furnishes a means for its pleasant administration. Each fluidounce represents forty drops of the tincture, and when diluted with four or five times its volume of water, this syrup makes a mixture which is grateful to the palate, without any suggestion of the disagreeable features peculiar to its medicinal constituents. It is entirely devoid of the corrosive properties so destructive to the teeth. This syrup should, under no circumstances, be mixed with mineral or other alkaline waters. We shall be pleased to supply descriptive literature upon application.

**101. Iron Succinate, Elixr.** By reason of its capacity for surrendering the very large proportion of oxygen which it contains, iron succinate is a most valuable tonic medicament.

Our elixir is exceedingly palatable, and, aside from a general tonic action, it is a decided hepatic and pancreatic stimulant, increasing the flow of secretions from these two organs.

Send for special circular descriptive of this unique form of iron.

**102. Jamaica Dogwood, Piscidia Piscipula (Lin.), Sarg.** This drug has taken an important place in the *materia medica* as an anodyne and hypnotic; it does not produce unpleasant secondary effects. We use only the bark of the root and not the cheaper and inferior bark of the tree. This drug forms also one of the component parts of Liquor Sedans, see note III. Literature furnished on application.

**103. Jambul Seed, Eugenia Jambolana, Lam.** Recent chemical and clinical experiments seem to prove that this drug exercises an inhibitory influence upon the action of diastatic ferment, and that it possesses the unique and valuable property of arresting the formation of sugar in diabetes depending on increased production of glucose. The bark also is used, but Dr. Claius considers the seeds much more active. Dose of bark or seed, 5 to 10 grains (0.3 to 0.65 Gm.) three times a day. We prepare a fluid extract of the seed. Literature furnished on application.

**104. Jurubeba.** Much valued in Brazil as a remedy in all cases of obstruction of the abdominal viscera, particularly of the liver, and in vesical catarrh. It is claimed to be tonic, antibenorrhagic and anti-syphilitic. There are two plants employed indiscriminately under this name—*Solanum paniculatum*, *Lin.*, principally in the northern and *S. insidiosum*, *Mart.*, in the southern part of Brazil—their therapeutic effects being said to be identical. Clinical reports from those who have experience with the drug should be published for the benefit of the profession.

**105. Kamala, Mallotus philippensis (Lam.), Muell. Arg.** A valuable anthelmintic; has been long employed with success in India for the expulsion of tapeworm; may be employed alone, or in combination with aspidium or pumpkin seed. Send for descriptive circular.

**106. Kavakava**, *Piper methysticum, Forst.* From the Sandwich Islands. First introduced by us. An efficient remedy in gonorrhœa, gleet, rheumatism and gout. Descriptive circular mailed on application.

**107. Kola Nut**, *Cola acuminata (Beauv.)*, Schott & Endl. Dr. Bernard Schuchardt, of Gotha, is the author of a most exhaustive work entitled "Die Kola-Nuss in ihrer kommerciellen, Kulturgeschichtlichen und medicinischen Bedeutung" (Rostock i. M., 1891); he thus concludes with regard to its medicinal properties: "Kola should accordingly be employed as a diuretic in heart disease, and especially in conditions of feeble heart; in neuralgias; in severe fevers of adynamic character and during the period of convalescence after the latter; in exhausting diseases; in dyspepsia; chronic and obstinate diarrhoeas; in cholera; and, finally, as an excitant and exhilarant in cases of mental depression."

**108. Kousso Flowers** (*Cusso*), *Hagenia abyssinica (Bruce) Gmelin*. In Abyssinia, Kousso is regarded as a specific for tapeworms. It is prescribed in combination with other agents, such as pomegranate, pumpkin seed or aspidium. Send for circular.

**109. Lily-of-the-valley**, *Convallaria majalis, Lin.* A valuable cardiac tonic, diminishing the frequency and increasing the strength of the heart beat. In action it closely resembles Digitalis, and like that drug is an active poison in overdoses. It has no cumulative action, and in cases of cardiac neurosis it gives relief where Digitalis and other remedies have failed. We furnish fluid extracts of the flowers, the rhizome and roots, and the herb, and, upon all unspecified orders, supply the fluid extract of the root, which is official in the U. S. P., 1890, under the title Fluid Extract Convallaria. The properties of each are similar, though the herb contains a less proportion of convallamarin than either the root or flowers. Send for literature.

**110. Lippia Mexicana**, *Lippia dulcis, Trev.* (Concentrated Tincture). Recommended in coughs due to catarrhal inflammation of the respiratory passages. Literature mailed on request.

#### Liquids vs. Liquid Extracts. See note 78.

**111. Liquor Sedans.** A utero-ovarian sedative and anodyne. Each fluidounce represents: Black haw, 60 grs.; Hydrastis, 60 grs., (represented by hydrastine); Jamaica dogwood, 30 grs.; combined with aromatics. Dose,  $\frac{1}{2}$  to 1 fluidrachm (2 to 4 Cc.). It being impracticable to entirely disguise the very disagreeable taste of the drug, we have put up this preparation in the form of Soluble Elastic Capsules, each representing one fluidrachm of Liquor Sedans. For price see page 131. Please send for reprint of Dr. R. W. Wilcox's article on "Hydrastis, Viburnum and Piscidia in the Diseases of the Female Organs of Generation," reprinted from the *New York Medical Journal*.

We also manufacture a special *Liquor Sedans without sugar*, which may be exhibited in all cases when sugar is contraindicated.

#### Liquor Tritici. See note 172.

**112. Lithium Citrate, Effervescent Tablets.** Each tablet contains: Lithium citrate, 3 grains.

**PROPERTIES.**—Diuretic, anti-rheumatic; indicated in Bright's disease of the kidneys, albuminuria, stone in the bladder, renal and biliary calculi, rheumatic gout, etc.

**DOSE.**—1 tablet dissolved in a tumblerful of water quickly forms a draught of sparkling Lithia water more concentrated than most of the natural spring waters, yet sufficiently dilute to facilitate absorption.

**113. Loeffler Solution, for the Local Treatment of Diphtheria.** In a paper read before the International Congress of Hygiene and Dermographic at Budapest, September, 1894, Prof. Loeffler, of Greifswald, the discoverer of the diphtheria bacillus, suggested the above mixture, which is applied as follows: The affected parts are first rubbed thoroughly with a small pledget of dry cotton wound around an applicator bent at right angles to the handle or around a dressing forceps; after this has been done a pledget of absorbent cotton is saturated with the solution and *pressed firmly* against the diphtheritic membrane for ten seconds, this application being immediately repeated and again within three or four hours and three times a day thereafter.


Of 71 patients treated by this method from the outset all were saved, while only one death occurred out of 26 cases treated after the second day of the attack. The solution is prepared after the following formula: Menthol, 10 grammes; Toluene, q. s. to make 36 C.c., then add Creolin, 2 C.c.; Iron chloride solution, 4 C.c.; Alcohol, q. s. ad 100 C.c. See also note 11 on Anti-diphtheritic Serum.

**114. Malt Preparations.** Having fully satisfied ourselves that a carefully prepared Extract of Malt is possessed of great value as a therapeutic and dietetic agent, we have installed an elaborate plant for its manufacture, and are, therefore, in a position to offer a very superior product. Our Malt Extract and its combinations will be found to possess the nutritive and digestive qualities of Malt to a remarkable extent. Nothing but a carefully selected Canadian Malt is used in their preparation, and every lot is subjected to the most rigid tests before issue. Our malt preparations are offered in the full assurance that they will be found of great value whenever the use of such a product is indicated. Their palatability renders them exceedingly easy of administration. We shall be glad to furnish descriptive literature and also full directions for determining the digestive activity of these products, upon application. For prices see page 132.

**115. Malt Extract with Yerba Santa.** This preparation presents the active constituents of Eriodictyon with a nutritive Malt Extract, in place of the inert vehicles generally employed. It is specially indicated in ordinary coughs, colds, and all irritations of the bronchial membranes. Each fluidounce represents 30 grains Eriodictyon.

**116. Manacá.** *Brunfelsia Hopeana, Benth.* In Brazil, Manacá is regarded as a specific for the cure of rheumatic affections and the results obtained in this country have been very gratifying. Besides the fluid extract we manufacture an elixir which combines these virtues with those of the salicylates of sodium, potassium and lithium, thereby rendering it specially valuable in the treatment of cases of lithic diathesis.


**117. Medicine Dropper and Bottle, Graduated.** consisting of a graduated bottle with a capacity of 4 drachms of liquid. The tablets may be dissolved in the necessary amount of water, and



the bottle closed by the pipette of improved form, the ground sides of which fit into the neck of the bottle as a stopper, the whole forming an air-tight container. The pipette is closed at the top by means of a rubber diaphragm which when pressed down and then released, will cause some of the solution to ascend the tube. By again gently pressing the diaphragm one or more drops can be easily forced out. For list of Ophthalmic tablets, see page 89.

**118. Menthol, Genuine Japanese, in Crystals.** A camphoraceous substance derived from the *Mentha arvensis, Lin.* It is employed for the relief of neuralgic pains, headache, toothache, etc., and is valuable as an antiseptic inhalation in acute or infusorial catarrh. It is an agreeable remedy, and makes an acceptable substitute for the ordinary smelling salts. Its properties require it to be kept tightly enclosed to prevent rapid volatilization. Send for descriptive literature.

**119. Menthol Pencils.** Each one is put up in a neat Aluminum case. These pencils greatly facilitate the local application of



Menthol, and may be easily carried in the pocket. They will be found more saleable and convenient than any form of Menthol cones. Send for descriptive circular.

**120. Mercuric Iodide, Compressed Tablets.** One tablet dissolved in 8 fl.ozs. of water makes a strong disinfectant solution for the hands, sponges, etc. For a solution to be used as a spray in treating diphtheria, use one tablet to 16 fl.ozs. of water. For intra-uterine injections in septimetritis, etc., or as an antiseptic surgical dressing, dissolve one tablet in 24 to 32 fl.ozs. of water. Each tablet contains 1 grain potassio-mercuric iodide.

**121. Mercuric Oxide, Yellow.** Yellow mercuric oxide, is a powerful antiseptic, preventing the putrefactive changes which often take place in food ingested, and thus indirectly insuring nutrition, restoring appetite, and removing dyspeptic symptoms. Useful in all acute or chronic derangements of the alimentary tract, in typhoid fever, phthisis, convalescence from surgical diseases, and where the functions of the liver are deranged. We manufacture the compressed tablets of yellow mercuric oxide, recommended by Dr. Rose (*Med. Record*, April 25, 1885), each containing 1-200 grain (about  $\frac{1}{2}$  milligramme) yellow mercuric oxide; dose, 1 to 3 tablets taken after dinner; also tablet triturates 1-200 and 1-100 gr. See page 167.

**122. Microscopical Slides of Disease Germs.** We are supplying from our Biological Department typical slides of the most important disease germs carefully stained after the most approved methods.

- No. 1. *Bacillus of tuberculosis* (in sputum).
- No. 2. *Bacillus of diphtheria* (pure culture).
- No. 3. *Pseudo diphtheria* (pure culture).
- No. 4. *Pneumonia* (in blood).
- No. 5. *Coli communis* (pure culture).
- No. 6. *Typhi abdominalis* (pure culture).
- No. 7. *Cholera Asiatica* (pure culture).
- No. 8. *Erysipelas* (pure culture).
- No. 9. *Gonorrhœa* (in gonorrhœal pus).
- No. 10. *Staphylococcus pyogenes aureus* (golden pus).

We are prepared to supply single slides from the above list and slides of other disease germs, but there will be an additional expense in making mounts of such single slides. The slides should be kept in the dark, as all aniline colors fade in the sunlight.

**123. Mountain Sage (*Sierra Salvia*), *Artemisia frigida*, Willd.** A diuretic, and nerve stimulant, employed, in its habitat, as a remedy for "mountain fever." Literature mailed on request.

**124. Mulrapuama.** (Botanical origin not yet known.) Correspondents in Brazil have assured us that this plant is more highly valued there as an aphrodisiac and nerve stimulant than is Damiana with us in North America. Clinical reports are solicited from physicians having experience in its use, in order that its range of therapeutic usefulness may be established. Literature mailed on request.

**125. Mutisia viclaefolia, Cavanilles.** According to a report in "Der Fortschritt," by Dr. Sacc, of Cochabamba, Bol., this drug possesses the enviable property of curing phthisis and every affection of the respiratory organs. A drug introduced as having such specific properties should receive the earnest attention of the medical profession. Literature mailed on request.

**126. Nasal Tablets.** We manufacture the following tablets for the special use of rhinologists. To prepare extemporaneously solutions to be used in douche or spray they will be found invaluable. One tablet dissolved in 2 to 4 ounces of warm water will form a satisfactory solution where occasion for its use is indicated.

NASAL:

Sodium bicarb., 5 grs.	Oil Eucalyptus, 7-48 ml.
Sodium borate, 5 grs.	Thymol, 7-48 gr.
Sodium chloride, 5 grs.	Menthol, 7-96 gr.
Sodium benzoate, 7-24 gr.	Oil Gaultheria, 7-96 ml.
Sodium salicylate, 7-24 gr.	

NASAL, IMPROVED:

Sodium borate, 5 grs.	Sodium chloride, 5 grs.
Menthol, 3-50 gr.	Oil Eucalyptus, 3-50 ml.
Thymol, 3-50 gr.	Oil Gaultheria, 3-100 ml.

PLASMA NASAL: (*Dr. Murray McFarlane*).

Sodium chloride, 5½ grs.	Potassium sulphate, 1-4 gr.
Sodium sulphate, 1½ grs.	Potassium phosphate, 1-3 gr.
Sodium phosphate, 1-4 gr.	Menthol, 1-15 gr.
Potassium chloride, 2-5 gr.	

Plasma Nasal Tablets form an ideal improvement over both Seiler's & Dobell's solutions for cleansing purposes. One tablet added to two ounces of luke-warm water makes a solution of about equal specific gravity with blood serum thereby preventing too much osmosis and endosmosis in the nasal cavity. The addition of the menthol will be appreciated for its well known soothing effect.

**127. Newbouldia laevis, Seem.** This drug has been introduced as an astringent successfully employed in cases of dysentery when other remedies have failed. Its use is suggested in menorrhagia and in all cases where a venous astringent is required. Send for circular.

**128. Nuclein Solution, Improved** (containing one per cent. Nucleinic acid from yeast. Prepared according to the formula of Victor C. Vaughan, M.D., Ph.D., Professor of Hygiene in Michigan University.

Nuclein is a non-poisonous germicide, found in various vegetable and animal cells, also in blood serum, the bactericidal properties of which are due to this constituent. The nuclein given by injections probably has but little direct germicidal power, but it seems to stimulate the nuclein-forming tissues of the body; and probably, being closely allied to the nucleins of the body, it serves as a readily assimilable food. When, for example, yeast-nuclein is given hypodermically, it may be at once converted into the nuclein of the white blood-corpuscle, or spleen, and then in turn destroy the invading germs and their products.

The results of the administration of nuclein in tuberculosis have been remarkably good. It has also been used with good effect in tonsillitis, streptococcus diphtheria, and indolent ulcers. The use of nuclein is rational, not empirical therapy, and the results thus far reported indicate that it will have a wide field of usefulness.

Dose: 10 to 80 minimis hypodermatically, beginning with the minimum dose and injecting into the back, or upper part of the chest.

**129. Nuclein (Thymus).** Since such great success has followed the introduction of nuclein into therapy, the question has often been raised, as to whether or not nuclein could be given internally. This

has been especially frequent with those who see in the hypodermatic administration an objectionable feature. Recent investigations have established the fact that the nucleins are absorbed in the intestines. Through the action of the pancreas they are brought into solution unchanged and we may assume that they are also absorbed as such. We have therefore decided to manufacture a nuclein from the thymus gland for "internal" use. This nuclein is put up in tablets and gelatin capsules, each containing one grain of Thymus-nuclein. Clinical investigations with respect to its value are in progress.



**130. Nuclein Syringe.** This is larger than the usual hypodermatic syringe, having the capacity of about 6 Cc., or 90 minims. By using this it is possible to give the desired quantity of nuclein in the one injection.

**131. Opium Assayed, Aqueous and Deodorized, and Camphorated, Fluids.** These fluids are not fluid extracts, but are indexed under that head for convenience, each label explaining their exact nature. The Fluid Opium *aqueous* and *deodorized* is essentially identical with the U. S. P. tincture of deodorized opium; the Fluid opium *camphorated* is precisely eight times the strength of the camphorated tincture of opium, U. S. P., 1890, (paregoric). Attention is directed to the increased strength of the U. S. P. tincture (opium), which now contains 6 grains of crystallized morphine (equal to  $7\frac{1}{2}$  grains of morphine sulphate) in each fluidounce.

**132. Opium Preparations, Standard.** All our preparations of opium are adjusted to a fixed standard strength by careful assay, this strength being in each case stated distinctly on the label. For the fluid preparations, except the camphorated fluid and fluid opium concentrated assayed, our standard is 6 grains of crystallized morphine (equal to  $7\frac{1}{2}$  grains of morphine sulphate) to the fluidounce. The fluid opium camphorated contains 2 grains to the fluidounce, and the fluid opium concentrated assayed, which is four times the strength of the tincture opium, U. S. P., 1890, contains 24 grains in each fluidounce. Our solid extract and powdered extract contain 18% of crystallized morphine. Send for circular.

**133. Orthosiphon stamineus, Benth.** Java Tea. This drug has long been known in Java for its action on the kidneys and bladder. Dr. C. L. Van der Burg, of Batavia, recommends it as a diuretic, specially beneficial in gravel, chronic cystitis and pyonephrosis. Literature mailed on request.

**134. Ox-eye Daisy,** Chrysanthemum Leucanthemum, *Lin.* Has come into notice through its very favorable influence in checking the night sweats in phthisis. Other clinical reports are yet necessary to a more extended and accurate knowledge of its therapeutic applications. Literature mailed on request.

**135. Discontinued.**

**136. Pichi.**, *Fabiana imbricata*, *Ruiz and Pav.* Diuretic, tonic, terebinthinate. Pichi enjoys a great reputation in Chili in the treatment of urinary diseases. Dr. Kamires, of Valparaiso, regards it as useful in catarrhal inflammations of the urinary tract, but not adapted for use in cases of organic kidney disease; he speaks very highly of its use in dyspeptic disorders. Dr. Rodriguez, of Buenos Ayres, points out its value in vesical catarrh produced by mechanical irritation of gravel or calculi, and in the uric acid diathesis. It allays irritation, and favors the expulsion of calculi. Clinical reports are solicited. The medicinal virtues of pichi reside in oleoresinous constituents, which are insoluble in water and separate from the fluid extract upon the addition of aqueous liquids. In order to overcome this objection and to present a more desirable form of administering this valuable remedy, we have recently added to our list of products, **Soluble Elastic Capsules of Pichi**, each containing five grains of a specially prepared extract representing the active medicinal constituents of 25 grains of drug. Descriptive circular containing clinical reports mailed on request.

**137. Pills of Rare Alkaloids.** In view of the fact that many of our patrons have found it impracticable to keep in stock a complete line of pills of some of the more expensive and newer alkaloids, etc., (especially when the limited demand for such pills is considered) we put up the same in bottles of twenty-five each. This will prove convenient to both the trade and profession, and will enable the latter to give some of the newer alkaloids a clinical trial, which they would not feel warranted in doing were they obliged to purchase a large quantity of pills of a kind at a time. If desired however, they are also supplied in bottles of 100. These pills are quoted in the general list of pills.

**138. Podophyllin, Soluble.** This preparation contains the essential ingredients of podophyllum resin in such a form as to render it adapted to administration in a fluid form. It is entirely soluble in aqueous liquids and being comparatively tasteless in solutions of moderate strength, is adapted to combinations of a neutral character, such as alternative syrups or liquid mixtures. It should be borne in mind that acids decompose it and an excess of alkaline or metallic salts will also cause a precipitation in fluids containing it. While preserving its activity in promoting the biliary secretion it is quite free from toxic properties. It may be prescribed in combination with alkaline salts, as for instance the iodide of potassium, without material precipitation, especially if syrup or glycerin be employed as a vehicle. In fact, the method just named will even insure a reasonable stability if it is desired to incorporate mercuric salts, as mercuric chloride, or iodide. In this case glycerin appears to be the most suitable diluent.

**139. Quebracho Bark,** *Aspidosperma Quebracho-blanco*, *Schlecht.* This drug stimulates the respiratory muscles and facilitates oxygenation of the blood. It is thus specially indicated in the treatment of emphysema, capillary bronchitis, certain stages of pneumonia, asthma, etc. Descriptive literature mailed on request.


**140. Quinine Elixir.** (Elixir Liquorice Aromatic.) *Contains no quinine.* The happy combination of a superior extract of glycyrrhiza with the choicest aromatics has rendered this elixir very useful as a pleasant vehicle for administering quinine. Therefore, it was so frequently called *Quinine Elixir* and ordered under that name, that, although a misnomer, this appellation was retained as a synonym for Elixir Liquorice Aromatic.

**141. Quinine and Urea Muriate Hypodermatic Tablets.** Each contains an amount of quinine equivalent to  $\frac{1}{2}$  grain of the sulphate. These tablets are readily soluble in water and of a neutral reaction, and thus eminently adapted for hypodermatic medication.

**142. Rennin.** It was formerly believed that the property of curdling milk was an inherent attribute of pepsin, but this opinion is no longer tenable since it has been plainly proven that casein is curdled by

*Rennin*, a ferment distinct from, but associated with, pepsin in gastric juice. We take pleasure in placing at the disposal of the medical profession a superior soluble Rennin in pulverulent form—one grain is capable of curdling 16 fl.ozs. of milk, and it will be found a valuable agent for the preparation of Junket or Curds and Whey for dietetic purposes. We also call attention to our convenient Rennin Tablet Triturates, 1 gr. each, in bottles of 100, 500 and 1000, on page 172.

**143. Reagent Case, Physicians' Pocket.** Containing in addition to our urinary test tablets (see note 174), a book of instructions for the use of Dr. Oliver's bedside tests, and the following apparatus:



atus: 1, two test tubes, one of which is graduated; 2, a graduated minim pipette; 3, set of six specific gravity beads, corresponding to specific gravities respectively of 1.005, 1.010, 1.015, 1.020, 1.025 and 1.030.

**144. Rhubarb, Aromatic, Fluid.** This fluid is just three times as strong as the official aromatic tincture of Rhubarb (U. S. P., 1890,) which it otherwise resembles in every particular. It is employed to prepare extemporaneously the aromatic syrup of Rhubarb, and for this purpose is preferable to the official tincture, as it does not introduce into the syrup so large a proportion of alcohol.

**145. Rhubarb, Comp. Extract, Ph. G.** We have discontinued the manufacture of solid extract Rhubarb compound and offer instead a powdered extract made in strict accordance with the formula of the German Pharmacopœia. (For formula and price, see page 38).

**146. Rhubarb Fingers.** As ordinarily prepared, rhubarb root in cubes or fingers is very inconvenient and wasteful. By a special, improved process, we now press the root into pieces of a uniform size, convenient for carrying in the vest pocket. Put up in boxes of ninety pieces, weighing about one pound.

**147. Rhus aromaticæ, Ait.** Dr. McClanahan says of this remedy that it is useful in diseases of the genito-urinary organs, viz., haematuria, enuresis in both old and young, and in uterine hemorrhage; also locally in leucorrhœa. He has been very successful with it in atonic diarrhoea, dysentery, and in summer complaints of children. Literature mailed on request.

**148. Saccharin Triturates,** 25 and 65 milligrammes and  $\frac{1}{2}$  gr. each, with Sodium bicarbonate, q.s. The sweetening power of saccharin is about 300 times that of sugar; on this basis one of the largest of these tablets, containing 1 grain of this substance, may be used as the equivalent of about 5 drachms of sugar. Physicians will not only appreciate their convenient form, but will recognize the value of these triturates in cases of diabetes and glycosuria, in which the use of ordinary sugar is contraindicated. See list of Tablet Triturates, page 172.

**149. Saline Chalybeate Tonic Pills, (Flint's).** In the *N. Y. Medical Journal*, May 18, 1889, Prof. Austin Flint, M. D., speaks very highly of this formula as a tonic in Bright's disease, and also in simple anaemia, stating that he has given it in nearly every case in private practice in which a chalybeate tonic was indicated, for some time past, and in only one case out of 35 did it fail to cause marked improvement. Prof. Flint states also that in five cases of Bright's disease, of which he has notes, this formula was the only medicinal remedy employed. In all cases the tonic seemed to exert an influence on the quantity of albumin in the urine. In the great majority of the cases of anaemia, etc., in which iron was strongly indicated, the tonic seemed to act much more promptly and favorably than the chalybeates usually employed. In a certain number of cases in which patients stated that "they could not take iron in any form," the tonic produced no unpleasant effects. We furnish the same formula in compressed tablets, sugar-coated, brown, see page 206.

**150. Santal Oil.** Realizing that much of the Oil of Santal in the market is adulterated, we have for several years past, obtained our supplies direct from East India, thus precluding the possibility of sophistication before the product reached our hands.

In order to remove all uncertainty concerning the purity of the oil employed in the manufacture of our capsules and other pharmaceuticals, we have arranged for the importation of an ample supply of sandalwood, and have established a modern plant for the manufacture of a superior quality of Santal Oil in our Detroit laboratory.

**151. Sarsaparilla, Para, Fluid Extract.** This valuable species of Sarsaparilla is comparatively unknown in the American markets, the supplies being carried through the usual channels of trade from Brazil to Europe. We always keep on hand a large supply of the drug, which is undoubtedly genuine, and in prime condition.

**152. Sarsaparilla Comp. Fluid Extract, and Fluid Extract Sarsaparilla Comp. for Syrup.** It will be observed that the official formulæ for Syrup Sarsaparilla Comp. and Fluid Extract Sarsaparilla Comp. differ materially. With this difference in view, we list a Fluid Extract Sarsaparilla Comp. corresponding to the U. S. P. preparation, and a Fluid Sarsaparilla Comp. four times stronger than Syrup Sarsaparilla Comp. U. S. P., 1890. Patrons requiring the latter preparation are requested to specify "Compound for Syrup," otherwise the regular official fluid extract, which is not suitable for preparing the syrup, will be supplied.

**153. Saw Palmetto, Serenoa serrulata, Benth. & Hook.** Prepared from the fresh berries. Sedative, nutritive and diuretic. Used in the treatment of phthisis and other pulmonary and bronchial affections, as well as diseases requiring nutritive remedies. More recently attention has been called to its special vitalizing action upon the glands of the reproductive organs, as the mammae, ovaries, prostate, testes, etc. Literature mailed on request.

**154. Saw Palmetto Compound, Fluid.** A combination of restoratives, stomachics, and aromatics suitable for general and special debilities. Is calculated to restore appetite, regulate function, and stimulate glandular secretion and growth. Is especially available in those cases of digestive and sexual debility due to the lack of assimilation or imperfect function and development.

**155. Discontinued.**

**156. Semple's Atomizing Inhaler.** This is unquestionably the most perfect device ever presented for the application of medicated vapor to the respiratory tract. It combines simplicity of construction,



tion, durability, and a fineness of spray unapproached by any atomizing inhaler hitherto introduced. It provides a constant supply of vapor in a reservoir and secures more effectually than any other the topical effects of medicated vapor on the whole respiratory tract. For formulae and prices of *Inhalants*, see page 117.

**157. Senna Pods.** Said to be more active than fluid extract of the leaves, and to have less tendency to gripe.

**Sierra Salvia.** See "Mountain Sage."

**158. Solidago Virgaurea, Linn.** (*Virga latifolia*.) This has been recently very successfully used in Europe as a diuretic. Its most beneficial effect in ascites arising from cirrhosis of the liver recommends it to the attention of physicians. Diuresis has been obtained from its use in cases of heart disease when other diuretics have failed.

**159. Solid Extracts and Powdered Extracts, Assayed.** As commonly prepared, solid and powdered extracts partake of the variability in strength which is characteristic of crude drugs. It is plain that this disadvantage is beyond correction through choice of material or care in manufacture, both of which features are chief points in

all our manipulations. We have been obliged, therefore, to resort to other means to obviate this defect, and, have, in consequence, adopted a system of assay, by which extracts of determinable strength are accurately adjusted to a definite standard, thus presenting a product as uniform in potency as the active principle to which its effect is due.

**160. Solutions of Gold and Iodine.** The use of these two agents in the practice of Drs. Shurly and Gibbes, having proved their undoubted value in the treatment of pulmonary consumption, we are prepared to supply the medical profession with these solutions, and in this connection would state that if the agents are not prepared from strictly pure ingredients, they are worse than useless for the purpose indicated. In the first instance, Drs. Shurly and Gibbes used solutions manufactured by Dr. J. E. Clark, Professor of Chemistry at the Detroit College of Medicine, and we now manufacture them under his supervision. The gold solution contains in each 10 minimis 1-15 grain of Gold and Sodium Chloride. The Iodine solution contains in each 10 minimis 1-12 grain of free iodine. Printed matter regarding this mode of treatment of phthisis pulmonalis will be forwarded on application.

**161. Squill Compound, Fluid Extract.** This fluid extract contains Squill and Senega in equal proportions, and serves for the extemporaneous preparation of Compound Syrup of Squill, U. S. P.


**162. Strophanthus.** Our preparations are made from the grayish-green seed obtained from the plant that was originally described by Prof. Oliver as *Strophanthus Kombe* and is the *S. hispida* of the U.S.P.

We also prepare tablet triturates of Strophanthus, representing 1 minim, 2 minimis and 5 minimis of the tincture respectively, and a tablet triturate of Digitalis and Strophanthus, 2 minimis each; also Diurnules and Diurnal Tablet Triturates. See list of Tablet Triturates, page 173; Diurnules, page 83; and Diurnal Tablet Triturates, page 218.

Descriptive literature mailed on request.

**163. Stylosanthes elatior, Swz.,** (Pencil Flower, After-birth weed). A drug of reputed value as a uterine sedative, allaying the irritability of the uterus in gestation and imparting tone to its fibre against the parturient act. Descriptive literature mailed on request.

**164. Sulphur Torches.**—Each torch contains one pound of Sulphur. The value of sulphur fumigations in contagious diseases, is too well understood by the medical profession to require much comment.



However it is not easy to ignite pure brimstone or to maintain its combustion. These Sulphur torches are easily ignited and will continue to burn until consumed. They are specially adapted for the disinfection of rooms in which there have been cases of scarlet fever, diphtheria, etc., etc. Blankets, bedding, etc., should be so spread out as to be thoroughly exposed during the fumigation. Close all openings to the room, place the required number of torches (still in their containers,) in a group in a large pan, sup-

ported on bricks in such a way that there shall be no danger of fire; light them, and immediately leave the room, allowing it to remain closed for twelve hours or more.

**165. Suprarenal Glands, Saccharated.** Dr. George Oliver recently read an important contribution to the literature of the therapeutic employment of this gland before the Pharmacological Section of the British Medical Association. In a marked case of Addison's dis-

ease the nausea and muscular debility were greatly diminished, the improvement persisting as long as the drug was administered, and when the treatment was suspended for a week the patient noticed that the pigmentation of the skin—one of the symptoms—became more pronounced. Further, the remedy was found of use in certain conditions marked by loss of vaso-motor tone. In cases of simple anæmia, improvement was noticed during the treatment, and there is some hope that it may prove a useful auxiliary in the treatment of the graver forms of anæmia. In cases marked by the cyclic appearance of albumen, the latter disappeared and the general health improved. In two out of three cases of diabetes mellitus the remedy also appeared to have a good effect, the amount of sugar being lessened and the tone of the circulation improved.

As this agent apparently holds out the promise of considerable therapeutic value, we are manufacturing a preparation of the suprarenal gland from sheep for internal administration, and supply it in tablets, in capsules, and in bulk, each tablet or capsule representing about one-quarter of an entire fresh suprarenal gland of the sheep. For prices of tablets and capsules, see Specialties, Part II.

**166. Sweet Balm.** We at one time offered under the name of sweet balm, *Dracocephalum canariense*, *L.* (*Cedronella triphylla*, *Mænch.*), the Balm of Gilead herb of the gardens. We found that the name sweet balm in commerce was generally understood to apply to *Melissa officinalis*, *Lin.*, also known as Lemon Balm, which we now supply when sweet balm is ordered.

**167. Discontinued.**

**Tablet Triturate Cases.** See page 215.

**168. Taka-Diastase** is an isolated ferment in powder form for the artificial digestion of amylaceous foods and holding similar relation thereto that pepsin does to proteids. It is a diastatic ferment above all comparison with malt extracts and preparations of that class, since it will convert 100 times its weight of dry starch whereas under the same conditions the best malt extract will not convert more than one-twentieth of that amount. Moreover Taka-Diastase is absolutely permanent—all malt extracts deteriorate with age. Malt extracts are heavily loaded with invert sugars that are apt to exaggerate already present pathological conditions. Taka-Diastase is perfectly free from sugars. It is soluble, and convenient to dispense. It is economical when its small dosage is considered: necessarily large doses of malt extracts renders them expensive in comparison even were they equal in other respects. Literature mailed upon application.

**169. Thyreoids. P. D. & Co.** Two grains of this powder are equivalent to five grains of fresh glands or twenty-four grains represent one sheep's thyroid of average size. This product is of agreeable odor, of sweet meaty taste and will be found permanent. It is in every respect equal to the fresh glands in the treatment of myxedema, goiter, cretinism, psoriasis and obesity. Dose, 2 to 5 grains three times a day.

Thyreoids, P., D. & Co., are also marketed in tablets and capsules, each tablet or capsule being equivalent to five grains of the fresh glands. Literature on the subject will be furnished upon application.


**170. Tonga.** *Rhaphidophora vitiensis*, *Schott*, and *Premna taitensis*, *Schauer*. This preparation was placed on the market as a remedy in neuralgia, on the recommendation of Drs. Ringer and Murrell, of London, who have made very thorough experiments to determine its therapeutic value. Their high claims for it have been abundantly corroborated by other physicians. Literature mailed upon application.

**171. Trifolium Compound, Syrup.** Superior in efficacy to the combination of alteratives known as Bamboo-brier Root compound, Alterative compound, etc. Experience with the latter combination led to the belief that the formula could be greatly improved, and after much clinical experience, Syrup Trifolium Compound was devised, and its value has been thoroughly established by physicians. Prescribed in all forms of secondary syphilis, its restorative action in nearly every case is prompt and decisive. Each fluidounce contains the active constituents of Red Clover blossoms, 32 grs.; Lappa, 16 grs.; Berberis Aquifolium, 16 grs.; Xanthoxylum, 4 grs.; Stillingia, 16 grs.; Phytolacca root, 16 grs.; Cascara

amarga, 16 grs.; Potassium iodide, 8 grs. Dose, two teaspoonfuls (8 Cc.) three times a day, which may be gradually increased to a tablespoonful if desired. Literature sent on request.

**172. Triticum.**—*Liquor Tritici.* A concentrated liquid extract of Agropyrum repens (*Lin.*) *Beauv.* This is intended to meet the demand for a preparation of couch-grass more active than the regular fluid extract. It embodies all the medicinal constituents of this valuable remedy in normal combination and in concentrated form. Because of its demulcent and emollient properties, and its efficiency as a diuretic, *Liquor Tritici* is peculiarly adapted to the relief of suppressed urine, and for the treatment of all inflamed and congested conditions of the kidneys, bladder and other urinary organs. Dose: 1 to 4 fluidrachms (4 to 16 Cc.) at intervals of one to four hours; in case of suppression of the urine intervals between the doses should be diminished.

**173. Ureometer.** An apparatus for the determination of Urea in the Urine, which is at once simple, convenient, accurate and inexpensive. Send for descriptive circular.



**174. Urinary Test Tablets.** These tablets covering the tests included in our former list of urinary test papers, may be employed in lieu thereof, by observing the same instructions as for the papers. The circumstance should be noted, however, that indigo and sodium carbonate, which were supplied separately in the form of the test papers, are furnished combined in the indigo and sodium carbonate tablet, which simplifies the use of these tests. The test papers have been removed from our price list as affording less satisfaction than the tablets. See note on Reagent Case, No. 143.

**175. Ustilago Maydis** (Corn Ergot). First introduced by us. A substitute for Ergot of Rye. It has been pronounced superior to Ergot in passive haemorrhages, and as a parturient it has the advantage over that agent of producing intermittent, instead of continuous contraction of the uterus. Literature mailed upon application.

**176. Veterinary Hypodermic Case.** We have pleasure in directing the attention of Veterinary Surgeons to our silk-lined morocco-covered Veterinary Hypodermic case, which measures  $7\frac{1}{2}$  inches long,  $4\frac{1}{2}$  wide and  $1\frac{1}{4}$  deep, and contains, when complete: A graduated veterinary hypodermic syringe of improved construction; a hypodermic needle; a hypodermic trocar needle; a hypodermic trocar, and a full line of our veterinary hypodermic tablets. Send for illustrated descriptive circular.

For list of Veterinary Hypodermatic Tablets, see page 90.

**177. Warburg Tincture, Powdered Extracts and Pills.** For convenience of the druggist, and because objection is often raised to the bitter taste of the tincture, we have added to our list two

powdered extracts, which represent the medicinal value of the original preparation, one with the aloes and the other without aloes.

We also supply pills of Warburg's Tincture representing  $\frac{1}{2}$  and 1 fluidrachm respectively, also each strength without aloes. Also soluble elastic capsules representing 2 fluidrachms of Warburg's Tincture with and without aloes in each capsule.

**178. Warburg's Tincture, Special.** This tincture is modified by the substitution of the cheaper cinchona alkaloids for quinine, otherwise being the same as the original tincture as appearing in the National Formulary. Each fluidounce contains: Cinchonidine sulphate, 3 1-3 grains; Cinchonine sulphate, 3 1-3 grains; Chinoidin, pure, 3 1-3 grains.

**179. Wild Cherry, Fluid Extracts.** We manufacture four fluid extracts of this drug (*Prunus serotina*, Ehrh.) The alcoholic extract differs from the fluid extract of the U. S. P., chiefly in that a different menstruum is employed; the fluid cherry *for syrup* is four times stronger than Syrup Wild Cherry, U. S. P., 1890; the *detannated* fluid extract is intended for admixture with preparations containing iron. In absence of specification to the contrary, we supply Fluid Extract Wild Cherry, which corresponds to the U. S. P. preparation.

**180. Witch Hazel, Concentrated Distilled Extract** (*Hamamelis*). Our distilled extract of witch hazel is a superior preparation, very rich in the peculiar volatile principles of the plant in which its medicinal virtues chiefly reside. This article should be carefully preserved in glass, securely corked. It is liable to freeze during transit in very cold weather.

**181. Woodbridge's Treatment of Typhoid Fever.** This method of treatment of typhoid requires the employment of the three following formulas according to directions, which are furnished with each package, and upon request by mail:

R No. 1 (Tablets). Podophyllum resin, 1-960 gr.; Mercurous chloride, mild, 1-16 gr.; Guaiacol carbonate, 1-16 gr.; Menthol, 1-16 gr.; Eucalyptol, q. s.

R No. 2 (Tablets). Podophyllum resin, 1-960 gr.; Mercurous chloride, mild, 1-16 gr.; Guaiacol carbonate, 1-4 gr.; Menthol, 1-16 gr.; Thymol, 1-16 gr.; Eucalyptol, q. s.

R No. 3 (Capsules). Guaiacol carbonate, 3 grs.; Thymol, 1 gr.; Menthol, 1-2 gr.; Eucalyptol, 5 ml.

R No. 4 (Tablets). (*for children*) Podophyllum resin, 1-960 gr.; Mercurous chloride, mild, 1-16 gr.; Guaiacol, carb., 1-8 gr.; Menthol, 1-96 gr.; Eucalyptol, q. s.

R No. 5 (Capsules). (*for children*). Guaiacol carbonate, 1-2 gr.; Thymol, 1-8 gr.; Menthol, 1-16 gr.; Eucalyptol, 1 ml; Olive oil, sufficient.

**182. Yerba Santa, (Eriodictyon, U. S. P.)** *Eriodictyon glutinosum*, Benth. From Northern California. This drug was first introduced to the notice of the medical profession by us, and its important properties have been so generally recognized that the U. S. P. committee have incorporated it in the 1890 edition. It is now a standard remedy in bronchial and laryngeal disorders. Combined with *Grindelia robusta* in form of syrup, it is very efficient in coughs. One of its most remarkable properties is its power of completely disguising the bitter taste of quinine. We prepare a special aromatic syrup of Yerba Santa as a vehicle for the administration of quinine. One fluidounce of this syrup represents 60 grains *Eriodictyon* with aromatics, and completely masks the bitterness of 8 grains of quinine sulphate. We also prepare a Glycerole of Yerba Santa, each fluidounce of which represents 60 grs. of the drug. See page 129. Write for descriptive literature.

**183. Yerba Santa, Aromatic, Fluid.** The strength of this preparation is just four times that of the syrup of yerba santa, aromatic, and is specially adapted for the extemporaneous preparation of the latter, according to instructions given on the label. 16 fl.-ozs. represents 8 ozs., 340 grains av. *Eriodictyon*, combined with aromatics.

# Capsules of Quinine Sulphate.

*These are Gelatin Capsules Filled with Quinine Sulphate in granulated form.*

PLEASE COMPARE OUR PRICES WITH OBIDINARY COST OF THE QUININE SULPHATE AND EMPTY CAPSULES EMPLOYED.

~~NOTE~~ IN ORDERING PLEASE SPECIFY GELATIN CAPSULES QUININE SULPHATE (2, 3 OR 5 GRAINS AS DESIRED) TO AVOID OUR SENDING CAPSULE-SHAPED PILLS, WHICH ARE AN ENTIRELY DIFFERENT PRODUCT.

The ready solubility, accurate dosage, and economy afforded by these capsules, as well as their elegant appearance and the facility with which they can be administered, will commend them to both physicians and pharmacists.

The Quinine sulphate is granulated to facilitate filling, and although the capsules may not always be full, they will invariably contain the correct weight of medicament.

## SOLUBILITY.

One of these capsules dropped into a glass of WARM water, acidulated with a few minims of hydrochloric acid to correspond to the gastric fluid, will dissolve almost immediately. Their superiority over PILLS and TABLETS of Quinine sulphate ordinarily found in the market will be at once apparent.

## ADMINISTRATION.

Quinine sulphate is very sparingly soluble in water. It is therefore essential to administer it in a form which will ensure prompt disintegration in the stomach. This is particularly important in cases where the secretion of digestive fluids has been reduced to a low ebb by protracted fever, and the stomach contains only a small amount of viscous liquid which possesses feeble solvent power.

Our superior gelatin capsules, filled with Quinine sulphate in pulverulent form, afford an ideal method of administering that valuable medicament.

The action of Quinine sulphate can often be facilitated by appropriate acidulous drinks, such as hot lemonade, or a small quantity of liquid acid phosphates in sweetened water. In any event a liberal draught of water or other acceptable liquid should be swallowed with the capsules.

Under ordinary conditions the ready solubility of these capsules will ensure prompt action. It should be borne in mind, however, that the presence of free acid tends to increase the solubility of Quinine sulphate; the capsules can, therefore, be advantageously administered about one hour after meals, when gastric digestion is well advanced.

It is generally considered best to avoid prescribing Quinine capsules or pills in conjunction with alkaline remedies.

*For packages and prices see page 135.*

# SYNONYMS.

The names given in the right hand column are those of our price list by which the various articles will be found quoted under Fluid Extracts, Pressed Herbs, etc. In order, therefore, to condense this list of synonyms as much as possible, these names are not duplicated or cross-entered in the alphabetic column. The botanical synonyms following in parenthesis the botanical name in first column, are those which have been most generally adopted. See also note on *Nomenclature* on page 3, and on *Synonyms* on page 182.

<i>Abies balsamea</i> .....	Balsam Fir.
<i>Abies canadensis</i> ( <i>Tsuga canadensis</i> )	Hemlock Spruce.
<i>Abrus precatorius</i> .....	Jequity.
<i>Absinthium</i> .....	Wormwood.
<i>Acacia Catechu</i> .....	Catechu.
<i>Acer rubrum</i> .....	Red Maple.
<i>Achillea Millefolium</i> .....	Yarrow.
<i>Acorus Calamus</i> .....	Sweet Flag, Calamus.
<i>Actæa alba</i> .....	White Cohosh.
<i>Actæa racemosa</i> ( <i>Cimicifuga racemosa</i> )	Black Cohosh.
<i>Actæa spicata</i> , var. <i>rubra</i> .....	Red Cohosh.
<i>Adiantum pedatum</i> .....	Maiden-hair.
<i>Ægle Marmelos</i> .....	Bael fruit.
<i>Æsculus glabra</i> .....	Buckeye.
<i>Æsculus Hippocastanum</i> .....	Horse-chestnut.
<i>Agropyrum repens</i> .....	Couch Grass, <i>Triticum</i> .
<i>Aletris farinosa</i> .....	Star-grass (Unicorn-root).
<i>Allium sativum</i> .....	Garlic.
<i>Allspice</i> .....	Pimenta fruit.
<i>Alnus serrulata</i> .....	Tag Alder.
<i>Alpinia officinarum</i> .....	Galangal.
<i>Althæa officinalis</i> .....	Marshmallow.
<i>Althæa rosea</i> .....	Hollyhock.
<i>Ambrosia artemisiæfolia</i> .....	Rag-weed.
American Saffron.....	Safflower.
<i>Amomum Zingiber</i> .....	Ginger, Mexican.
<i>Ampelopsis quinquefolia</i> ( <i>Vitis quinquefolia</i> ).....	American Ivy.
<i>Anacyclus Pyrethrum</i> .....	Pellitory.
<i>Anagallis arvensis</i> .....	Scarlet Pimpernel.
<i>Anamirta Cocculus</i> .....	Fish-berries ( <i>Cocculus</i> ).
<i>Anemone Hepatica</i> .....	Liverwort.
<i>Anemone Pulsatilla</i> .....	Pulsatilla.
<i>Angelica atropurpurea</i> .....	Angelica seed (American).
<i>Anthemis Cotula</i> .....	Mayweed.
<i>Anthemis nobilis</i> .....	Chamomile, Roman.
<i>Apium graveolens</i> .....	Celery seed.
<i>Apocynum androsæmifolium</i> .....	Bitter-root.
<i>Apocynum cannabinum</i> .....	Canadian Hemp, <i>Apocynum</i>
<i>Aralia hispida</i> .....	Dwarf Elder.
<i>Aralia nudicaulis</i> .....	American Sarsaparilla.
<i>Aralia racemosa</i> .....	Spikenard.
Archangelica officinalis (Angelica Archangelica).....	Angelica root (German).

## SYNONYMS—CONTINUED.

Arctium Lappa.....	Burdock, Lappa.
Arctostaphylos glauca.....	Manzanita leaves.
Arctostaphylos Uva Ursi.....	Uva Ursi.
Areca Catechu.....	Areca nut.
Arisæma Dracontium.....	Green-dragon.
Arisæma triphyllum.....	Indian Turnip.
Aristolochia Serpentaria.....	Serpentaria.
Artanthe elongata (Piper angustifolium).....	Matico.
Artemisia Abrotanum.....	Southern-wood.
Artemisia Absinthium.....	Wormwood.
Artemisia frigida.....	Mountain Sage.
Artemisia vulgaris.....	Mugwort.
Arum Dracontium (Arisæma Dracontium).....	Green Dragon.
Arum triphyllum (Arisæma triphyllum).....	Indian Turnip.
Asagræa officinalis.....	Cevadilla.
Asarum canadense.....	Canada Snake-root.
Asclepias syriaca.....	Silkweed.
Asclepias curassavica.....	Blood-flower.
Asclepias incarnata.....	White Indian Hemp.
Asclepias tuberosa.....	Pleurisy root.
Ash bark.....	Black Ash, White Ash.
Asimina triloba.....	Papaw seed.
Aspidium Filix-mas.....	Male-fern.
Aspidosperma Quebracho-blanco.....	Quebracho, Aspidosperma.
Atropa Belladonna.....	Belladonna.
Avens.....	Water Avens.
Balm.....	Lemon Balm.
Balm of Gilead buds.....	Balsam Poplar buds.
Balsam Spruce.....	Balsam Fir.
Bamboo-brier Comp.....	Alterative Compound.
Baptisia tinctoria.....	Wild Indigo.
Barosma betulina, and B. crenulata.....	Buchu.
Berberis vulgaris.....	Barberry.
Betonica officinalis (Stachys Betonica).....	Wood Betony.
Betula lenta.....	Black Birch.
Bidens bipinnata.....	Spanish Needles.
Bittersweet, False.....	False Bittersweet.
Black Indian Hemp.....	Canadian Hemp.
Black Snake-root.....	Black Cohosh.
Boletus laricis (Polyporus officinalis).....	White Agaric.
Borago officinalis.....	Borage.
Boxwood.....	Dogwood.
Bruntelsia Hopeana.....	Manaca.
Bryonia alba.....	White Bryony.
Cactus grandiflorus.....	Cereus grandiflorus.
Calamus.....	Sweet Flag.
Cancer-root.....	Beech-drop.
Capsella Bursa-pastoris.....	Shepherd's-purse.
Carbenia benedicta.....	Blessed Thistle.
Carrión-flower.....	Jacob's-ladder.
Carthamus tinctorius.....	Safflower.
Carum Carvi.....	Caraway.
Carum copticum.....	Ajowan.
Carum Petroselinum.....	Parsley.
Caryophyllus aromaticus (Eugenia caryophyllata).....	Cloves.

## SYNONYMS—CONTINUED.

<i>Cassia angustifolia</i>	Senna.
<i>Castalia odorata</i>	White Pond-lily.
<i>Castela Nicholsoni</i>	Chaparro Amargoso.
<i>Castanea dentata</i>	Chestnut, Castanea.
<i>Caulophyllum thalictroides</i>	Blue Cohosh.
<i>Ceanothus americanus</i>	New Jersey tea.
<i>Celandine, garden</i>	Garden Celandine.
<i>Celastrus scandens</i>	False Bittersweet.
<i>Centaurea benedicta</i> ( <i>Carbenia bene-dicta</i> )	Blessed Thistle.
<i>Centaury, red</i>	American Centaury.
<i>Cephaelis Ipecacuanha</i>	Ipecac.
<i>Cephalanthus occidentalis</i>	Button-bush.
<i>Cercis canadensis</i>	Judas-tree.
<i>Chamælirium luteum</i>	Helonias.
<i>Chelidonium majus</i>	Garden Celandine.
<i>Chelone glabra</i>	Balmony.
<i>Chenopodium ambrosioides</i> , var. <i>anthelminticum</i>	American Wormseed.
<i>Chenopodium Botrys</i>	Jerusalem Oak.
<i>Cherry</i>	Wild Cherry.
<i>Chimaphila umbellata</i>	Pipsissewa, Chimaphila.
<i>Chionanthus virginica</i>	Fringe-tree.
<i>Chondodendron tomentosum</i>	Pareira Brava.
<i>Chrysanthemum Leucanthemum</i>	Ox-eye daisy.
<i>Chrysanthemum Parthenium</i>	Feverfew.
<i>Cicuta maculata</i>	Water Hemlock.
<i>Cimicifuga racemosa</i>	Black Cohosh, Cimicifuga.
<i>Cinnamomum Cassia</i>	Cassia.
<i>Circium arvense</i> ( <i>Cnicus arvensis</i> )	Canada Thistle.
<i>Citrullus Colocynththis</i>	Colocynth.
<i>Citrullus vulgaris</i>	Watermelon.
<i>Citrus Aurantium</i>	Orange peel, sweet.
<i>Citrus limonum</i>	Lemon peel.
<i>Citrus vulgaris</i>	Bitter Orange peel.
<i>Claviceps purpurea</i>	Ergot.
<i>Cnicus arvensis</i>	Canada Thistle.
<i>Cnicus benedictus</i> ( <i>Carbenia bene-dicta</i> )	Blessed Thistle.
<i>Coccus indicus</i>	Fish-berries.
<i>Coccus palmatus</i> ( <i>Jateorhiza palmata</i> )	Calumba.
<i>Cochlearia Armoracia</i> ( <i>Nasturtium Armoracia</i> )	Horse-radish.
<i>Cocklebur</i>	Clotbur.
<i>Cola acuminata</i>	Kola nut.
<i>Collinsonia canadensis</i>	Stone-root.
<i>Columbo, American</i>	American Columbo.
<i>Commiphora Myrrha</i>	Myrrh.
<i>Comptonia asplenifolia</i> ( <i>Myrica asplenifolia</i> )	Sweet Fern.
<i>Convallaria majalis</i>	Lily-of-the-valley, Convallaria.
<i>Convolvulus panduratus</i> ( <i>Ipomoea pandurata</i> )	Man-root.
<i>Coptis trifolia</i>	Gold-thread.
<i>Corallorhiza odontorhiza</i>	Crawley-root.
<i>Corn Ergot</i> (corn smut)	Ustilago Maydis.
<i>Cornus circinata</i>	Green Osier bark.
<i>Cornus florida</i>	Dogwood.
<i>Cornus sericea</i>	Red Osier bark.

## SYNONYMS—CONTINUED.

Croton Eluteria.....	Cascarilla.
Cucumis C colocynthis (Citrullus Colocynthis).....	Colocynth.
Cucurbita Citrullus (Citrullus vulgaris).....	Water-melon.
Cucurbita Pepo.....	Pumpkin seed.
Cunila mariana.....	Dittany.
Curcuma longa.....	Turmeric.
Cusparia trifoliata (Galipea Cusparia).....	Angustura.
Cynoglossum officinale.....	Hound's-tongue.
Cyperus articulatus.....	Adrue.
Cypripedium pubescens.....	Ladies'-slipper, Cypripedium.
Cytisus Scoparius.....	Broom tops.
Daphne Mezereum.....	Mezereum.
Datura Stramonium.....	Stramonium.
Delphinium Consolida.....	Larkspur.
Delphinium Staphisagria.....	Stavesacre.
Dicentra canadensis.....	Turkey-corn.
Digitalis purpurea.....	Foxglove, Digitalis.
Dioscorea villosa.....	Wild Yam.
Diospyros virginiana.....	Persimmon.
Dipteryx odorata.....	Tonka bean.
Dog-grass.....	Couch-grass.
Drosera rotundifolia.....	Sundew.
Dryopteris Filix-mas and D. marginalis.....	Male-fern, Aspidium.
Dulcamara.....	Bittersweet.
Elephantopus tomentosus.....	Elephant's-foot.
Elettaria repens.....	Cardamom.
Epigæa repens.....	Gravel-plant.
Epilobium angustifolium (E. spicatum).....	Willow-herb.
Epiphegus virginiana.....	Beech-drop.
Equisetum hyemale.....	Scouring Rush.
Erechthites hieracifolia.....	Fireweed.
Erigeron canadense.....	Fleabane.
Eriodictyon glutinosum.....	Yerba Santa, Eriodictyon.
Eryngium yuccæfolium (E. aquaticum).....	Water Eryngo.
Erythræa Centaurium.....	European Centaury.
Erythronium Americanum.....	Adder's-tongue.
Erythrophlæum guineense.....	Sassy bark.
Erythroxylon Coca.....	Coca leaves.
Eugenia aromatica.....	Cloves.
Eugenia Chequen.....	Chekan.
Eugenia Jambolana.....	Jambul.
Eugenia Pimenta.....	Pimenta, Allspice.
Euonymus atropurpureus.....	Wahoo.
Eupatorium aromaticum.....	White Snake-root.
Eupatorium perfoliatum.....	Boneset, Eupatorium.
Eupatorium purpureum.....	Queen-of-the-meadow.
Euphorbia corollata.....	Flowering Spurge.
Euphrasia officinalis.....	Eyebright.
Fabiana imbricata.....	Pichi.
Fagus ferruginea.....	Beech.
Ferula foetida.....	Asafetida.
Ferula Sumbul.....	Musk-root, Sumbul.
Fever-bush.....	Spice-bush.
Figwort.....	Carpenters'-square.
Fish-berries.....	Cocculus.
Five-finger.....	Cinquefoil.

## SYNONYMS—CONTINUED.

<i>Foeniculum capillaceum</i>	.....	Fennel seed.
<i>Fragaria vesca</i>	.....	Strawberry leaves.
<i>Franciscea uniflora</i> ( <i>Brunfelsia Hopeana</i> )	.....	Manaca.
<i>Frangula</i>	.....	Buckthorn bark.
<i>Frankenia grandifolia</i>	.....	Yerba Reuma.
<i>Frasera carolinensis</i>	.....	American Columbo.
<i>Fraxinus americana</i>	.....	White Ash.
<i>Fraxinus sambucifolia</i>	.....	Black Ash.
<i>Fucus vesiculosus</i>	.....	Bladder-wrack.
<i>Galipea Cusparia</i>	.....	Angustura.
<i>Galium Aparine</i>	.....	Cleavers.
<i>Galium verum</i>	.....	Ladies' Bed-straw.
<i>Garcinia Mangostana</i>	.....	Mangosteen fruit.
<i>Garrya Fremontii</i>	.....	California Fever-bush.
<i>Gaultheria procumbens</i>	.....	Wintergreen.
<i>Gentiana lutea</i>	.....	Gentian.
<i>Gentiana quinqueflora</i> ( <i>G. quinquefolia</i> )	.....	Five-flowered Gentian.
<i>Gentiana ochroleuca</i>	.....	Sampson Snake-root.
<i>Geranium maculatum</i>	.....	Cranesbill.
<i>Geum rivale</i>	.....	Water Avens.
<i>Gillenia trifoliata</i>	.....	Indian Physic.
<i>Glycyrrhiza glabra</i>	.....	Licorice, <i>Glycyrrhiza</i> .
<i>Gnaphalium polyccephalum</i>	.....	Life-everlasting.
<i>Gonolobus Cundurango</i>	.....	Cundurango.
<i>Gossypium herbaceum</i>	.....	Cotton root.
<i>Guarea</i> (spec. not determined)	.....	Cocillafia.
<i>Gynocardia odorata</i>	.....	Chaulmoogra Oil (Source of).
<i>Hæmatoxylon campechianum</i>	.....	Logwood.
<i>Hagenia abyssinica</i>	.....	Kousso.
<i>Hamamelis virginiana</i>	.....	Witch Hazel, <i>Hamamelis</i> .
<i>Haplopappus Baylahuen</i>	.....	Hysterionica.
<i>Hedeoma pulegioides</i>	.....	Pennyroyal.
<i>Helianthemum canadense</i>	.....	Frostwort.
<i>Helianthus annuus</i>	.....	Sunflower.
Hellebore, American	.....	American Hellebore.
Hellebore, black	.....	Black Hellebore.
Hellebore, white	.....	White Hellebore.
Helleborus niger	.....	Black Hellebore.
Henbane	.....	<i>Hyoscyamus</i> .
<i>Hepatica triloba</i> ( <i>Anemone Hepatica</i> )	..	Liverwort.
<i>Heracleum lanatum</i>	.....	Masterwort.
<i>Heuchera americana</i>	.....	Alum-root.
Honduras Bark	.....	<i>Cascara Amarga</i> .
<i>Humulus Lupulus</i>	.....	Hops.
<i>Hydrastis canadensis</i>	.....	Golden-seal, <i>Hydrastis</i> .
<i>Hypericum perforatum</i>	.....	Johnswort, St.
<i>Ilex paraguaiensis</i>	.....	Paraguay Tea.
<i>Ilex verticillata</i>	.....	Black Alder.
<i>Impatiens pallida</i>	.....	Wild Celandine.
Indian Cannabis	..	<i>Cannabis Indica</i> .
Indian Hemp, black	.....	Canadian Hemp.
Indian Hemp, foreign	.....	Indian Cannabis.
Indian Hemp, white	.....	White Indian Hemp.
Inula Helenium	.....	Elecampane.
Ipomœa Jalapa	.....	Jalap.
Ipomœa pandurata	.....	Man-root.
Iris florentina	.....	Orris-root.

## SYNONYMS—CONTINUED.

Iris versicolor.....	Blue Flag, Iris.
Itch-weed.....	American Hellebore.
Ivy, American.....	American Ivy.
Jacaranda procera.....	Caroba leaves.
Jamaica Pimento leaves.....	Pimenta leaves.
Jamestown-weed.....	Stramonium.
Jateorhiza palmata.....	Columbo, Calumba.
Jeffersonia diphylla.....	Twin-leaf.
Juglans cinerea.....	Butternut.
Juglans nigra.....	Black Walnut.
Juniperus Sabina.....	Savine.
Kalmia latifolia.....	Mountain Laurel.
Knot-grass.....	Couch-grass.
Krameria Ixina.....	Rhatany, Krameria.
Lactuca canadensis.....	Wild Lettuce.
Lactuca sativa.....	Garden Lettuce.
Lappa officinalis (Arctium Lappa).....	Burdock.
Larix americana.....	Tamarac bark.
Laurus nobilis.....	Bay Laurel.
Lavandula vera (L. Spica).....	Lavender flowers.
Ledum latifolium.....	Labrador-tea.
Leonurus Cardiaca.....	Motherwort.
Leptandra virginica (Veronica virginica).....	Culver's-root, Leptandra.
Lesser Galangal.....	Galangal.
Lettuce, wild.....	Wild Lettuce.
Levisticum officinale.....	Lovage.
Liatris odoratissima (Trilisa odoratissima).....	Deer-tongue.
Liatris spicata.....	Button Snake-root.
Lichen pulmonarius (Sticta pulmonaria).....	Lungmoss.
Ligusticum Levisticum (Levisticum officinale).....	Lovage.
Lindera Benzoin.....	Spice-bush.
Liquidambar styraciflua.....	Sweet-gum bark.
Liriodendron tulipifera.....	Tulip-tree bark.
Lobelia syphilitica.....	Blue Cardinal-flower.
Lycopersicum esculentum.....	Tomato.
Lycopus europaeus.....	Bitter Bugleweed.
Lycopus virginicus.....	Bugleweed.
Magnolia acuminata, flowers.....	Cucumber-tree flowers.
Mallotus philippensis.....	Kamala.
Malva rotundifolia.....	Low Mallow.
Mango.....	Mangosteen.
Marigold.....	Calendula.
Marrubium vulgare.....	Horehound.
Matricaria Chamomilla.....	Chamomile, German.
May-apple.....	Mandrake.
Melia Azedarach.....	Pride of China.
Melilotus officinalis.....	Sweet Clover.
Melissa officinalis.....	Lemon Balm.
Menispermum canadense.....	Yellow Parilla, Menispermum
Mentha piperita.....	Peppermint.
Mentha viridis.....	Spearmint.
Menyanthes trifoliata.....	Buckbean.
Mercurialis annua.....	Mercury-weed.
Micromeria Douglasii.....	Yerba-Buena.
Mikania Guaco.....	Guaco leaves.
Milkweed.....	Silkweed.
Mitchella repens.....	Squaw-vine.
Mitella nuda.....	Coolwort.

## SYNOMYS—CONTINUED.

Monarda fistulosa.....	Wild Bergamot.
Monarda punctata.....	Horsemint.
Mountain Rush.....	Ephedra antisyphilitica.
Mouthroot.....	Goldthread.
Murillo bark.....	Soap-tree bark.
Musa sapientum.....	Banana root.
Muscale Buttons.....	Anhalonium Lewinii.
Myrcia acris.....	Bay Laurel.
Myrica asplenifolia.....	Sweet Fern.
Myrica cerifera.....	Bayberry.
Myristica fragrans.....	Mace, Nutmegs.
Myrtus Chekan (Eugenia Chequen).....	Chekan.
Nasturtium Armoracia.....	Horse-radish.
Nepeta Cataria.....	Catnep.
Nepeta Glechoma.....	Ground Ivy.
New Jersey tea.....	Jersey tea.
Nicotiana Tabacum.....	Tobacco.
Nuphar advena (Nymphaea advena).....	Yellow Pond-lily.
Nutmalls.....	Galls.
Nymphaea odorata (Castalia odorata).....	White Pond-lily.
Ocimum Basilicum.....	Sweet Basil leaves.
Enanthe Phellandrium.....	Water-fennel.
Enothera biennis.....	Evening Primrose.
Oregon Grape.....	Berberis Aquifolium.
Osmorrhiza longistylis.....	Sweet Cicely.
Osmunda regalis.....	Buckhorn brake.
Ostrya virginica.....	Iron-wood.
Ottonia anisum (Piper Jaborandi).....	Jambu Assu.
Oxydendron arboreum.....	Sour-wood leaves.
Panama bark.....	Soap-tree bark.
Papaver Rhceas.....	Red Poppy flowers.
Papaver somniferum.....	Poppy.
Para-Coto bark.....	Coto bark.
Partridge Berry.....	Squaw Vine.
Paullinia Cupana.....	Guarana.
Pencil-flower.....	Stylosanthes.
Penthorum sedoides.....	Virginia Stonecrop.
Persea gratissima.....	Alligator-pear seed.
Peumus Boldus.....	Boldo.
Phoradendron flavescens.....	Mistletoe.
Physostigma venenosum.....	Calabar bean, Physostigma.
Phytolacca decandra.....	Poke b'ries or r't, Phytolacca.
Picraena excelsa.....	Quassia.
Picramnia (spec. not determined).....	Cascara Amarga.
Pilocarpus Jaborandi, and P. Selloanus.....	Jaborandi, Pilocarpus.
Pimenta acris.....	Bay Laurel.
Pimento officinalis.....	Pimenta, Allspice.
Pimpinella Anisum.....	Anise seed.
Pimpinella Saxifraga.....	Saxifrage.
Pinus canadensis (Tsuga canadensis).....	Hemlock Spruce.
Pinus Strobus.....	White Pine bark.
Piper angustifolium.....	Matico.
Piper cubeba.....	Cubeb.
Piper Jaborandi.....	Jambu Assu.
Piper methysticum.....	Kava-kava.
Piper nigrum.....	Black Pepper.
Piscidia Erythrina (P. Piscipula).....	Jamaica Dogwood.
Plantago major.....	Plantain.
Podophyllum peltatum.....	Mandrake, Podophyllum.

## SYNONYMS—CONTINUED.

Poison Ivy.....	Poison Oak.
Polemonium reptans.....	Abscess-root.
Polygala Senega.....	Senega.
Polygonatum officinale.....	Solomon's-seal.
Polygonum acre (P. punctatum) .....	Water-pepper.
Polygonum bistorta.....	Bistort.
Polymnia Uvedalia.....	Bearsfoot.
Polypodium vulgare.....	Polypody.
Polyporus officinalis.....	White Agaric.
Polytrichum juniperinum.....	Hair-cap Moss.
Pond-lily, white.....	White Pond-lily.
Pond-lily, yellow.....	Yellow Pond-lily.
Populus balsamifera, var. candicans .....	Balsam Poplar buds.
Populus tremuloides.....	White Poplar.
Portulaca oleracea.....	Purslane.
Potentilla canadensis.....	Cinquefoil (Five-finger herb).
Potentilla Tormentilla.....	Tormentilla.
Prairie Pine-weed.....	Rosin-weed.
Prairie Pine-weed.....	Button Snakeroot.
Premna taitensis.....	Tonga.
Princes' Pine.....	Pipsissewa.
Prinos verticillatus (Ilex verticillata) ..	Black Alder.
Prunus persica.....	Peach.
Prunus virginiana (Prunus serotina) ..	Wild Cherry.
Ptelea trifoliata.....	Wafer-ash.
Pterocarpus Marsupium.....	Kino.
Pterocarpus santalinus.....	Sandal-wood.
Pterocaulon pycnostachyum.....	Indian Black-root.
Ptychotis Ajowan (Carum copticum) ..	Ajowan.
Pulmonaria officinalis.....	Lungwort.
Punica Granatum.....	Pomegranate.
Pycnanthemum montanum.....	Mountain Mint.
Pyrus americana.....	Mountain Ash.
Pyrus Malus.....	Apple-tree bark.
Queen's-root.....	Stillingia.
Quercus alba.....	White Oak bark.
Quercus lusitanica.....	Galls (source of), Galla.
Quercus rubra.....	Red Oak bark.
Quercus tinctoria.....	Black Oak bark.
Quickens.....	Couch-grass.
Quillaja Saponaria.....	Soap-tree bark.
Red Baneberry.....	Red Cohosh.
Red Puccoon.....	Blood-root.
Rhamnus cathartica.....	Buckthorn berries.
Rhamnus Frangula.....	Buckthorn bark, Frangula.
Rhamnus Purshiana.....	Cascara Sagrada.
Rhaphidophora vitiensis.....	Tonga.
Rheum officinale.....	Rhubarb.
Rheumatism-root.....	Twin-leaf.
Rhododendron maximum.....	Great Laurel.
Rhus glabra.....	Sumach.
Rhus radicans.....	Poison Oak, Rhus Toxicodendron
Rhus Toxicodendron (R. radicans) ..	Poison Oak.
Ricinus communis.....	Castor-oil plant.
Rosmarinus officinalis.....	Rosemary.
Rottlera tinctoria (Mallotus philippinensis) ..	Kamala.
Rubus canadensis.....	Dewberry.
Rubus strigosus.....	Raspberry.
Rubus villosus.....	Blackberry, Rubus.

## SYNONYMS—CONTINUED.

Rudbeckia laciniata.....	Thimbleweed.
Rumex Acetosella.....	Sheep Sorrel.
Rumex crispus.....	Yellow Dock, Rumex.
Ruta graveolens.....	Rue.
Sabal serrulata ( <i>Serenoa serrulata</i> ) ..	Saw Palmetto.
Sabbatia angularis.....	American Centaury.
Sabbatia Elliottii.....	Quinine-flower.
Safflower, American.....	Safflower.
Saffron, American.....	Safflower.
Saint John's-wort.....	Johnswort.
Salix alba.....	White Willow.
Salix nigra.....	Black Willow.
Salt Rheum weed.....	Balmony.
Salvia officinalis.....	Sage.
Sambucus canadensis.....	Elder.
Sambucus nigra.....	European Elder.
Sanguinaria canadensis.....	Blood-root, Sanguinaria.
Santalum album.....	Sandal-wood.
Saponaria officinalis.....	Soapwort.
Sarothamnus Scoparius ( <i>Cytisus Scoparius</i> ) ..	Broom tops.
Sarracenia flava.....	Trumpet-plant.
Sarracenia purpurea.....	Pitcher-plant.
Sarsaparilla, American.....	American Sarsaparilla.
Satureia hortensis.....	Summer-savory.
Schoenocaulon officinale ( <i>Asagræa officinalis</i> ) ..	Cevadilla.
Scoparius.....	Broom tops.
Scrophularia nodosa.....	Carpenter's-square.
Scutellaria lateriflora.....	Scullcap, Scutellaria.
Senecio aureus.....	Life-root.
Serenoa serrulata.....	Saw Palmetto.
Sesamum indicum.....	Benne.
Sheep Laurel.....	Mountain Laurel.
Sierra Salvia.....	Mountain Sage.
Silphium laciniatum.....	Rosin-weed.
Simaba Cedron.....	Cedron seed.
Smilax herbacea.....	Jacob's-ladder (Carrion-flower).
Smilax medica.....	Sarsaparilla, Mexican.
Smilax officinalis.....	Sarsaparilla, Honduras.
Smilax Pseudo-China.....	Bamboo-brier root.
Smilax (spec. not determined).....	Sarsaparilla, Para.
Snakeweed.....	Bistort.
Solanum Dulcamara.....	Bittersweet, Dulcamara.
Solanum carolinense.....	Horse-nettle.
Solidago odora.....	Golden-rod.
Sorbus americana ( <i>Pyrus americana</i> ) ..	Mountain Ash.
Sorghum saccharatum.....	Broom-corn.
Spigelia marilandica.....	Pink-root, Spigelia.
Spiræa tomentosa.....	Hardhack.
Spurge, Flowering.....	Flowering Spurge.
Stachys Betonica.....	Wood Betony.
Statice Limonium. var. <i>caroliniana</i> . ....	Marsh-rosemary.
Stellaria media.....	Chickweed.
Sticta pulmonaria.....	Lungmoss.
Stigmata Maydis.....	Corn-silk.
Strychnos malaccensis.....	Hoang-Nan.
Strychnos Ignatii.....	Ignatia bean.
Strychnos Nux-vomica.....	Nux vomica.
Sumbul.....	Musk-root.
Sweet Balm (see note 167).....	Lemon Balm.

## SYNONYMS—CONTINUED.

<i>Swertia Chirata</i>	.....	<i>Chirata</i> .
<i>Sycocarpus Rusbyi</i> (Guarea spec. not determined)	..	<i>Cocillafla</i> .
<i>Symphtym officinale</i>	.....	<i>Comfrey</i> .
<i>Symplocarpus foetidus</i>	.....	<i>Skunk Cabbage</i> .
<i>Syzygium Jambolanum</i> ( <i>Eugenia Jambolana</i> )	..	<i>Jambul</i> .
<i>Tanacetum vulgare</i>	.....	<i>Tansy</i> .
<i>Taraxacum officinale</i>	.....	<i>Dandelion, Taraxacum</i> .
<i>Tetterwort</i>	.....	<i>Blood-root</i> .
<i>Teucrium Scordium</i>	.....	<i>Water Germander</i> .
<i>Thea sinensis</i>	.....	<i>Tea</i> .
<i>Thoroughwort</i>	.....	<i>Boneset</i> .
<i>Thuya occidentalis</i>	.....	<i>Arbor vitæ</i> .
<i>Thymus vulgaris</i>	.....	<i>Thyme</i> .
<i>Tilia americana</i>	.....	<i>Basswood</i> .
<i>Toluifera Balsamum</i>	.....	<i>Tolu</i> .
<i>Tree of Heaven</i>	.....	<i>Ailanthus glandulosa</i> .
<i>Trifolium pratense</i>	.....	<i>Red Clover</i> .
<i>Trifolium repens</i>	.....	<i>White Clover</i> .
<i>Trilisa odoratissima</i>	.....	<i>Deer-tongue</i> .
<i>Trillium erectum</i>	.....	<i>Beth-root</i> .
<i>Triticum repens</i> ( <i>Agropyrum repens</i> )	Couch-grass, <i>Triticum</i> .	
<i>Tsuga canadensis</i>	.....	<i>Hemlock Spruce</i> .
<i>Turnera microphylla</i>	.....	<i>Damiana</i> .
<i>Tussilago Farfara</i>	.....	<i>Coltsfoot</i> .
<i>Ulmus fulva</i>	.....	<i>Slippery Elm</i> .
<i>Umbellularia californica</i>	.....	<i>California Laurel</i> .
<i>Uncaria Gambier</i>	.....	<i>Catechu</i> (for B. P. Tincture).
<i>Unicorn root, false</i>	.....	<i>Helonias</i> .
<i>Unicorn root, true</i>	.....	<i>Star-grass</i> .
<i>Unkum</i>	.....	<i>Life-root</i> .
<i>Urginea maritima</i>	.....	<i>Squill, Scilla</i> .
<i>Urtica dioica</i>	.....	<i>Nettle</i> .
<i>Veratrum album</i>	.....	<i>White Hellebore</i> .
<i>Veratrum Sabadilla</i> ( <i>Asagrea officinalis</i> )	..	<i>Cevadilla</i> .
<i>Veratrum viride</i>	.....	<i>American Hellebore</i> .
<i>Verbascum Thapsus</i>	.....	<i>Mullein</i> .
<i>Verbena hastata</i>	.....	<i>Blue Vervain</i> .
<i>Verbena urticæfolia</i>	.....	<i>White Vervain</i> .
<i>Veronica officinalis</i>	.....	<i>Speedwell</i> .
<i>Veronica virginica</i>	.....	<i>Culver's root</i> .
<i>Vervain, white</i>	.....	<i>White Vervain</i> .
<i>Viburnum Opulus</i>	.....	<i>Cramp-bark</i> .
<i>Viburnum prunifolium</i>	.....	<i>Black Haw</i> .
<i>Viola tricolor</i>	.....	<i>Pansy</i> .
<i>Virga latifolia</i>	.....	<i>Solidago Virgaurea</i> .
<i>Virginia Snake-root</i>	.....	<i>Serpentaria</i> .
<i>Vitis quinquefolia</i>	.....	<i>American Ivy</i> .
<i>Walnut, Black</i>	.....	<i>Black Walnut</i> .
<i>White Agaric</i>	.....	<i>Agaric</i> .
<i>White-wood</i>	.....	<i>Tulip-tree and also Basswood</i> .
<i>Wild Ginger</i>	.....	<i>Canada Snake-root</i> .
<i>Willow, black</i>	.....	<i>Black Willow</i> .
<i>Willow, white</i>	.....	<i>White Willow</i> .
<i>Xanthium spinosum</i>	.....	<i>Spiny Clotbur</i> .
<i>Xanthium strumarium</i>	.....	<i>Clotbur</i> .
<i>Xanthoxylum americanum</i> , and X.		
Clava-Herculis	.....	<i>Prickly Ash berries or bark</i> .
Yellow Poplar	.....	<i>Tulip-tree</i> .
Zingiber officinale	.....	<i>Ginger, Jamaica</i> .

*Abbreviations of Authors' Names.*

Authors' names, as usually abbreviated, are attached to the botanical names of drugs priced in our list of fluid extracts. In our desire to make the price list absolutely complete, we afford below an index to these abbreviations for the information of such as may require it.

Adans.	Adanson.	Lem.	Leinaire.
Ait.	Aiton.	L'Her.	L'Heritier.
All.	Allioni.	Linn., L., Lin.	Linné.
Andrz.	Andrzejowski.	Lin. f.	C. Linné (son).
Arn.	Arnott.	Lindl.	Lindley.
Aubl.	Aublet.	Lk.	Link.
B.	Bunge.	M., Marsh.	Marshall.
B. & W.	Bartling & Wendland.	Mart.	Martius.
Bail.	Baillon.	Meissn.	Meissner.
Balf.	Balfour.	Michx.	Michaux.
Bart.	Barton.	Mill.	Miller.
Bartl.	Bartling.	Miq.	Miquel.
Beauv.	Beauvois.	Moench.	Moench.
Benth.	Bentham.	Mol.	Molina.
Benth. & Hook.	B. & H.	Muell. F.	Ferd. von Mueller.
Berg.	Bentham & Hooker.	Muell. Arg.	Mueller, J. of Argau.
Bl.	Bergius.	Murr.	J. A. Murray.
Boiss.	Blume.	Nutt.	Nuttall.
Br., R. Br.	Robert Brown.	Oliv.	Oliver.
Britton.	N. L. Britton.	Pav.	Pavon.
Brot.	Brotero.	Pers.	Persoon.
Burm.	Burman.	Ph.	Pursh.
Carr.	Carrière.	Planch.	J. E. Planchon.
Cass.	Cassini.	Raf.	Rafinesque-Schmaltz.
Cham. & Schlecht.	Chamisso & Schlechtendal.	Rich., A.	A. Richard.
Corr.	Corréa de Serra.	Roxb.	Roxburgh.
DC., A.	Alphonse DeCondolle (son).	R. & P.	Ruiz & Pavon.
DC., DeC.	A. P. DeCondolle.	Salisb.	Salisbury.
Dec., Decne.	Decaisne.	Sarg.	C. S. Sargent.
Del.	Delile.	Schlecht.	Schlechtendal.
Desf.	Desfontaines.	Schott & Endl.	Schott and Endlicher.
Destr.	Desrousseaux.	Schrad.	Schrader.
Dryand.	Dryander.	Scop.	Scopoli.
Dun.	Dunal.	Seem.	Seemann.
Ehrh.	Ehrhart.	Sieb.	Siebold.
Ell.	Elliott.	Sm.	Smith.
Eng.	Engler.	Sol.	Solander.
Forst.	Forster.	Sonn.	Sonnérat.
Fr.	Fries.	Spreng.	Sprengel.
G.	Gmelin.	St. Hil.	A. St. Hilaire.
Gärtn.	Gärtner.	Steud.	Steudel.
Gil.	Gilibert.	Sud.	Sudworth.
Gr.	Gray.	Swz.	Swartz.
Griseb.	Grisebach.	Ta.	Tausch.
Haw.	Haworth.	T.	Tulasne.
Ham.	Hamilton.	T. & G.	Torrey & Gray.
H. & B.	Humboldt & Bonpland.	Thunb.	Thunberg.
H., B. & K., HBK.	Humboldt, Bonpland & Kunth.	Torr.	Torrey.
Hedw.	Hedwig.	Trev.	Treviranus.
Hoffm.	Hoffmann.	Vent.	Ventenat.
Hook.	Hooker.	W. & Arn., W. & A.	Wight & Arnott.
Hook. & Arn.	Hooker & Arnott.		Walter.
Houtt.	Houttuyn.	Walt.	Weber.
Jacq.	Jacquin.	Web.	Weddell.
Kauf.	Kauffmann.	Wedd.	Wendland.
Kth.	Kunth.	Wendl.	Wenderoth.
Labill.	LaBillardiére.	Wendr.	Willdenow.
Lam.	Lamarck.	Willd.	Zuccarini.
Lamb.	Lambert.	Zucc.	

# INDEX.

Acid Phosphates, Liquid.....	123
Acid salicylic.....	123
Aloin, Pure.....	123
Alveloz Milk.....	123
Amyl nitrite Pearls.....	123
Anodyne Pine Expectorant.....	123
Antitoxin, Diphtheria.....	124
Antitoxin Syringe.....	124
Antiseptic Liquid.....	123
Soap, Johnston, Ethereal Tablets.....	123
Aromatic Troches.....	124
Authors' Names, Abbreviations of.....	264
Beef, Iron and Wine.....	124
Beef Products, Mosquera's.....	124
Bone, Powdered.....	124
Breakages, note on.....	4
Bronchial Sedative.....	124
Camphor monobromated.....	124
Camphor solution.....	124
Capsule Filler, Acme.....	125
Capsules, Empty.....	124, 125
Extra-sized, filled.....	110
Hard Filled.....	111, 112
Horse.....	125
Soluble Elastic, filled.....	104-110
Cascara Cordial.....	125
Cases, Emergency.....	128
Hypodermatic.....	129
Reagent.....	137
Tablet Triturate.....	215, 216
Veterinary.....	138
Cathartic Pills.....	57, 134, 135
Chaulmoogra Oil.....	125
Chian Turpentine.....	126
Chlor-Anodyne.....	126
Coca Cordial.....	126
Cocaine, Oleate and Tablets.....	126
Cod Liver Oil and Emulsions.....	127
Improved, Lofoten.....	120, 127
Compound Cerebral Sedative.....	127
Compressed Tablets.....	127, 128; 191-215
Concentrations.....	39-41
Containers note on.....	3
Culture Media.....	128
Deterioration, note on.....	4
Dialyzed Iron.....	128
Digestive Ferments, Notes on.....	219-222
Diphtheria Antitoxin.....	124
Disinfectant Powder.....	128
Diurnules.....	82, 83
Diurnal Tablet Triturate Case.....	128
Diurnule Case.....	128
Elixirs.....	91-98
Empty Capsules.....	124, 125
Emergency Case.....	128
Enteric Pills.....	79
Equivalents, Table of.....	5, 6
Ergotin.....	128
Esencia de Calisaya.....	129
Esencia de Coca.....	129
Euthymol.....	129
Tablets.....	129
Tooth-paste.....	129

## INDEX—Continued.

Extracts, Fluid.....	9-	28
Solid.....	31-	35
Powdered.....	36-	38
Ferratin.....	129	
Fluid Extracts.....	9-	28
in 4 oz. and 8 oz. bottles, Notes on.....		3
Food Products, Notes on.....	222,	223
Freezeable preparations.....		3
Glonoin .....	129	
Glycerin Emollient.....	129	
Suppositories.....	129	
Glycerole Pepsin .....	134	
Yerbine Comp.....	129	
Goa Powder.....	129	
Gold Solution, (Gibbes-Shurly).....	129	
Golden-seal, note on.....	119	
Gurjun Balsam.....	129	
Hæminal.....	129	
Hard Filled Capsules.....	III-112	
Hematic Hypophosphites.....	129	
Hoang-nan.....	18,	129
Horse Capsules.....	125	
Hydrastine.....	129	
Hydrastinine.....	129	
Hydriodic Acid, Syrup.....	137	
Hypodermatic Case, Aluminum.....	129	
Improved, Lee.....	130	
Veterinary.....	138	
Tablets.....	84-	89
Veterinary.....		90
Imperial Measure, table showing relations between and Wine.....		8
Infiltration Anæsthetic Tablets.....	130	
Information Concerning Terms, etc .....	3,	4
Inhalants.....	117	
Iodine Solution.....	130	
Iodoform Bougies .....	90	
Iron Chloride (Weld), Syrup.....	137	
Iron Iodide, Syrup of.....	137	
Jequirity Seed.....	130	
Kola Cordial.....	130	
Kola Wine.....	130	
Lactophenin.....	130	
Lanolinum.....	130	
Laudanum.....	130	
Leakages, note on.....		4
Lime juice and Pepsin.....	130	
Liquid Acid Phosphates.....	123	
Liquids, Normal.....	29,	30
Liquor Sedans.....	131	
Liquor Triciti.....	131	
Lithium Citrate Tablets.....	130	
Loeffler Solution (for Diphtheria).....	131	
Loose Labels, note on.....		4
Lozenges.....	113,	131
Maltale.....	132	
Malt Preparations.....	132	
Materia Medica Cabinet.....	132	
Microscopical Slides.....	132	
Medicine Dropper and Bottle, Graduated.....	132	
Menthol Crystals and Pencils.....	132	
Nitrate Amyl Pearls.....	123	
Nomenclature, note on.....		3
Normal Liquids .....	29,	30
Notes of Reference.....	224-252	
Nuclein.....	133	
Oil Eucalyptus.....	133	
Oleates .....	115,	116
Omissions, note on.....		4
Ophthalmic Tablets.....		89

**INDEX—Concluded.**

Opium Preparations.....	133
Oxgall.....	133
Pancreatin Preparations.....	133
Papaw juice.....	133
Papayotin.....	133
Pengawar Djambi.....	133
Pepsin Preparations.....	134
Peptonizing Tablets, Improved.....	127
Petroleum Mass.....	134
Pills, Sugar- and Gelatin-coated.....	43—78
Enteric.....	79
In bulk and for retailing.....	134, 135
Pink Granules.....	80, 81
Podophyllotoxin.....	135
Powdered Extracts.....	36—38
Pressed Herbs.....	140—152
Herb Cans.....	135, 152
Quinine Capsules, Pills and Tablets.....	135, 136
Reagent Case.....	137
Rectal Capsules.....	125
Red Gum Lozenges.....	137
Remittances, note on.....	4
Rennin.....	137
Revised Prices, note on.....	4
Rhubarb Fingers.....	137
Salicylic Acid.....	123
Semple's Atomizing Inhaler.....	137
Shortages, note on.....	4
Solid Extracts.....	31—35
Soluble Elastic Filled Capsules.....	103—110
Solutions, Table for making.....	8
Solution Chlorinated Soda.....	137
Solution Iron and Manganese.....	137
Sugar-coated Pills.....	43—78
Sulphur Torches.....	137
Supra-renal Glands.....	137
Synonyms.....	254—263
Syringe, Hypodermatic.....	129
Antitoxin.....	124
Nuclein.....	133
Veterinary Hypodermatic.....	138
Syrups.....	99—101, 137
Table of Equivalents.....	5, 6
Contents.....	7
For Preparing Solutions.....	8
Relations between Imperial and Wine Measure.....	8
Tablets, Compressed.....	101—215
Hypodermatic.....	84—89
Veterinary.....	90
Ophthalmic.....	89
Tablet Triturates.....	153—188
Cases.....	215, 216
Takadiastase.....	138
Taro Flour.....	138
Terebene.....	138
Thyreoids.....	138
Trifolium Compound, Syrup.....	137
Ureometer.....	138
Urinary Test Case (Reagent Case).....	137
Tablets.....	138
Veterinary Capsules.....	125
Case.....	138
Hypodermatic Tablets.....	90
Warburg Tinctures.....	138, 139
Wines.....	98
Wine Measure, Table showing relations between Imperial and.....	8
Witch Hazel, Distilled Extract.....	139
Woodbridge Treatment of Typhoid Fever.....	139
Yerba Santa Aromatic, Syrup.....	137

# Foreign Agencies.

## Europe.

LONDON, ENGLAND, BRANCH.....	PARKE, DAVIS & CO., 21 N. Audley St. (451 Oxford St.) Grosvenor Sq., W.
AUSTRIA.....	VIENNA C. Haubner's Engel Apotheke. G. & R. Fritz.
BELGIUM.....	BRUSSELS E. Pelerin.
	GERMANY.....BERLIN Brückner, Lampe & Co. Simon's Apotheke.

SWITZERLAND.....	GENEVA Pharmacie Sauter.
------------------	-----------------------------

## Australia.

DEPOT: CHAS. MARKELL & CO., 15 Bridge St., Sydney, N. S. W.	
S. AUSTRALIA.....ADELAIDE	VICTORIA.....MELBOURNE
A. M. Bickford & Sons. F. A. Faulding & Co.	Duerdin & Sainsbury. Felton, Grimwade & Co. Rocke, Tompsitt & Co.
TASMANIA.....LAUNCESTON	N. SOUTH WALES....SYDNEY
L. Fairthorne & Son.	Elliott Bros. (Limited.) Australian Drug Co. (L't'd). Julius Levy. Sayers, Allport & Potter.
QUEENSLAND.....BRISBANE	
Elliott Bros. (Limited.) Taylor & Colledge.	

## New Zealand.

AUCKLAND—	DUNEDIN—
Sharland & Co. (Limited.) New Zealand Drug Co. (L't'd).	New Zealand Drug Co. (L't'd).
CHRISTCHURCH—	WELLINGTON—
New Zealand Drug Co. (L't'd). H. F. Stevens.	Sharland & Co. (Limited.) New Zealand Drug Co. (L't'd). P. Hayman & Co.

Our products can also be obtained from the Wholesale Trade generally  
throughout Australasia.

## Other Foreign Countries.

CEYLON.....	Colombo Apothecaries Co. (Limited).....	COLOMBO
CHINA.....	Dakin Bros. (Limited).....	HONG KONG
CHINA.....	Mactavish & Lehmann (Limited).....	SHANGHAI
HAWAIIAN ISLANDS	{ Hollister Drug Co. Benson, Smith & Co. Hobron Drug Co. (Limited.)	{ HONOLULU
EGYPT.....	B. Fischer & Co.....	ALEXANDRIA
INDIA.....	Kemp & Co.....	BOMBAY
INDIA	{ Bathgate & Co. Smith, Stanistreet & Co. R. Scott Thomson & Co. (Limited.)	{ CALCUTTA
JAPAN.....	China and Japan Trading Co. (Limited)...	YOKOHAMA
JAVA.....	Rathkamp & Co.....	BATAVIA

Our products are also carried in stock by the Wholesale Druggists of most  
of the important cities of Mexico, Central America, South  
America, and the West Indies.

QV P237c 1896